

Global Transdermal Patch Market Status and Outlook 2018-2025

<https://marketpublishers.com/r/G82540C417BEN.html>

Date: July 2018

Pages: 219

Price: US\$ 4,000.00 (Single User License)

ID: G82540C417BEN

Abstracts

Report Snapshot

Key Content of Chapters (Including and can be customized, report is a semifinished version, and it takes 48-72 hours to upgrade)

Part 1: Terminology Definition, Industry Chain, Industry Dynamics & Regulations and Global Market Overview

Part 2: Upstream (Raw Materials / Components) & Manufacturing (Procurement Methods & Channels and Cost), Major Regional Production Overview and Trade Flow

Part 3: Product Segment Overview and Market Status

Part 4: Application / End-User Segment Overview and Market Status

Part 5: Region Segment Overview and Market Status

Part 6: Product & Application Segment Production & Demand by Region

Part 7: Market Forecast by Product, Application & Region

Part 8: Company information, Products & Services and Business Operation (Sales, Cost, Margin etc.)

Part 9: Market Competition and Environment for New Entrants

Part 10: Conclusion

Market Segment as follows:

Key Companies

Hisamitsu Pharmaceutical

Novartis

Johnson & Johnson

Teikoku Pharma

Mylan

Actavis

Mundipharma

Henan Lingrui Pharmaceutical

Changzhou Siyao

Rfl Pharmaceutical

Market by Type

Fentanyl Transdermal Patch

Nicotine Transdermal Patch

Buprenorphine Transdermal Patch

Clonidine Transdermal Patch

Oxybutynin Transdermal Patch

Others

Market by Application

The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped.

Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body.

Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

Others

Contents

PART 1 INDUSTRY OVERVIEW (200 USD)

- 1.1 Transdermal Patch Industry
 - 1.1.1 Market Development
 - 1.1.2 Terminology Definition in the Report
 - 1.1.2.1 Production
 - 1.1.2.2 Demand
 - 1.1.2.3 Sales Revenue
 - 1.1.2.4 Ex-factory Price & Sales Price
 - 1.1.2.5 Cost
 - 1.1.2.6 Gross Margin
- 1.2 Products & Services Scope
- 1.3 Industry Chain
- 1.4 Industry Dynamics & Regulations
- 1.5 Global Market Overview

PART 2 UPSTREAM & PRODUCTION (200 USD)

- 2.1 Raw Materials / Components
- 2.2 Procurement Methods & Channels
- 2.3 Cost Structure & Manufacturing
- 2.4 Industry Capacity
- 2.5 Production Distribution by Geography
 - 2.5.1 Production in Major Regions / Countries
 - 2.5.2 Trade Flow Overview

PART 3 PRODUCT SEGMENT (400 USD)

- 3.1 Introduction by Type
 - 3.1.1 Fentanyl Transdermal Patch
 - 3.1.2 Nicotine Transdermal Patch
 - 3.1.3 Buprenorphine Transdermal Patch
 - 3.1.4 Clonidine Transdermal Patch
 - 3.1.5 Oxybutynin Transdermal Patch
 - 3.1.6 Others
- 3.2 Market Status

PART 4 APPLICATION / END-USER SEGMENT (400 USD)

4.1 Introduction by Application

4.1.1 The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

4.1.2 Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped.

4.1.3 Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

4.1.4 Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body.

4.1.5 Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

4.1.6 Others

4.2 Market Status

PART 5 REGIONAL MARKET (600 USD)

5.1 Market Overview

5.2 by Region

5.2.1 North America

5.2.1.1 United States Market Size and Growth (2015-2018E)

5.2.1.2 Canada Market Size and Growth (2015-2018E)

5.2.1.3 Mexico Market Size and Growth (2015-2018E)

5.2.2 Europe

5.2.2.1 Germany Market Size and Growth (2015-2018E)

5.2.2.2 UK Market Size and Growth (2015-2018E)

5.2.2.3 France Market Size and Growth (2015-2018E)

5.2.2.4 Italy Market Size and Growth (2015-2018E)

5.2.2.5 Spain Market Size and Growth (2015-2018E)

5.2.2.6 Netherlands Market Size and Growth (2015-2018E)

- 5.2.2.7 Poland Market Size and Growth (2015-2018E)
- 5.2.2.8 Belgium Market Size and Growth (2015-2018E)
- 5.2.2.9 Sweden Market Size and Growth (2015-2018E)
- 5.2.2.10 Austria Market Size and Growth (2015-2018E)
- 5.2.2.11 Denmark Market Size and Growth (2015-2018E)
- 5.2.2.12 Switzerland Market Size and Growth (2015-2018E)
- 5.2.2.13 Russia Market Size and Growth (2015-2018E)
- 5.2.3 Asia-Pacific
 - 5.2.3.1 China Market Size and Growth (2015-2018E)
 - 5.2.3.2 India Market Size and Growth (2015-2018E)
 - 5.2.3.3 Japan Market Size and Growth (2015-2018E)
 - 5.2.3.4 Korea Market Size and Growth (2015-2018E)
 - 5.2.3.5 Australia Market Size and Growth (2015-2018E)
 - 5.2.3.6 Indonesia Market Size and Growth (2015-2018E)
 - 5.2.3.7 Thailand Market Size and Growth (2015-2018E)
 - 5.2.3.8 Malaysia Market Size and Growth (2015-2018E)
 - 5.2.3.9 Singapore Market Size and Growth (2015-2018E)
 - 5.2.3.10 Philippines Market Size and Growth (2015-2018E)
- 5.2.4 South America
 - 5.2.4.1 Brazil Market Size and Growth (2015-2018E)
 - 5.2.4.2 Argentina Market Size and Growth (2015-2018E)
 - 5.2.4.3 Columbia Market Size and Growth (2015-2018E)
 - 5.2.4.4 Chile Market Size and Growth (2015-2018E)
 - 5.2.4.5 Peru Market Size and Growth (2015-2018E)
 - 5.2.4.6 Puerto Rico Market Size and Growth (2015-2018E)
 - 5.2.4.7 Ecuador Market Size and Growth (2015-2018E)
- 5.2.5 Middle East
 - 5.2.5.1 Saudi Arabia Market Size and Growth (2015-2018E)
 - 5.2.5.2 Iran Market Size and Growth (2015-2018E)
 - 5.2.5.3 UAE Market Size and Growth (2015-2018E)
 - 5.2.5.4 Oman Market Size and Growth (2015-2018E)
 - 5.2.5.5 Kuwait Market Size and Growth (2015-2018E)
 - 5.2.5.6 Iraq Market Size and Growth (2015-2018E)
 - 5.2.5.7 Turkey Market Size and Growth (2015-2018E)
- 5.2.6 Africa
 - 5.2.6.1 South Africa Market Size and Growth (2015-2018E)
 - 5.2.6.2 Egypt Market Size and Growth (2015-2018E)
 - 5.2.6.3 Nigeria Market Size and Growth (2015-2018E)
 - 5.2.6.4 Algeria Market Size and Growth (2015-2018E)

- 5.2.6.5 Angola Market Size and Growth (2015-2018E)
- 5.2.6.6 Morocco Market Size and Growth (2015-2018E)
- 5.2.6.7 Sultan Market Size and Growth (2015-2018E)

PART 6 MARKET SUBDIVISION (800 USD)

6.1 Regional Production

6.1.1 Production by Type

- 6.1.1.1 Fentanyl Transdermal Patch Production by Region
- 6.1.1.2 Nicotine Transdermal Patch Production by Region
- 6.1.1.3 Buprenorphine Transdermal Patch Production by Region
- 6.1.1.4 Clonidine Transdermal Patch Production by Region
- 6.1.1.5 Oxybutynin Transdermal Patch Production by Region
- 6.1.1.6 Others Production by Region

6.1.2 Production by Application

6.1.2.1 The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

Production by Region

6.1.2.2 Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Production by Region

6.1.2.3 Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

Production by Region

6.1.2.4 Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Production by Region

6.1.2.5 Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

Production by Region

- 6.1.2.6 Others Production by Region

6.2 Regional Demand

6.2.1 Demand by Type

6.2.1.1 Fentanyl Transdermal Patch Demand by Region

6.2.1.2 Nicotine Transdermal Patch Demand by Region

6.2.1.3 Buprenorphine Transdermal Patch Demand by Region

6.2.1.4 Clonidine Transdermal Patch Demand by Region

6.2.1.5 Oxybutynin Transdermal Patch Demand by Region

6.2.1.6 Others Demand by Region

6.2.2 Demand by Application

6.2.2.1 The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time. Demand by Region

6.2.2.2 Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Demand by Region

6.2.2.3 Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain. Demand by Region

6.2.2.4 Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Demand by Region

6.2.2.5 Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles. Demand by Region

6.2.2.6 Others Demand by Region

PART 7 MARKET FORECAST (200 USD)

7.1 Global Forecast

7.2 Forecast by Type

7.3 Forecast by Application

7.4 Forecast by Region

PART 8 KEY COMPANIES LIST (600 USD)

- 8.1 Hisamitsu Pharmaceutical
 - 8.1.2 Company Information
 - 8.1.2 Products & Services
 - 8.1.3 Business Operation
- 8.2 Novartis
 - 8.2.1 Company Information
 - 8.2.2 Products & Services
 - 8.2.3 Business Operation
- 8.3 Johnson & Johnson
 - 8.3.1 Company Information
 - 8.3.2 Products & Services
 - 8.3.3 Business Operation
- 8.4 Teikoku Pharma
 - 8.4.1 Company Information
 - 8.4.2 Products & Services
 - 8.4.3 Business Operation
- 8.5 Mylan
 - 8.5.1 Company Information
 - 8.5.2 Products & Services
 - 8.5.3 Business Operation
- 8.6 Actavis
 - 8.6.1 Company Information
 - 8.6.2 Products & Services
 - 8.6.3 Business Operation
- 8.7 Mundipharma
 - 8.7.1 Company Information
 - 8.7.2 Products & Services
 - 8.7.3 Business Operation
- 8.8 Henan Lingrui Pharmaceutical
 - 8.8.1 Company Information
 - 8.8.2 Products & Services
 - 8.8.3 Business Operation
- 8.9 Changzhou Siyao
 - 8.9.1 Company Information
 - 8.9.2 Products & Services
 - 8.9.3 Business Operation
- 8.10 Rfl Pharmaceutical

8.10.1 Company Information

8.10.2 Products & Services

8.10.3 Business Operation

PART 9 COMPANY COMPETITION (500 USD)

9.1 Market by Company

9.2 Price & Gross Margin

9.3 Competitive Environment for New Entrants

9.3.1 Michael Porter's Five Forces Model

9.3.2 SWOT

PART 10 RESEARCH CONCLUSION (100 USD)

I would like to order

Product name: Global Transdermal Patch Market Status and Outlook 2018-2025

Product link: <https://marketpublishers.com/r/G82540C417BEN.html>

Price: US\$ 4,000.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/G82540C417BEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970