

World RF Coax Connector Market

<https://marketpublishers.com/r/W311D951066EN.html>

Date: June 2020

Pages: 380

Price: US\$ 4,250.00 (Single User License)

ID: W311D951066EN

Abstracts

World RF Connector Market 2020

How did the RF coax connector market perform in 2019? How will it perform in 2020 and beyond? What markets and geographical regions present the greatest potential for growth in RF (coaxial) connectors and why?

How do new and higher frequency allocations, especially for 5G and IoT, influence design, production tolerances, test equipment, and cost and supply chain sourcing?

Which specific RF coax connectors (families and product types) are projected to show the highest growth and how are connector manufacturers addressing these potential increases or decreases in demand?

Bishop & Associates' new research report, *World RF Coax Connector Market 2020* presents the latest and most up-to-date market information, trends, RF connector technology, product, and application information. RF coax connector sales for the years 2018, 2019, 2020F, and 2025F are provided by RF connector family and type, worldwide and by region of the world.

Predictions include effects of trends for higher frequencies, broader application bandwidths, and international shifts. With a forecasted CAGR of XX.X% from 2020 to 2025, growth of the world RF coax connector market exceeds many other connector types.

Major changes are currently underway for coaxial connectors and applications. Understand and prepare your company and customers for these changes by ordering

your copy of World RF Coax Connector Market 2020.

Contents

PREFACE

CHAPTER 1 – REPORT SUMMARY AND ANALYSIS OF THE WORLD RF COAX CONNECTOR MARKETS

Introduction

Report Contents

World Connector Sales

World Connector Market by Region 2018 to 2019 with Percent Change

World Connector Market by Region 2019 to 2020F with Percent Change

Worldwide Connector Market by Region 2025 Forecast & Five-Year CAGR

2019 World Connector Sales by Product Type – Top Five by Percent of Market Share
Market Share for RF Coax Connectors

World “Total Connectors” Five-Year CAGR 2018F to 2023F by Product Type
Prompted by 5G and IoT

Marketplace Summary for RF Coax Connector

Connector Growth by Markets and Products

World Connector Sales

RF Coax vs. Total

World “Total Connectors” Five-Year CAGR 2020F to 2025F by Product Type

RF Coax Connector Growth

Summary World RF Coax Connector Sales, 2018, 2019, 2020F, and 2025F Sales by
Region

RF Coax Connector Sales by Region and by RF Product Family 2020F vs. 2025F

2020F and 2025F Connector Sales by RF Product Family

2020F Connector Market Share by RF Product Family

2025F Connector Market Share by RF Product Family

Projected Shifts 2019 – 2025F

Concerns

RF Cable Assemblies

2020 World Market Value for Cable Assemblies Percent of Market by Market Sector by
Product Type

2025 World Market Value for Cable Assemblies by Market Sector by Product Type

RF Coax Connector World Sales Summaries

2020F and 2025F Total World RF Connector Sales by Product Type, with Five-Year
CAGR

CHAPTER 2 – CONNECTOR MARKETPLACE ECONOMICS

Introduction

World Connector Market – Top Five Product Categories 2019

Historical Connector Sales

International GDP Comparisons

Connector Industry Business Cycles

Historical Percentage Change in Connector Demand

Going Forward – 2020

Projected Impact of Covid-19 on the Connector Industry

Historical Reviews – 2001-2002 “Dotcom Bubble” and September 11th Attacks

2001-2002-2003: Year-over-Year Change in Sales

2001-2002-2003: Year-over-Year Change in Sales by Quarter

2008-2009: Financial Crisis and H1N1 Virus Problems

2008-2009-2010: Year-over-Year Change in Sales by Quarter

Forecasts

Forecast Assumptions

2020 Assumptions by Quarter

Forecasting 2020 to 2021

Connector Industry Forecast by Quarter (2019-2020-2021)

Monetary Policy

Supply Chain Considerations

Operating Frequency Affects Markets

Worldwide Connector Sales by Region

Distributors Support Microwave and mmWave Sales

A Multi-Billion Dollar Business

Limited Interchangeability Affects Sourcing

Niche Distributors Serve Higher Frequency Component Needs

Largest Distributors Offer RF/Microwave Interconnect

Economic Effects of Counterfeit Coax Connectors

Commercial, Mil-Spec, and Hi-Rel Connectors are Involved

SAE Specifications Provide Control

Special “JAN/J” Marking Will Validate Connectors

DNA “Tags” are Latest Technology

Impact

Other Economic Factors

Supply Chain

Cost of Materials

CHAPTER 3 – RF COAX CONNECTOR ANALYSIS

2018, 2019, 2020F, and 2025F RF Connector Sales by Region with Percent Change and Five-Year CAGR

2020F and 2025F RF Connector Sales by Region

2020F RF Connector Market Share by Region

2025F RF Connector Market Share by Region

Family Groupings

2018 and 2019F Connector Sales by RF Product Family with Percent Change

2019 and 2020F Connector Sales by RF Product Family with Percent Change

2020F and 2025F Connector Sales by RF Product Family with Five-Year CAGR

2020F Connector Market Share by RF Product Family

2025F Connector Market Share by RF Product Family

2020F and 2025F Connector Sales by RF Product Family

2020F and 2025F Total World RF Connector Sales by Product Type with Five-Year CAGR

2018 and 2019 RF Connectors by Region with Percent Change

2019 and 2020F RF Connectors by Region with Percent Change

2020F and 2025F RF Connectors by Region with Five-Year CAGR

CHAPTER 4 – RF CABLE ASSEMBLIES

Introduction

Sales Results and Forecasts

2020 World Market Value for Cable Assemblies by Market Sector by Product Type

2020 World Market Value for Cable Assemblies Percent of Market Sector by Product Type

2025 World Market Value for Cable Assemblies Percent of Market Sector by Product Type

2025 World Market Value for Cable Assemblies by Market Sector by Product Type

World Cable Assembly Market Value by Market Sector

Summary of Trends Impacting the Industry

Coaxial Cable

Coax Cable Specifications

CHAPTER 5 – SPECIFIC CONNECTORS AND FAMILY GROUPS

Introduction

Comparisons by Frequency

Comparisons by Attributes
Family Groupings
Ultraminiature Connectors
U.FL Connectors
PCIe M2 (MHF4)
Locking MHF I LK Connectors
MHF-7S for 5G Applications
X.FL Ultra-Microminiature Connectors
Microminiature Connectors
MCX, MMCX
TLMP Connectors
QSL Connectors
0.9 mm SuperMini
MOEBIUS MC-Card and Switching Connectors
Switching MOEBIUS Connectors
Nano Coax
Subminiature Connectors
SMA (OSM) Connectors
RP-SMA (RSMA) Reverse Polarity SMA
SMA Quick-Connect and Push-On Adapters
QMA and Mini-QMA
PSM, Power Sub-miniature Interface Connector
SSMA (OSSM) Connectors
OSMM (SMD) Connectors
SMB, SSMB Connectors
SMC, SMCC Connectors
FAKRA Connectors
Connector Description and Specifications
FAKRA Connector Concepts and Features
Keying and Color-Coding Options
Next Generation FAKRA (HFM FAKRA-Mini)
1.0/2.3 Coax Inserts, for DIN 41612 Connectors
1.0/2.3 Connectors per DIN 47297
1.5/3.5 Connectors
1.6/5.6 Connectors
Miniature Connectors
BNC
Mini-BNC and HD BNC
Higher Frequency 75 Ohm BNC

BNC for Auto-Assembly
MHV and SHV Connectors
UHF and Mini-UHF
F, FD, and G (CATV Type) Connectors
Medium (Size) Connectors
NEX10 Connectors
NEX10 Multi-Coax Configurations
2.2/5 Connectors
TNC, RP-TNC Connectors
18 GHz TNC
TNCA (18 GHz) and PTNC (16 GHz) Connectors
TNC Accessories
TNC Shorting Caps
TNC Switching Connectors
TK and “Replaceable Head” Connectors
N Connectors
QN (Quicklock N) Connectors
HN Connectors
ZMA Connectors
SMKey Connectors
4.3/10 Connectors
4.1/9.5 Connectors
QLI Connectors
Large (Size) Connectors
7/16 DIN Connectors
13-30 DIN, 25-58 DIN Connectors
LC and LT Connectors
C and SC Connectors
Precision Connectors
Introduction
7 mm (APC-7) Connectors
Test Equipment Prompts New Microwave Connectors
3.5 mm and 2.92 mm Connectors
Enhanced 2.92mm for 44 GHz
2.40 mm and 1.85 mm Connectors
Enhanced 1.85 mm 70 GHz Connectors
1.35 mm “E” Connectors
1.35 Product Availability
1 mm Connectors

0.8 mm Connectors
Blind-mate Connectors
BMA (OSP), BMMA (OSSP)
SBMA Connectors
BZ Connectors
BMZ Connectors
SFB Connectors
SMP (GPO), SMPM (GPPO), SMP3 (G3PO) Family
VITA 67 Coax Assemblies
VITA 67.1 and 67.2
VITA 67.3
Miscellaneous Other RF Interconnects
RCA & Motorola Antenna Plug
Coax Contact Assemblies in Standard Multi-Cavity Connectors

CHAPTER 6 – TODAY’S CONNECTORS AND PRODUCT DEVELOPMENT

Why So Many Different Connectors
Connector Terminology
Connector Series
Semantics
Plug and Receptacle
Confusion with Non-Coax Connectors
Connector Sex
Plug and Receptacle
Historical Background, Connectors and Cable
Technical Foundation
First Coaxial Connectors
Current Versions of UHF Connectors
Early Connectors for Test Equipment
Special Study: Omni Spectra, for OSM and SMA
Test Equipment Prompts New Microwave Connectors
Precision Types
Slotless Contacts
RF Coax Connector Standardization
Initial Agencies
Defense Supply Center (DSCC) and Defense Logistics Agency (DLA)
International Standards
International Electrotechnical Commission (IEC)

American National Standards Institute (ANSI)
Electronic Components Industry Association (ECIA)
RF Coax Connector Military Specifications
VITA Standards
Standards Development
New Spectrum Standards Challenge Future (USA vs China) for 5G and IoT
IEEE Specification P-287

CHAPTER 7 – MARKETPLACE FACTORS

Introduction
2019 Worldwide Connector Market Product Category/End-Use Equipment Matrix
2020F/2025F Connector Five-Year CAGR
Multiple End-Use Affects Data
Wireless Communications Drive Connector Usage
Atmospheric Problems Can be a Benefit
Vehicle (Automotive) Connectors
Vehicle Wi-Fi
FAKRA Connectors Dominate Higher Frequency Auto RF
Vehicle-to-Vehicle
Higher Frequency On-Vehicle Connectors
Automotive Related (Non-Vehicle) Applications
International Environmental Regulation Affect Markets
Recent Actions Expand Requirements
EU Lead-Free Standards
California Proposition
Military and Aerospace Markets
SOSA Consortium for Interchangeability
Space and Hi-Rel Applications
Outgassing
VITA Space Standards

CHAPTER 8 – RF COAX CONNECTOR CONCEPTS

Electrical vs. Mechanical vs. Materials
Characteristic Impedance
Why 50-Ohms?
What about 75-Ohm Cables?
50-Ohm versus 75-Ohm Connectors

What Else?

Generic Connector Design

Characteristic Impedance

Maximum Operating Frequency

Terminology and Concepts Used with Connectors

Background

Interconnect Performance

Frequency Bands

Charts and Tables Vary

Terahertz (Submillimeter Wave) Frequencies

Alloy Details are Important

Testing

Military Specification Test Procedures

EIA-364 vs. Mil Test Procedures

Panel & Equipment Mounted Connectors

General

Thread-in Connectors

Hermetic Sealing

Extended One-Piece Rear-Pins vs. Field Replaceable Connectors

Concepts

Problems

Field Replaceable Designs Provide Solutions

Typical Accessory Diameter (Connector Rear Interface)

Connector Construction Differences

Contact Retention

Intermateability

Intermateability Example: SMP/GPO Family

Specials

Variation of Catalog Connectors

Switch Connectors

CHAPTER 9 – CONNECTOR APPLICATION GROUPS

End Launch Connectors

Transition from Cable to Test Boards

Introduction

Horizontal Mount End Launches

Vertical Launch Connectors

PCB Consideration

Blind-Mate Coaxial Connectors
Concepts
Rack-and-Panel (Module to Module) Blind-Mates
Single Line Blind-Mate Connectors
OSP/BMA Were First
Environmentally Sealed Blind-Mates
Board-to-Board Blind-Mate Concepts
Lack of Standardization
Mil-Aero Board-to-Board Blind-Mates
VITA Standards
Low PIM Connectors
Passive Intermodulation
Introduction
How is PIM Generated?
PIM Testing
Low PIM Connectors
Low PIM Cables
Cable Connectors
Cable Options
Production Rates Determine Termination Method
Termination for Single Coax-Line Assemblies
Direct Solder and Field-Replaceable Cable Connectors
Cable Termination Problems
Multi-Port Connectors
Concept
Standardization
Commercial Multi-Port Connectors
Mil-Aero Multi-Port Connectors
Multi-Port Economics

CHAPTER 10 – ACCESSORIES AND SUPPORT PRODUCTS

RF Involves Broad Array of Support Items
Standardized Test Boards
Accessories – Group 1 – For Connector Interface
Dust and Termination Caps
Terminations
Shorting Caps
Accessories – Group 2 – For Field Replaceable Connectors and Stand-Alone Use

Hermetic Seals
Pins, Pin-Tabs, and Dielectrics
Strain Relief (Sliding) Accessory Contacts
Isolating Insulated Mounting Washers
Adapters
General
Electrical and Mechanical Differences
Precision Calibration-Grade Adapters
ColorConnect™ Precision Adapters
Test Port Adapters
DC Blocks
Directional Couplers
Attenuators
Concept
Connectorized Attenuators
Precision Attenuators for Test and Calibration
Connector Gages
Assembly Tools
Introduction
Connector Torque Wrenches
Installation Tools for Hermetic Seals for Use with Thread-in Connectors
Installation Tools for Hermetic Seals for Use with Flanged Connectors

CHAPTER 11 – MANUFACTURERS’ REVIEW

Introduction
2019 Worldwide RF Coax Connector Sales by Region
Companies Reviewed
Company Data
A & P Technology Co., Ltd
AIMMET Industrial Co., Ltd
Aliner Industries, Inc.
Amphenol Corporation
Anoison Electronics Ltd
Anritsu Company
Apex Precision Technology Corp
Automatic Connector
Bel Connectivity
Bo-Jiang Technology Co., Ltd

Cambridge Electronic Industries Ltd
CANARE Electric Co., Ltd
Carlisle Interconnect Technologies, Inc
CeramTec GmbH
Coax Connectors Ltd
CommScope Inc.
Connectronics, Inc.
Delta Electronics Manufacturing Corporation
Dynawave, Inc.
EZ Form Cable Corp
Emerson Network Power Connectivity Solutions
Frontlynk
GigaLane Co., Ltd
Hirose Electric Co., Ltd
HUBER+SUHNER AG
IMS Connector Systems GmbH
I-PEX Co., Ltd
ITT Interconnect Solutions (ITT Cannon)
JAE – Japan Aviation Electronics Industry, Ltd
MegaPhase, LLC
Micro-Coax
Micro-Mode Products Inc.
Molex Inc.
Orient Microwave Corp.
Pasternack Enterprises
Precision Connector Inc. (PCI)
Radiall S.A.
RF Industries Ltd
Rosenberger Hochfrequenztechnik GmbH & Co. KG
Samtec, Inc.
San-tron, Inc.
SGMC Microwave
Signal Microwave, LLC
Smiths Interconnect
Southwest Microwave, Inc.
Spectrum Elektrotechnik GmbH
Spinner GmbH
TE Connectivity
Telegartner Group

The Phoenix Company of Chicago
W.L. Gore & Associates, Inc.
Winchester Electronic Corp.
Withwave Company, Ltd

CHAPTER 12 – USER CONSIDERATIONS

Introduction
Manufacturer's Supplier Data
International Standards
User Concerns
Information Sources
Connector Do's and Don'ts
Storing Connectors
Connector Torque
"Stuck" Connectors
Cal Kit Connector
Cleaning Connectors
Connector Savers
Proper Use of Connectors and Test Equipment
Proper Mating of RF/Microwave Connectors
Background
Mating Procedure
Proper Mounting of Flanged Connectors
Raised Grounding Ring Requires 360° Grounding
Connector to Waveguide Transitions
Right-Angle Transitions
In-Line Transitions

About

For the year 2013, the World RF connector market grew +2.0% to \$X,XXX.X million. This modest growth was after a slight decline the previous year of -3.1%. The market appears to have stabilized over the past year after dramatic increases in 2010 and 2011. The RF market in 2011 grew +8.8%, this after significant growth of +30.0% in 2010. This large growth can be attributed to the market rebounding after the historic economic downturn in 2008.

In 2013, the region of the world with the largest consumption of RF product continued to be China. Sales revenue of \$XXX.X million was, however, down from the previous year. This represented a -7.9% decline in sales. China was followed closely in total revenue by the North American and the European regions with sales of \$XXX.X million and \$XXX.X million respectively. Both of these regions grew in 2013 with percent increases of +9.4% and +11.2%. The other region that showed a sales decline in 2013 was Japan with a -12.3% decrease. The following chart summarizes RF sales by region and is examined more closely in the Market Analysis chapter of this report.

Many factors are currently influencing the vitality of the RF Coax connector global market. Emerging technologies and markets continue to demand the RF product attribute and provide a growth avenue for this connector type. As some markets decline, they are being replaced with new applications and emerging markets. This causes the RF connector lines to adapt and change to meet the more demanding performance requirements of new technologies.

Generally, the new performance requirements mean higher data speeds and connector miniaturization. As more data throughput is required in almost all of today's markets, signal integrity must continue to be maintained at higher frequencies. In addition, higher density packaging requires legacy connector systems to become smaller, while still maintaining signal integrity, mechanical strength and ruggedness.

Product attributes can sometimes compete. For example, connector ruggedness can be compromised as a result of miniaturization. Market influences usually determine the winner of which attribute is favored. A military application will most likely prefer strength and environmental protection over miniaturization.

Finally, cost is always a market driver. The ability to make a product less costly through material and process improvements, while still maintaining performance, is a necessity

in a highly competitive market. Most of the RF connector manufacturers make the same, or similar, connector types making it necessary to differentiate themselves either by price or performance.

I would like to order

Product name: World RF Coax Connector Market

Product link: <https://marketpublishers.com/r/W311D951066EN.html>

Price: US\$ 4,250.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/W311D951066EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970