

Epiomic Epidemiology Series: Behcet's Disease Forecast in 12 Major Markets 2016-2026

<https://marketpublishers.com/r/EF2779FFB11EN.html>

Date: February 2016

Pages: 60

Price: US\$ 6,382.00 (Single User License)

ID: EF2779FFB11EN

Abstracts

Behçet's disease (BD), also known as Silk Road Disease or Adamantiades-Behçet's Disease, is a rare disease classified amongst a group of disorders termed "vasculitides". The pathophysiology is thought to be autoimmune, linked to the HLA-B5/51 antigen. As a multisystem disease, clinical manifestations can involve nearly all systems of the body. The manifestations are self-limiting but recurrent and thus the majority of BD is characterized by a relapsing-remitting pattern.

This report provides the current prevalent population for Behcet's disease across 12 Major Markets (USA, France, Germany, Italy, Spain, UK, Japan, Sweden, Turkey, China, Saudi Arabia and Egypt) split by gender and 5-year age cohort. Along with the current prevalence, the report also contains a disease overview of the risk factors, disease diagnosis and prognosis along with specific variations by geography and ethnicity.

Providing a value-added level of insight from the analysis team at Black Swan, several of the main symptoms and co-morbidities of Behcet's disease have been quantified and presented alongside the overall prevalence figures. These sub-populations within the main disease are also included at a country level across the 10-year forecast snapshot.

Main symptoms and co-morbidities for Behcet's disease include:

Skin involvement with or without Erythema Nodosum

Genital ulcers

Eye involvement with or without Uveitis

Arthritis

CNS involvement

Vascular involvement

This report is built using data and information sourced from the proprietary Epiomic patient segmentation database. To generate accurate patient population estimates, the Epiomic database utilises a combination of several world class sources that deliver the most up to date information from patient registries, clinical trials and epidemiology studies. All of the sources used to generate the data and analysis have been identified in the report.

Reason to buy

Able to quantify patient populations in global Behcet's disease's market to target the development of future products, pricing strategies and launch plans.

Gain further insight into the prevalence of the subdivided types of Behcet's disease and identify patient segments with high potential.

Delivery of more accurate information for clinical trials in study sizing and realistic patient recruitment for various countries.

Provide a level of understanding on the impact from specific co-morbid conditions on Behcet's disease's prevalent population.

Identify sub-populations within Behcet's disease which require treatment.

Gain an understanding of the specific markets that have the largest number of Behcet's disease patients.

Contents

- Introduction
- Cause of the Disease
- Risk Factors & Prevention
- Diagnosis of the Disease
- Variation by Geography/Ethnicity
- Disease Prognosis & Clinical Course
- Key Co-morbid Conditions /Features Associated with the Disease
- Methodology for Quantification of Patient Numbers
- Top-Line Prevalence for Behcet's Disease
- Antigens and Pathergy in Bechet's Disease Patients
- Clinical Features of Bechet's Disease Patients
 - Skin Manifestations
 - Ocular Manifestations
 - Joint Manifestations
 - CNS Manifestations
 - Vascular Manifestations
 - Cardiac Manifestations
 - Gastrointestinal Manifestations
- Abbreviations used in the Report
- Other Black Swan Analysis Publications
- Black Swan Analysis Online Patient-Based Databases
- Patient-Based Offering
- Online Pricing Data and Platforms
- References
- Appendix

List Of Tables

LIST OF TABLES

International Study Group guidelines for diagnosis
The ICBD criteria
Prevalence of Behçet's Disease, total
Prevalence of Behçet's Disease, males
Prevalence of Behçet's Disease, females
BD patients that are HLA-B5/51 positive, total patients
BD patients with positive Pathergy test, total patients
BD patients with erythema nodosum, total patients
BD patients with folliculitis, total patients
BD patients with papulopustular lesions, total patients
BD patients with genital ulcers, total patients
BD patients with uveitis, total patients
BD patients with hypopyon iritis, total patients
BD patients with retinitis, total patients
BD patients with visual loss and blindness, total patients
BD patients with arthritis, total patients
Neurological involvement in BD, total patients
Course of the neurological involvement in BD, total patients
Acute neurological with single episode, total patients
Acute neurological with relapsing-remitting pattern, total patients
Chronic neurological, primary progressive, total patients
Chronic neurological, progressive with further relapses, total patients
Cerebral haemorrhage in BD patients with neurological involvement, total patients
Vascular involvement in BD, total patients
DVT in BD, total patients
Superficial thrombophlebitis in BD, total patients
Cardiac involvement in BD, total patients
Gastrointestinal (GI) involvement in BD, total patients
Bowel perforation in BD patients with GI involvement, total patients
Abbreviations and acronyms used in the report
USA Prevalence of Behçet's disease by 5-yr age cohort, males (000s)
USA Prevalence of Behçet's disease by 5-yr age cohort, females (000s)
France Prevalence of Behçet's disease by 5-yr age cohort, males (000s)
France Prevalence of Behçet's disease by 5-yr age cohort, females (000s)
Germany Prevalence of Behçet's disease by 5-yr age cohort, males (000s)

Germany Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Italy Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Italy Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Spain Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Spain Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
United Kingdom Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
United Kingdom Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Sweden Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Sweden Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Turkey Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Turkey Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Japan Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Japan Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
China Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
China Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Saudi Arabia Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Saudi Arabia Prevalence of Behcet's disease by 5-yr age cohort, females (000s)
Egypt Prevalence of Behcet's disease by 5-yr age cohort, males (000s)
Egypt Prevalence of Behcet's disease by 5-yr age cohort, females (000s)

I would like to order

Product name: Epiomic Epidemiology Series: Behcet's Disease Forecast in 12 Major Markets 2016-2026

Product link: <https://marketpublishers.com/r/EF2779FFB11EN.html>

Price: US\$ 6,382.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/EF2779FFB11EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970