

Epimic Epidemiology Series: Neuropathic Pain Forecast in 15 Major Markets 2016-2026

<https://marketpublishers.com/r/E831492A84BEN.html>

Date: January 2016

Pages: 56

Price: US\$ 6,382.00 (Single User License)

ID: E831492A84BEN

Abstracts

Summary

Black Swan Analysis Epimic™ Epidemiology Series Forecast Report on Neuropathic Pain in 15 Major Markets

Neuropathic pain is generally defined as chronic pain resulting from injury to the nervous system. Neuropathic pain is caused by other conditions or diseases such as diabetes or herpes zoster infection, and is often accompanied by depression, sleep disturbances and fear/anxiety. Nerve fibres may be damaged or dysfunctional, causing incorrect signals to other pain centres.

This report provides the current prevalent population for Neuropathic Pain across 15 Major Markets (USA, France, Germany, Italy, Spain, UK, Brazil, Japan, India, Mexico, Turkey, Netherlands, Australia, Canada and Poland) split by gender and 5-year age cohort. Along with the current prevalence, the report also contains a disease overview of the risk factors, disease diagnosis and prognosis along with specific variations by geography and ethnicity.

Providing a value-added level of insight from the analysis team at Black Swan, several of the main symptoms and co-morbidities of Neuropathic Pain have been quantified and presented alongside the overall prevalence figures. These sub-populations within the main disease are also included at a country level across the 10-year forecast snapshot.

Main symptoms and co-morbidities for Neuropathic Pain include:

Abnormal sensations – e.g. paresthesia, allodynia, algisia

Myelomas and some forms of Non-Hodgkin Lymphoma

Type 2 Diabetes Mellitus

Herpes zoster (shingles)

Chronic lower back pain

Multiple sclerosis

This report is built using data and information sourced from the proprietary Epiomic patient segmentation database. To generate accurate patient population estimates, the Epiomic database utilises a combination of several world class sources that deliver the most up to date information from patient registries, clinical trials and epidemiology studies. All of the sources used to generate the data and analysis have been identified in the report.

Reason to buy

Able to quantify patient populations in global Neuropathic Pain's market to target the development of future products, pricing strategies and launch plans.

Gain further insight into the prevalence of the subdivided types of Neuropathic Pain and identify patient segments with high potential.

Delivery of more accurate information for clinical trials in study sizing and realistic patient recruitment for various countries.

Provide a level of understanding on the impact from specific co-morbid conditions on Neuropathic Pain's prevalent population.

Identify sub-populations within Neuropathic Pain which require treatment.

Gain an understanding of the specific markets that have the largest number of Neuropathic Pain patients.

Contents

List of Tables and Figures

Introduction

Cause of the Disease

Risk Factors & Prevention

Diagnosis of the Disease

Variation by Geography/Ethnicity

Disease Prognosis & Clinical Course

Key Co-morbid Conditions /Features Associated with the Disease

Methodology for Quantification of Patient Numbers

 Additional data available on request

Top-Line Prevalence for Neuropathic Pain

Features of Neuropathic Pain Patients

 Severity of Neuropathic Pain

 Aetiology of Neuropathic Pain

Symptoms of Neuropathic Pain

 Location and Duration of Neuropathic Pain

 Physical Sensations of Neuropathic Pain

Abbreviations and Acronyms used in the Report

Other Black Swan Analysis Publications

Black Swan Analysis Online Patient-Based Databases

Patient-Based Offering

Online Pricing Data and Platforms

References

Appendix

List Of Tables

LIST OF TABLES

1. Prevalence of Neuropathic Pain, total (000s)
2. Prevalence of Neuropathic Pain, males (000s)
3. Prevalence of Neuropathic Pain, females (000s)
4. Severity of Neuropathic Pain in patients, total (000s)
5. Aetiology of Neuropathic Pain, total (000s)
6. Months (M) of Pain duration in Neuropathic Pain patients, total (000s)
7. Prevalence of upper limb pain in Neuropathic Pain patients, total (000s)
8. Prevalence of lower limb pain in Neuropathic Pain patients, total (000s)
9. Prevalence of neck/shoulder pain in Neuropathic Pain patients, total (000s)
10. Prevalence of numbness feeling in Neuropathic Pain patients, total (000s)
11. Prevalence of squeezing feeling in Neuropathic Pain patients, total (000s)
12. Prevalence of lancinating feeling in Neuropathic Pain patients, total (000s)
13. Abbreviations and acronyms used in the report
14. USA Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
15. USA Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
16. France Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
17. France Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
18. Germany Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
19. Germany Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
20. Italy Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
21. Italy Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
22. Spain Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
23. Spain Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
24. United Kingdom Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
25. United Kingdom Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
26. Brazil Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
27. Brazil Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
28. Japan Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
29. Japan Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
30. India Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
31. India Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
32. Mexico Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
33. Mexico Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
34. Turkey Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
35. Turkey Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)

36. Netherlands Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
37. Netherlands Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
38. Australia Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
39. Australia Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
40. Canada Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
41. Canada Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)
42. Poland Prevalence of Neuropathic Pain by 5-yr age cohort, males (000s)
43. Poland Prevalence of Neuropathic Pain by 5-yr age cohort, females (000s)

I would like to order

Product name: Epiomic Epidemiology Series: Neuropathic Pain Forecast in 15 Major Markets 2016-2026

Product link: <https://marketpublishers.com/r/E831492A84BEN.html>

Price: US\$ 6,382.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/E831492A84BEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970