

Epiomic Epidemiology Series: Norovirus Forecast for selected Asian Markets 2017-2027

https://marketpublishers.com/r/E7B34C2CDDAEN.html

Date: December 2016

Pages: 40

Price: US\$ 2,900.00 (Single User License)

ID: E7B34C2CDDAEN

Abstracts

Norovirus, also known as Norwalk virus or Norwalk-like viruses (NLV), are a group of non-enveloped, single-stranded RNA viruses that cause acute gastroenteritis. Noroviruses belong to the family Caliciviridae which includes sapoviruses, which also cause acute gastroenteritis.

Currently, there are six recognized norovirus genogroups, three of which (GI, GII, and GIV) affect humans. More than 25 different genotypes have been identified within these three genogroups. Variants of the GII.4 genotype are the most common cause of norovirus outbreaks.

This report provides the current incident population for Norovirus across Selected Asian Markets (Cambodia, Indonesia, Lao PDR and Viet Nam) split by gender and 5-year age cohort. Along with the current incidence, the report also contains a disease overview of the risk factors, disease diagnosis and prognosis along with specific variations by geography and ethnicity.

Providing a value-added level of insight from the analysis team at Black Swan, several of the main symptoms of Norovirus have been quantified and presented alongside the overall incidence figures. These sub-populations within the main disease are also included at a country level across the 10-year forecast snapshot.

Signs and symptoms of norovirus infection include:

Nausea

Vomiting



Abdominal pain or cramps

Watery or loose diarrhoea

Malaise

Low-grade fever

Muscle pain

This report is built using data and information sourced from the proprietary Epiomic patient segmentation database. To generate accurate patient population estimates, the Epiomic database utilises a combination of several world class sources that deliver the most up to date information form patient registries, clinical trials and epidemiology studies. All of the sources used to generate the data and analysis have been identified in the report.

Reason to buy

Able to quantify patient populations in global Norovirus's market to target the development of future products, pricing strategies and launch plans.

Gain further insight into the incidence of the subdivided types of Norovirus and identify patient segments with high potential.

Delivery of more accurate information for clinical trials in study sizing and realistic patient recruitment for various countries.

Identify sub-populations within Norovirus which require treatment.

Gain an understanding of the specific markets that have the largest number of Norovirus patients.



Contents

Introduction

Cause of the Disease

Risk Factors & Prevention

Diagnosis of the Disease

Variation by Geography/Ethnicity

Disease Prognosis & Clinical Course

Methodology for quantification of patient numbers

Top-line Estimated Incidence for Norovirus

Genogroup of Norovirus

Norovirus in Vietnam

Distribution by Province within the Red River Delta Area

Distribution by Province within the North Central & Central Coastal Areas

Abbreviations used in the report

Other Black Swan Analysis Publications

Black Swan Analysis Online Patient-Based Databases

Patient-Based Offering

Online Pricing Data and Platforms

References

Appendix



List Of Tables

LIST OF TABLES

Estimated incidence of norovirus, total (000s)

Estimated caseload likely seeking treatment for norovirus, total (000s)

Estimated caseload with nausea or vomiting, total (000s)

Estimated caseload with fever, total (000s)

Estimated caseload with abdominal cramp, total (000s)

Estimated likely Genogroup of norovirus, median projection (000s)

Norovirus estimated caseload in Viet Nam by region, total (000s)

Norovirus est. caseload in Red Delta by province, total (000s)

Norovirus est. caseload in North Central / Central Coastal areas by province, total (000s)

Abbreviations and Acronyms used in the report

Cambodia est. incidence of norovirus (median projection) by 5-yr age cohort, total (000s)

Cambodia est. incidence of norovirus (low projection) by 5-yr age cohort, total (000s)

Cambodia est. incidence of norovirus (high projection) by 5-yr age cohort, total (000s)

Indonesia est. incidence of norovirus (median projection) by 5-yr age cohort, total (000s)

Indonesia est. incidence of norovirus (low projection) by 5-yr age cohort, total (000s)

Indonesia est. incidence of norovirus (high projection) by 5-yr age cohort, total (000s)

Lao PDR est. incidence of norovirus (median projection) by 5-yr age cohort, total (000s)

Lao PDR est. incidence of norovirus (low projection) by 5-yr age cohort, total (000s)

Lao PDR est. incidence of norovirus (high projection) by 5-yr age cohort, total (000s)

Viet Nam est. incidence of norovirus (median projection) by 5-yr age cohort, total (000s)

Viet Nam est. incidence of norovirus (low projection) by 5-yr age cohort, total (000s)

Viet Nam est. incidence of norovirus (high projection) by 5-yr age cohort, total (000s)



I would like to order

Product name: Epiomic Epidemiology Series: Norovirus Forecast for selected Asian Markets 2017-2027

Product link: https://marketpublishers.com/r/E7B34C2CDDAEN.html

Price: US\$ 2,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer

Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page https://marketpublishers.com/r/E7B34C2CDDAEN.html

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:		
Last name:		
Email:		
Company:		
Address:		
City:		
Zip code:		
Country:		
Tel:		
Fax:		
Your message:		
	**All fields are required	
	Custumer signature	
	<u> </u>	

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at https://marketpublishers.com/docs/terms.html

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970