

# Epionic Epidemiology Series: Rotavirus Group A Forecast for selected Asian Markets 2017-2027

<https://marketpublishers.com/r/E691E1868F2EN.html>

Date: December 2016

Pages: 40

Price: US\$ 2,900.00 (Single User License)

ID: E691E1868F2EN

## Abstracts

Rotavirus is a contagious virus that can cause gastroenteritis (inflammation of the stomach and intestines). Symptoms include severe watery diarrhoea, often with vomiting, fever, and abdominal pain.

Rotavirus infects and damages the cells that line the small intestine, causing gastroenteritis. It is the most frequent cause of diarrhoea in young children, worldwide.

Although eight distinct groups of rotavirus have been identified (A, B, C, D, E, F, G and H), Rotavirus Group A is the most common species affecting humans. Group A rotaviruses are then typed on the basis of the variability in the genes encoding the 2 outer capsid proteins (VP7 and VP4) into 15 'G' and 26 'P' genotypes, respectively. This results in potentially > 300 different rotavirus A strains in Group A.

This report provides the current incident population for Rotavirus for Selected Asian Markets (Cambodia, Indonesia, Lao PDR and Viet Nam) split by gender and 5-year age cohort. Along with the current incidence, the report also contains a disease overview of the risk factors, disease diagnosis and prognosis along with specific variations by geography and ethnicity.

Providing a value-added level of insight from the analysis team at Black Swan, several of the main symptoms of Rotavirus have been quantified and presented alongside the overall incidence figures. These sub-populations within the main disease are also included at a country level across the 10-year forecast snapshot.

Rotavirus is transmitted via the faecal-oral route either by direct contact with an infected individual. According to the CDC, rotavirus can be spread by contact with contaminated:

Hands

Objects (toys, surfaces)

Food

Water

This report is built using data and information sourced from the proprietary Epiomic patient segmentation database. To generate accurate patient population estimates, the Epiomic database utilises a combination of several world class sources that deliver the most up to date information from patient registries, clinical trials and epidemiology studies. All of the sources used to generate the data and analysis have been identified in the report.

#### Reason to buy

Able to quantify patient populations in global Rotavirus market to target the development of future products, pricing strategies and launch plans.

Gain further insight into the incidence of the subdivided types of Rotavirus and identify patient segments with high potential.

Delivery of more accurate information for clinical trials in study sizing and realistic patient recruitment for various countries.

Identify sub-populations within Rotavirus which require treatment.

Gain an understanding of the specific markets that have the largest number of Rotavirus patients.

## Contents

Introduction

Cause of the Disease

Risk Factors & Prevention

Diagnosis of the Disease

Variation by Geography

Disease Prognosis & Clinical Course

Methodology for quantification of patient numbers

Top-line estimated incidence for Rotavirus

    Genotype of Rotavirus A

Rotavirus in Vietnam

    Distribution by Province within the Red River Delta area

    Distribution by Province within the North Central & Central coastal areas

Abbreviations used in the report

Other Black Swan Analysis Publications

Black Swan Analysis Online Patient-Based Databases

Patient-Based Offering

Online Pricing Data and Platforms

References

Appendix

## List Of Tables

### LIST OF TABLES

Scaling method schematic for estimating total caseload of rotavirus from diarrhoea cases in country

### LIST OF TABLES

Estimated incidence of rotavirus, total (000s)

Estimated likely cases of rotavirus by severity, median projection (000s)

Estimated caseload likely seeking treatment for rotavirus, total (000s)

Estimated caseload with dehydration, total (000s)

Estimated severity of dehydration in rotavirus patients, median projection (000s)

Estimated likely genotype G of rotavirus A, median projection

Rotavirus estimated caseload in Viet Nam by region, total (000s)

Rotavirus estimated caseload in Red River Delta by Province, total (000s)

Rotavirus estimated caseload in the North Central/ Central Coastal areas by Province, total (000s)

Abbreviations and Acronyms used in the report

Cambodia Estimated Incidence of rotavirus (median projection by 5-yr age cohort, total (000s)

Cambodia Estimated Incidence of rotavirus (low projection) by 5-yr age cohort, total (000s)

Cambodia Estimated Incidence of rotavirus (high projection) by 5-yr age cohort, total (000s) Indonesia Estimated Incidence of rotavirus (median projection by 5-yr age cohort, total (000s)

Indonesia Estimated Incidence of rotavirus (low projection) by 5-yr age cohort, total (000s)

Indonesia Estimated Incidence of rotavirus (high projection) by 5-yr age cohort, total (000s)

Lao PDR Estimated Incidence of rotavirus (median projection by 5-yr age cohort, total (000s)

Lao PDR Estimated Incidence of rotavirus (low projection) by 5-yr age cohort, total (000s)

Lao PDR Estimated Incidence of rotavirus (high projection) by 5-yr age cohort, total (000s)

Viet Nam Estimated Incidence of rotavirus (median projection by 5-yr age cohort, total (000s)

Viet Nam Estimated Incidence of rotavirus (low projection) by 5-yr age cohort, total (000s)

Viet Nam Estimated Incidence of rotavirus (high projection) by 5-yr age cohort, total (000s)

Cambodia Population (median projection variant) by 5-yr age cohort, males (000s)

Cambodia Population (median projection variant) by 5-yr age cohort, females (000s)

Indonesia Population (median projection variant) by 5-yr age cohort, males (000s)

Indonesia Population (median projection variant) by 5-yr age cohort, females (000s)

Lao PDR Population (median projection variant) by 5-yr age cohort, males (000s)

Lao PDR Population (median projection variant) by 5-yr age cohort, females (000s)

Viet Nam Population (median projection variant) by 5-yr age cohort, males (000s)

Viet Nam Population (median projection variant) by 5-yr age cohort, females (000s)

## I would like to order

Product name: Epiomic Epidemiology Series: Rotavirus Group A Forecast for selected Asian Markets 2017-2027

Product link: <https://marketpublishers.com/r/E691E1868F2EN.html>

Price: US\$ 2,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

[info@marketpublishers.com](mailto:info@marketpublishers.com)

## Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/E691E1868F2EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:  
Last name:  
Email:  
Company:  
Address:  
City:  
Zip code:  
Country:  
Tel:  
Fax:  
Your message:

**\*\*All fields are required**

Customer signature \_\_\_\_\_

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970

