

Epionic Epidemiology Series: Stroke Forecast in 19 Major Markets 2018–2028

<https://marketpublishers.com/r/E5366E71B3BEN.html>

Date: December 2017

Pages: 108

Price: US\$ 5,800.00 (Single User License)

ID: E5366E71B3BEN

Abstracts

Black Swan Analysis Epionic Epidemiology Forecast Report on Stroke in 19 Major Markets

Stroke is a serious cerebrovascular event constituting one of the most common causes of long-term disability and death, and a major burden to public health worldwide. According to WHO, stroke is “a clinical syndrome consisting of rapidly developing clinical signs of focal (or global in case of coma) disturbance of cerebral function lasting more than 24 hours or leading to death with no apparent cause other than a vascular origin.”

This report provides the current incident population for stroke across 19 Major Markets (USA, Canada, France, Germany, Italy, Spain, UK, Poland, Netherlands, Russia, Turkey, Japan, China, South Korea, India, Australia, Brazil, Mexico, Argentina) split by gender and 5-year age cohort. In addition to the current incidence, the report provides an overview of the risk factors, diagnosis and prognosis of the disease, along with specific variations by geography and ethnicity.

Providing a value-added level of insight from the analysis team at Black Swan, several features of stroke patients, as well as the main types and subtypes of the disease have been quantified and presented alongside the overall incidence figures. These sub-populations within the main disease are also included at a country level across the 10-year forecast snapshot.

Main symptoms and co-morbidities of stroke include:

Cardiovascular conditions (mainly cardiac arrhythmias and myocardial

infarction)

Venous thromboembolism (DVT, pulmonary embolism)

Hypertension

Diabetes mellitus

Pneumonia

Urinary tract infections

Fractures (due to falls caused by physical disability)

Pain

Depression

This report is built using data and information sourced from the proprietary Epiomic patient segmentation database. To generate accurate patient population estimates, the Epiomic database utilises a combination of several world class sources that deliver the most up-to-date information from patient registries, clinical trials and epidemiology studies. All of the sources used to generate the data and analysis have been identified in the report.

Reason to buy

Ability to quantify patient populations in global stroke market to target the development of future products, pricing strategies and launch plans.

Further insight into the incidence of the subdivided types of stroke and identification of patient segments with high potential.

Delivery of more accurate information for clinical trials in study sizing and realistic patient recruitment for various countries.

Better understanding of the impact of specific co-morbid conditions on the incident population of stroke patients.

Identification of stroke patient sub-populations that require treatment.

Better understanding of the specific markets that have the largest number of stroke patients.

Contents

INTRODUCTION

CAUSE OF THE DISEASE

RISK FACTORS & PREVENTION

DIAGNOSIS OF THE DISEASE

VARIATION BY GEOGRAPHY/ETHNICITY

DISEASE PROGNOSIS & CLINICAL COURSE

KEY COMORBID CONDITIONS / FEATURES ASSOCIATED WITH THE DISEASE

METHODOLOGY FOR QUANTIFICATION OF PATIENT NUMBERS

TOP-LINE INCIDENCE FOR STROKE

FEATURES OF STROKE PATIENTS

INFARCTION STROKE

HAEMORRHAGIC STROKE

ABBREVIATIONS USED IN THE REPORT

OTHER BLACK SWAN SERVICES & SOLUTIONS

REPORTS & PUBLICATIONS

ONLINE EPIDEMIOLOGY DATABASES

ONLINE PHARMACEUTICAL PRICING DATABASE

REFERENCES

APPENDIX

List Of Tables

LIST OF TABLES AND FIGURES

- Table 1. The National Institutes of Health Stroke Scale (NIHSS)
- Table 2. Stroke severity grades as determined by the NIHSS score
- Table 3. Incidence of stroke, total (000s)
- Table 4. Incidence of stroke, males (000s)
- Table 5. Incidence of stroke, females (000s)
- Table 6. Patients with stroke by type of disease, total (000s)
- Table 7. Stroke patients with recurrent stroke event, total (000s)
- Table 8. Patients with infarction stroke by type of infarction, total (000s)
- Table 9. Patients with embolic stroke by GCS score, total (000s)
- Table 10. Patients with embolic stroke by type of sensory deficits, total (000s)
- Table 11. Patients with embolic stroke by type of language disturbance, total (000s)
- Table 12. Patients with atherosclerotic stroke by GCS score, total (000s)
- Table 13. Patients with atherosclerotic stroke by type of sensory deficits, total (000s)
- Table 14. Patients with atherosclerotic stroke by type of language disturbance, total (000s)
- Table 15. Patients with lacunar stroke by GCS score, total (000s)
- Table 16. Patients with lacunar stroke by type of sensory deficits, total (000s)
- Table 17. Patients with lacunar stroke by type of language disturbance, total (000s)
- Table 18. Patients with stroke of unknown cause by GCS score, total (000s)
- Table 19. Patients with stroke of unknown cause by type of sensory deficits, total (000s)
- Table 20. Patients with stroke of unknown cause by type of language disturbance, total (000s)
- Table 21. Patients with haemorrhagic stroke by type of haemorrhage, total (000s)
- Table 22. Patients with haemorrhagic intracerebral stroke by GCS score, total (000s)
- Table 23. Patients with haemorrhagic intracerebral stroke by type of sensory deficits, total (000s)
- Table 24. Patients with haemorrhagic intracerebral stroke by type of language disturbance, total (000s)
- Table 25. Patients with haemorrhagic subarachnoid stroke by GCS score, total (000s)
- Table 26. Patients with haemorrhagic subarachnoid stroke by type of sensory deficits, total (000s)
- Table 27. Patients with haemorrhagic intracerebral stroke by type of language disturbance, total (000s)
- Table 28. Abbreviations and acronyms used in the report
- Table 29. USA incidence of stroke by 5-yr age cohort, males (000s)

- Table 30. USA incidence of stroke by 5-yr age cohort, females (000s)
Table 31. Canada incidence of stroke by 5-yr age cohort, males (000s)
Table 32. Canada incidence of stroke by 5-yr age cohort, females (000s)
Table 33. France incidence of stroke by 5-yr age cohort, males (000s)
Table 34. France incidence of stroke by 5-yr age cohort, females (000s)
Table 35. Germany incidence of stroke by 5-yr age cohort, males (000s)
Table 36. Germany incidence of stroke by 5-yr age cohort, females (000s)
Table 37. Italy incidence of stroke by 5-yr age cohort, males (000s)
Table 38. Italy incidence of stroke by 5-yr age cohort, females (000s)
Table 39. Spain incidence of stroke by 5-yr age cohort, males (000s)
Table 40. Spain incidence of stroke by 5-yr age cohort, females (000s)
Table 41. UK incidence of stroke by 5-yr age cohort, males (000s)
Table 42. UK incidence of stroke by 5-yr age cohort, females (000s)
Table 43. Poland incidence of stroke by 5-yr age cohort, males (000s)
Table 44. Poland incidence of stroke by 5-yr age cohort, females (000s)
Table 45. Netherlands incidence of stroke by 5-yr age cohort, males (000s)
Table 46. Netherlands incidence of stroke by 5-yr age cohort, females (000s)
Table 47. Russia incidence of stroke by 5-yr age cohort, males (000s)
Table 48. Russia incidence of stroke by 5-yr age cohort, females (000s)
Table 49. Turkey incidence of stroke by 5-yr age cohort, males (000s)
Table 50. Turkey incidence of stroke by 5-yr age cohort, females (000s)
Table 51. Japan incidence of stroke by 5-yr age cohort, males (000s)
Table 52. Japan incidence of stroke by 5-yr age cohort, females (000s)
Table 53. China incidence of stroke by 5-yr age cohort, males (000s)
Table 54. China incidence of stroke by 5-yr age cohort, females (000s)
Table 55. South Korea incidence of stroke by 5-yr age cohort, males (000s)
Table 56. South Korea incidence of stroke by 5-yr age cohort, females (000s)
Table 57. India incidence of stroke by 5-yr age cohort, males (000s)
Table 58. India incidence of stroke by 5-yr age cohort, females (000s)
Table 59. Australia incidence of stroke by 5-yr age cohort, males (000s)
Table 60. Australia incidence of stroke by 5-yr age cohort, females (000s)
Table 61. Brazil incidence of stroke by 5-yr age cohort, males (000s)
Table 62. Brazil incidence of stroke by 5-yr age cohort, females (000s)
Table 63. Mexico incidence of stroke by 5-yr age cohort, males (000s)
Table 64. Mexico incidence of stroke by 5-yr age cohort, females (000s)
Table 65. Argentina incidence of stroke by 5-yr age cohort, males (000s)
Table 66. Argentina incidence of stroke by 5-yr age cohort, females (000s)

I would like to order

Product name: Epiomic Epidemiology Series: Stroke Forecast in 19 Major Markets 2018–2028

Product link: <https://marketpublishers.com/r/E5366E71B3BEN.html>

Price: US\$ 5,800.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/E5366E71B3BEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970