

Aneurysmal Subarachnoid Hemorrhage (SAH): Epidemiology Forecasting Intelligence

https://marketpublishers.com/r/A6F027A1306EN.html

Date: February 2019

Pages: 50

Price: US\$ 2,500.00 (Single User License)

ID: A6F027A1306EN

Abstracts

CmaxInsight's "Aneurysmal Subarachnoid Hemorrhage (SAH)-Epidemiology Forecasting Intelligence" report provides a comprehensive analysis of the Aneurysmal Subarachnoid Hemorrhage (SAH) epidemiology, providing the historical, current, and forecasted data for the United States, European Union 5 (EU5- Germany, Spain, Italy, France and United Kingdom) and Japan during the period from 2018-2028.

Our epidemiology services include:

Incidence and prevalence

Diagnosis rate, treatment rate and mortality patterns

Epidemiology-based forecasting and disease trends

Size of different patient segments in a disease area

Population based: disease occurrence, co-morbidities and treatment patterns

Geographic - Regional - Ethnic differences

Along with the epidemiological data, the report also includes:

Disease overview, causes, symptoms, classification, risk factor, pathophysiology, diagnosis and treatment



Patient treatment journey

Treatment algorithm and guidelines

Assesses the disease risk and burden

Highlights the unmet needs

Market driver and barrier

Growth opportunities and market trend analysis

Methodology

This report is built using data and information sourced from proprietary databases, primary and secondary research and in-house Epidemiology Forecast model analysis by a team of industry experts.

To generate accurate patient population estimates, utilizes a combination of several world class sources that deliver the most up to date information from patient registries, clinical trials and epidemiology studies.

All of the sources used to generate the data and analysis have been identified in the report.

Note: Systematic review of the epidemiological literature is also provided for full transparency into research and methods. This report can be delivered to the clients within 4-5 business days.



Contents

- 1. REPORT INTRODUCTION
- 2. ANEURYSMAL SUBARACHNOID HEMORRHAGE (SAH) EPIDEMIOLOGY OVERVIEW AT A GLANCE
- 3. MARKET SHARE DISTRIBUTION OF ANEURYSMAL SUBARACHNOID HEMORRHAGE (SAH)
- 4. DISEASE BACKGROUND AND OVERVIEW: ANEURYSMAL SUBARACHNOID HEMORRHAGE (SAH)
- 4.1. Introduction
- 4.2. Signs and Symptoms
- 4.3. Etiology
- 4.4. Risk Factors
- 4.5. Pathophysiology
- 4.6. Diagnostic Landscape
 - 4.6.1. Diagnostic Practices
 - 4.6.2. Diagnostic Criteria
 - 4.6.3. Diagnostic Recommendations
- 4.7. Treatment Landscape
 - 4.7.1. Current Treatment Practices
 - 4.7.2. Treatment Algorithm
 - 4.7.3. Treatment Recommendations
- 5. ANEURYSMAL SUBARACHNOID HEMORRHAGE (SAH) EPIDEMIOLOGY
- 5.1. Key Findings
- 5.2. Assumptions & Rationale
- 5.3. 7MM Epidemiology
- 6. EPIDEMIOLOGY OF ANEURYSMAL SUBARACHNOID HEMORRHAGE (SAH) BY COUNTRIES
- 7. UNITED STATES
- 7.1. Assumptions and Rationale



- 7.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 7.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 7.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 7.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 7.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)

8. EU5

- 8.1. Germany
 - 8.1.1. Assumptions and Rationale
 - 8.1.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.1.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.1.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.1.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.1.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 8.2. France
 - 8.2.1. Assumptions and Rationale
 - 8.2.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.2.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.2.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.2.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.2.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 8.3. United Kingdom
 - 8.3.1. Assumptions and Rationale
 - 8.3.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.3.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.3.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.3.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.3.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 8.4. Spain
 - 8.4.1. Assumptions and Rationale
 - 8.4.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.4.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.4.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
 - 8.4.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
 - 8.4.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 8.5. Italy
 - 8.5.1. Assumptions and Rationale
- 8.5.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)



- 8.5.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 8.5.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 8.5.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 8.5.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)

9. JAPAN

- 9.1. Assumptions and Rationale
- 9.2. Prevalent/Incident Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 9.3. Sub-Type Specific cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 9.4. Sex- Specific Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)*
- 9.5. Diagnosed Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)
- 9.6. Treated Cases of Aneurysmal Subarachnoid Hemorrhage (SAH)

10. UNMET NEEDS

Appendix

Report Methodology

Sources Used

Disclaimer

About CmaxInsight

*Indication Specific

Note: Certain sections of the table of contents would vary according to the availability of information.



List Of Tables

LIST OF TABLES

- Table 1: Total Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in 7MM
- Table 2: Total Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in 7MM by Countries
- Table 3: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Table 4: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States*
- Table 5: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States*
- Table 6: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Table 7: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Table 8: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Table 9: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany*
- Table 10: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany*
- Table 11: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Table 12: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Table 13: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France
- Table 14: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France*
- Table 15: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France*
- Table 16: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France
- Table 17: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France
- Table 18: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage



(SAH) in Italy

Table 19: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy*

Table 20: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy*

Table 21: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy

Table 22: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy

Table 23: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Table 24: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain*

Table 25: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain*

Table 26: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Table 27: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Table 28: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Table 29: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK*

Table 30: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK*

Table 31: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Table 32: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Table 33: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

Table 34: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan*

Table 35: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan*

Table 36: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

Table 37: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

^{*}Indication Specific



List Of Figures

LIST OF FIGURES

- Figure 1: Total Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in 7MM
- Figure 2: Total Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in 7MM by Countries
- Figure 3: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Figure 4: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States*
- Figure 5: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States*
- Figure 6: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Figure 7: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United States
- Figure 8: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Figure 9: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany*
- Figure 10: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany*
- Figure 11: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Figure 12: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Germany
- Figure 13: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France
- Figure 14: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France*
- Figure 15: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France*
- Figure 16: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in France
- Figure 17: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in United France
- Figure 18: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage



(SAH) in Italy

Figure 19: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy*

Figure 20: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy*

Figure 21: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy

Figure 22: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Italy

Figure 23: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Figure 24: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain*

Figure 25: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain*

Figure 26: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Figure 27: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Spain

Figure 28: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Figure 29: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK*

Figure 30: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK*

Figure 31: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Figure 32: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in UK

Figure 33: Prevalent/Incident Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

Figure 34: Sub-Type Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan*

Figure 35: Sex- Specific Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan*

Figure 36: Diagnosed Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

Figure 37: Treated Cases of the Aneurysmal Subarachnoid Hemorrhage (SAH) in Japan

^{*}Indication Specific



I would like to order

Product name: Aneurysmal Subarachnoid Hemorrhage (SAH): Epidemiology Forecasting Intelligence

Product link: https://marketpublishers.com/r/A6F027A1306EN.html

Price: US\$ 2,500.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer

Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page https://marketpublishers.com/r/A6F027A1306EN.html

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:	
Last name:	
Email:	
Company:	
Address:	
City:	
Zip code:	
Country:	
Tel:	
Fax:	
Your message:	
	**All fields are required
	Custumer signature

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at https://marketpublishers.com/docs/terms.html

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970