

Excessive Daytime Sleepiness (EDS) - Epidemiology Forecast to 2032

<https://marketpublishers.com/r/E091E0725B6EEN.html>

Date: January 2022

Pages: 60

Price: US\$ 3,950.00 (Single User License)

ID: E091E0725B6EEN

Abstracts

This report can be delivered to the clients within 5-7 Business Days

DelveInsight's 'Excessive Daytime Sleepiness (EDS) - Epidemiology Forecast to 2032' report delivers an in-depth understanding of the disease, historical and forecasted Excessive Daytime Sleepiness (EDS) epidemiology in the 7MM, i.e., the United States, EU5 (Germany, Spain, Italy, France, and the United Kingdom), and Japan.

Geographies Covered

The United States

EU5 (Germany, France, Italy, Spain, and the United Kingdom)

Japan

Study Period: 2019-2032

Excessive Daytime Sleepiness (EDS) Understanding

The DelveInsight Excessive Daytime Sleepiness (EDS) epidemiology report gives a thorough understanding of the Excessive Daytime Sleepiness (EDS) by including details such as disease definition, symptoms, causes, pathophysiology, and diagnosis. It also provides treatment algorithms and treatment guidelines for Excessive Daytime Sleepiness (EDS) in the US, Europe, and Japan. The report covers the detailed information of the Excessive Daytime Sleepiness (EDS) epidemiology scenario in seven

major countries (US, EU5, and Japan).

Excessive Daytime Sleepiness (EDS) Epidemiology Perspective by DelveInsight

The Excessive Daytime Sleepiness (EDS) epidemiology division provides insights about historical and current patient pool and forecasted trend for every seven major countries. The Excessive Daytime Sleepiness (EDS) epidemiology data are studied through all possible division to give a better understanding of the Disease scenario in 7MM. The Excessive Daytime Sleepiness (EDS) epidemiology segment covers the epidemiology data in the US, EU5 countries (Germany, Spain, Italy, France, and the UK), and Japan from 2019 to 2032. It also helps recognize the causes of current and forecasted trends by exploring numerous studies, survey reports and views of key opinion leaders.

Excessive Daytime Sleepiness (EDS) Detailed Epidemiology Segmentation

The Excessive Daytime Sleepiness (EDS) epidemiology covered in the report provides historical as well as forecasted Excessive Daytime Sleepiness (EDS) epidemiology scenario in the 7MM covering the United States, EU5 countries (Germany, Spain, Italy, France, and the United Kingdom), and Japan from 2019 to 2032.

The DelveInsight Excessive Daytime Sleepiness (EDS) report also provides the epidemiology trends observed in the 7MM during the study period, along with the assumptions undertaken. The calculated data are presented with relevant tables and graphs to give a clear view of the epidemiology at first sight.

Scope of the Report

The Excessive Daytime Sleepiness (EDS) report covers a detailed overview explaining its causes, symptoms, classification, pathophysiology, diagnosis and treatment patterns

The Excessive Daytime Sleepiness (EDS) Epidemiology Report and Model provide an overview of the global trends of Excessive Daytime Sleepiness (EDS) in the seven major markets (7MM: US, France, Germany, Italy, Spain, UK, and Japan)

The report provides insight into the historical and forecasted patient pool of Excessive Daytime Sleepiness (EDS) in seven major markets covering the United States, EU5 (Germany, Spain, France, Italy, UK), and Japan

The report helps recognize the growth opportunities in the 7MM for the patient population

The report assesses the disease risk and burden and highlights the unmet needs of Excessive Daytime Sleepiness (EDS)

The report provides the segmentation of the Excessive Daytime Sleepiness (EDS) epidemiology

Report Highlights

11-year Forecast of Excessive Daytime Sleepiness (EDS) epidemiology

7MM Coverage

Prevalent and Diagnosed Cases of Excessive Daytime Sleepiness (EDS)

Cases of Excessive Daytime Sleepiness (EDS) by Mutation Types

Excessive Daytime Sleepiness (EDS) Cases associated with Clinical Manifestations

KOL views

We interview, KOLs and SME's opinion through primary research to fill the data gaps and validate our secondary research. The opinion helps understand the total patient population and current treatment pattern. This will support the clients in potential upcoming novel treatment by identifying the overall scenario of the indications.

Key Questions Answered

What will be the growth opportunities in the 7MM with respect to the patient population pertaining to Excessive Daytime Sleepiness (EDS)?

What are the key findings pertaining to the Excessive Daytime Sleepiness (EDS) epidemiology across 7MM and which country will have the highest number of

patients during the forecast period (2019-2032)?

What would be the total number of patients of Excessive Daytime Sleepiness (EDS) across the 7MM during the forecast period (2019-2032)?

Among the EU5 countries, which country will have the highest number of patients during the forecast period (2019-2032)?

At what CAGR the patient population is expected to grow in 7MM during the forecast period (2019-2032)?

What is the disease risk, burden and unmet needs of Excessive Daytime Sleepiness (EDS)?

What are the currently available treatments of Excessive Daytime Sleepiness (EDS)?

Reasons to buy

The Excessive Daytime Sleepiness (EDS) Epidemiology report will allow the user to -

- Develop business strategies by understanding the trends shaping and driving the global Excessive Daytime Sleepiness (EDS) market

- Quantify patient populations in the global Excessive Daytime Sleepiness (EDS) market to improve product design, pricing, and launch plans

- Organize sales and marketing efforts by identifying the age groups and sex that present the best opportunities for Excessive Daytime Sleepiness (EDS) therapeutics in each of the markets covered

- Understand the magnitude of Excessive Daytime Sleepiness (EDS) population by its epidemiology

The Excessive Daytime Sleepiness (EDS) Epidemiology Model developed by DelveInsight is easy to navigate, interactive with dashboards, and epidemiology based with transparent and consistent methodologies. Moreover, the model supports data presented in the report and showcases disease trends over

11-year forecast period using reputable sources

Key Assessments

Patient Segmentation

Disease Risk & Burden

Risk of disease by the segmentation

Factors driving growth in a specific patient population

Contents

1. KEY INSIGHTS

2. EXECUTIVE SUMMARY OF EXCESSIVE DAYTIME SLEEPINESS (EDS)

3. EXCESSIVE DAYTIME SLEEPINESS (EDS): DISEASE BACKGROUND AND OVERVIEW

3.1. Introduction

3.2. Sign and Symptoms

3.3. Pathophysiology

3.4. Risk Factors

3.5. Diagnosis

4. PATIENT JOURNEY

5. EPIDEMIOLOGY AND PATIENT POPULATION

5.1. Epidemiology Key Findings

5.2. Assumptions and Rationale: 7MM

5.3. Epidemiology Scenario: 7MM

5.3.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in the 7MM (2019-2032)

5.4. United States Epidemiology

5.4.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in the United States (2019- 2032)

5.5. EU-5 Country-wise Epidemiology

5.5.1. Germany Epidemiology

5.5.1.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in Germany (2019- 2032)

5.5.2. France Epidemiology

5.5.2.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in France (2019- 2032)

5.5.3. Italy Epidemiology

5.5.3.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in Italy (2019-2032)

5.5.4. Spain Epidemiology

5.5.4.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in Spain (2019-

2032)

5.5.5. United Kingdom Epidemiology

5.5.5.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in the United Kingdom (2019-2032)

5.6. Japan Epidemiology

5.6.1. Excessive Daytime Sleepiness (EDS) Epidemiology Scenario in Japan (2019-2032)

6. TREATMENT ALGORITHM, CURRENT TREATMENT, AND MEDICAL PRACTICES

6.1. Excessive Daytime Sleepiness (EDS) Treatment and Management

6.2. Excessive Daytime Sleepiness (EDS) Treatment Algorithm

7. KOL VIEWS

8. UNMET NEEDS

9. APPENDIX

9.1. Bibliography

9.2. Report Methodology

10. DELVEINSIGHT CAPABILITIES

11. DISCLAIMER

12. ABOUT DELVEINSIGHT

*The table of contents is not exhaustive; will be provided in the final report

List Of Tables

LIST OF TABLES

List of Table:

Table 1: Excessive Daytime Sleepiness (EDS) Epidemiology in 7MM (2019-2032)

Table 2: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in 7MM (2019-2032)

Table 3: Excessive Daytime Sleepiness (EDS) Epidemiology in the United States (2019-2032)

Table 4: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in the United States (2019-2032)

Table 5: Excessive Daytime Sleepiness (EDS) Epidemiology in Germany (2019-2032)

Table 6: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Germany (2019-2032)

Table 7: Excessive Daytime Sleepiness (EDS) Epidemiology in France (2019-2032)

Table 8: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in France (2019-2032)

Table 9: Excessive Daytime Sleepiness (EDS) Epidemiology in Italy (2019-2032)

Table 10: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Italy (2019-2032)

Table 11: Excessive Daytime Sleepiness (EDS) Epidemiology in Spain (2019-2032)

Table 12: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Spain (2019-2032)

Table 13: Excessive Daytime Sleepiness (EDS) Epidemiology in the United Kingdom (2019-2032)

Table 14: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Table 15: Excessive Daytime Sleepiness (EDS) Epidemiology in Japan (2019-2032)

Table 16: Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Japan (2019-2032)

List Of Figures

LIST OF FIGURES

List of Figures

Figure 1 Excessive Daytime Sleepiness (EDS) Epidemiology in 7MM (2019-2032)

Figure 2 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in 7MM (2019-2032)

Figure 3 Excessive Daytime Sleepiness (EDS) Epidemiology in the United States (2019-2032)

Figure 4 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in the United States (2019-2032)

Figure 5 Excessive Daytime Sleepiness (EDS) Epidemiology in Germany (2019-2032)

Figure 6 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Germany (2019-2032)

Figure 7 Excessive Daytime Sleepiness (EDS) Epidemiology in France (2019-2032)

Figure 8 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in France (2019-2032)

Figure 9 Excessive Daytime Sleepiness (EDS) Epidemiology in Italy (2019-2032)

Figure 10 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Italy (2019-2032)

Figure 11 Excessive Daytime Sleepiness (EDS) Epidemiology in Spain (2019-2032)

Figure 12 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Spain (2019-2032)

Figure 13 Excessive Daytime Sleepiness (EDS) Epidemiology in the United Kingdom (2019-2032)

Figure 14 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Figure 15 Excessive Daytime Sleepiness (EDS) Epidemiology in Japan (2019-2032)

Figure 16 Excessive Daytime Sleepiness (EDS) Diagnosed and Treatable Cases in Japan (2019-2032)

*The table of contents is not exhaustive; will be provided in the final report

I would like to order

Product name: Excessive Daytime Sleepiness (EDS) - Epidemiology Forecast to 2032

Product link: <https://marketpublishers.com/r/E091E0725B6EEN.html>

Price: US\$ 3,950.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/E091E0725B6EEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970