

Levodopa-Induced Dyskinesia (LID) - Epidemiology Forecast to 2032

<https://marketpublishers.com/r/LDA95955C34EEN.html>

Date: January 2022

Pages: 60

Price: US\$ 3,950.00 (Single User License)

ID: LDA95955C34EEN

Abstracts

This report can be delivered to the clients within 5-7 Business Days

DelveInsight's 'Levodopa-Induced Dyskinesia (LID) - Epidemiology Forecast to 2032' report delivers an in-depth understanding of the disease, historical and forecasted Levodopa-Induced Dyskinesia (LID) epidemiology in the 7MM, i.e., the United States, EU5 (Germany, Spain, Italy, France, and the United Kingdom), and Japan.

Geographies Covered

The United States

EU5 (Germany, France, Italy, Spain, and the United Kingdom)

Japan

Study Period: 2019-2032

Levodopa-Induced Dyskinesia (LID) Understanding

The DelveInsight Levodopa-Induced Dyskinesia (LID) epidemiology report gives a thorough understanding of the Levodopa-Induced Dyskinesia (LID) by including details such as disease definition, symptoms, causes, pathophysiology, and diagnosis. It also provides treatment algorithms and treatment guidelines for Levodopa-Induced Dyskinesia (LID) in the US, Europe, and Japan. The report covers the detailed information of the Levodopa-Induced Dyskinesia (LID) epidemiology scenario in seven

major countries (US, EU5, and Japan).

Levodopa-Induced Dyskinesia (LID) Epidemiology Perspective by DelveInsight

The Levodopa-Induced Dyskinesia (LID) epidemiology division provides insights about historical and current patient pool and forecasted trend for every seven major countries. The Levodopa-Induced Dyskinesia (LID) epidemiology data are studied through all possible division to give a better understanding of the Disease scenario in 7MM. The Levodopa-Induced Dyskinesia (LID) epidemiology segment covers the epidemiology data in the US, EU5 countries (Germany, Spain, Italy, France, and the UK), and Japan from 2019 to 2032. It also helps recognize the causes of current and forecasted trends by exploring numerous studies, survey reports and views of key opinion leaders.

Levodopa-Induced Dyskinesia (LID) Detailed Epidemiology Segmentation

The Levodopa-Induced Dyskinesia (LID) epidemiology covered in the report provides historical as well as forecasted Levodopa-Induced Dyskinesia (LID) epidemiology scenario in the 7MM covering the United States, EU5 countries (Germany, Spain, Italy, France, and the United Kingdom), and Japan from 2019 to 2032.

The DelveInsight Levodopa-Induced Dyskinesia (LID) report also provides the epidemiology trends observed in the 7MM during the study period, along with the assumptions undertaken. The calculated data are presented with relevant tables and graphs to give a clear view of the epidemiology at first sight.

Scope of the Report

The Levodopa-Induced Dyskinesia (LID) report covers a detailed overview explaining its causes, symptoms, classification, pathophysiology, diagnosis and treatment patterns

The Levodopa-Induced Dyskinesia (LID) Epidemiology Report and Model provide an overview of the global trends of Levodopa-Induced Dyskinesia (LID) in the seven major markets (7MM: US, France, Germany, Italy, Spain, UK, and Japan)

The report provides insight into the historical and forecasted patient pool of Levodopa-Induced Dyskinesia (LID) in seven major markets covering the United States, EU5 (Germany, Spain, France, Italy, UK), and Japan

The report helps recognize the growth opportunities in the 7MM for the patient population

The report assesses the disease risk and burden and highlights the unmet needs of Levodopa-Induced Dyskinesia (LID)

The report provides the segmentation of the Levodopa-Induced Dyskinesia (LID) epidemiology

Report Highlights

11-year Forecast of Levodopa-Induced Dyskinesia (LID) epidemiology

7MM Coverage

Prevalent and Diagnosed Cases of Levodopa-Induced Dyskinesia (LID)

Cases of Levodopa-Induced Dyskinesia (LID) by Mutation Types

Levodopa-Induced Dyskinesia (LID) Cases associated with Clinical Manifestations

KOL views

We interview, KOLs and SME's opinion through primary research to fill the data gaps and validate our secondary research. The opinion helps understand the total patient population and current treatment pattern. This will support the clients in potential upcoming novel treatment by identifying the overall scenario of the indications.

Key Questions Answered

What will be the growth opportunities in the 7MM with respect to the patient population pertaining to Levodopa-Induced Dyskinesia (LID)?

What are the key findings pertaining to the Levodopa-Induced Dyskinesia (LID) epidemiology across 7MM and which country will have the highest number of

patients during the forecast period (2019-2032)?

What would be the total number of patients of Levodopa-Induced Dyskinesia (LID) across the 7MM during the forecast period (2019-2032)?

Among the EU5 countries, which country will have the highest number of patients during the forecast period (2019-2032)?

At what CAGR the patient population is expected to grow in 7MM during the forecast period (2019-2032)?

What is the disease risk, burden and unmet needs of Levodopa-Induced Dyskinesia (LID)?

What are the currently available treatments of Levodopa-Induced Dyskinesia (LID)?

Reasons to buy

The Levodopa-Induced Dyskinesia (LID) Epidemiology report will allow the user to -

Develop business strategies by understanding the trends shaping and driving the global Levodopa-Induced Dyskinesia (LID) market

Quantify patient populations in the global Levodopa-Induced Dyskinesia (LID) market to improve product design, pricing, and launch plans

Organize sales and marketing efforts by identifying the age groups and sex that present the best opportunities for Levodopa-Induced Dyskinesia (LID) therapeutics in each of the markets covered

Understand the magnitude of Levodopa-Induced Dyskinesia (LID) population by its epidemiology

The Levodopa-Induced Dyskinesia (LID) Epidemiology Model developed by DelveInsight is easy to navigate, interactive with dashboards, and epidemiology based with transparent and consistent methodologies. Moreover, the model supports data presented in the report and showcases disease trends over

11-year forecast period using reputable sources

Key Assessments

Patient Segmentation

Disease Risk & Burden

Risk of disease by the segmentation

Factors driving growth in a specific patient population

Contents

1. KEY INSIGHTS

2. EXECUTIVE SUMMARY OF LEVODOPA-INDUCED DYSKINESIA (LID)

3. LEVODOPA-INDUCED DYSKINESIA (LID): DISEASE BACKGROUND AND OVERVIEW

3.1. Introduction

3.2. Sign and Symptoms

3.3. Pathophysiology

3.4. Risk Factors

3.5. Diagnosis

4. PATIENT JOURNEY

5. EPIDEMIOLOGY AND PATIENT POPULATION

5.1. Epidemiology Key Findings

5.2. Assumptions and Rationale: 7MM

5.3. Epidemiology Scenario: 7MM

5.3.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in the 7MM (2019-2032)

5.4. United States Epidemiology

5.4.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in the United States (2019- 2032)

5.5. EU-5 Country-wise Epidemiology

5.5.1. Germany Epidemiology

5.5.1.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in Germany (2019- 2032)

5.5.2. France Epidemiology

5.5.2.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in France (2019-2032)

5.5.3. Italy Epidemiology

5.5.3.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in Italy (2019-2032)

5.5.4. Spain Epidemiology

5.5.4.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in Spain (2019-

2032)

5.5.5. United Kingdom Epidemiology

5.5.5.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in the United Kingdom (2019-2032)

5.6. Japan Epidemiology

5.6.1. Levodopa-Induced Dyskinesia (LID) Epidemiology Scenario in Japan (2019-2032)

6. TREATMENT ALGORITHM, CURRENT TREATMENT, AND MEDICAL PRACTICES

6.1. Levodopa-Induced Dyskinesia (LID) Treatment and Management

6.2. Levodopa-Induced Dyskinesia (LID) Treatment Algorithm

7. KOL VIEWS

8. UNMET NEEDS

9. APPENDIX

9.1. Bibliography

9.2. Report Methodology

10. DELVEINSIGHT CAPABILITIES

11. DISCLAIMER

12. ABOUT DELVEINSIGHT

*The table of contents is not exhaustive; will be provided in the final report

List Of Tables

LIST OF TABLES

List of Table:

Table 1: Levodopa-Induced Dyskinesia (LID) Epidemiology in 7MM (2019-2032)

Table 2: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in 7MM (2019-2032)

Table 3: Levodopa-Induced Dyskinesia (LID) Epidemiology in the United States (2019-2032)

Table 4: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in the United States (2019-2032)

Table 5: Levodopa-Induced Dyskinesia (LID) Epidemiology in Germany (2019-2032)

Table 6: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Germany (2019-2032)

Table 7: Levodopa-Induced Dyskinesia (LID) Epidemiology in France (2019-2032)

Table 8: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in France (2019-2032)

Table 9: Levodopa-Induced Dyskinesia (LID) Epidemiology in Italy (2019-2032)

Table 10: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Italy (2019-2032)

Table 11: Levodopa-Induced Dyskinesia (LID) Epidemiology in Spain (2019-2032)

Table 12: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Spain (2019-2032)

Table 13: Levodopa-Induced Dyskinesia (LID) Epidemiology in the United Kingdom (2019-2032)

Table 14: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Table 15: Levodopa-Induced Dyskinesia (LID) Epidemiology in Japan (2019-2032)

Table 16: Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Japan (2019-2032)

List Of Figures

LIST OF FIGURES

List of Figures

Figure 1 Levodopa-Induced Dyskinesia (LID) Epidemiology in 7MM (2019-2032)

Figure 2 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in 7MM (2019-2032)

Figure 3 Levodopa-Induced Dyskinesia (LID) Epidemiology in the United States (2019-2032)

Figure 4 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in the United States (2019-2032)

Figure 5 Levodopa-Induced Dyskinesia (LID) Epidemiology in Germany (2019-2032)

Figure 6 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Germany (2019-2032)

Figure 7 Levodopa-Induced Dyskinesia (LID) Epidemiology in France (2019-2032)

Figure 8 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in France (2019-2032)

Figure 9 Levodopa-Induced Dyskinesia (LID) Epidemiology in Italy (2019-2032)

Figure 10 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Italy (2019-2032)

Figure 11 Levodopa-Induced Dyskinesia (LID) Epidemiology in Spain (2019-2032)

Figure 12 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Spain (2019-2032)

Figure 13 Levodopa-Induced Dyskinesia (LID) Epidemiology in the United Kingdom (2019-2032)

Figure 14 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Figure 15 Levodopa-Induced Dyskinesia (LID) Epidemiology in Japan (2019-2032)

Figure 16 Levodopa-Induced Dyskinesia (LID) Diagnosed and Treatable Cases in Japan (2019-2032)

*The table of contents is not exhaustive; will be provided in the final report

I would like to order

Product name: Levodopa-Induced Dyskinesia (LID) - Epidemiology Forecast to 2032

Product link: <https://marketpublishers.com/r/LDA95955C34EEN.html>

Price: US\$ 3,950.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/LDA95955C34EEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970