

Postmenopausal Vaginal Atrophy - Epidemiology Forecast to 2032

<https://marketpublishers.com/r/PEE3382AA82EN.html>

Date: January 2022

Pages: 60

Price: US\$ 3,950.00 (Single User License)

ID: PEE3382AA82EN

Abstracts

This report can be delivered to the clients within 5-7 Business Days

DelveInsight's 'Postmenopausal Vaginal Atrophy - Epidemiology Forecast to 2032' report delivers an in-depth understanding of the disease, historical and forecasted Postmenopausal Vaginal Atrophy epidemiology in the 7MM, i.e., the United States, EU5 (Germany, Spain, Italy, France, and the United Kingdom), and Japan.

Geographies Covered

The United States

EU5 (Germany, France, Italy, Spain, and the United Kingdom)

Japan

Study Period: 2019-2032

Postmenopausal Vaginal Atrophy Understanding

The DelveInsight Postmenopausal Vaginal Atrophy epidemiology report gives a thorough understanding of the Postmenopausal Vaginal Atrophy by including details such as disease definition, symptoms, causes, pathophysiology, and diagnosis. It also provides treatment algorithms and treatment guidelines for Postmenopausal Vaginal Atrophy in the US, Europe, and Japan. The report covers the detailed information of the Postmenopausal Vaginal Atrophy epidemiology scenario in seven major countries (US,

EU5, and Japan).

Postmenopausal Vaginal Atrophy Epidemiology Perspective by DelveInsight

The Postmenopausal Vaginal Atrophy epidemiology division provides insights about historical and current patient pool and forecasted trend for every seven major countries. The Postmenopausal Vaginal Atrophy epidemiology data are studied through all possible division to give a better understanding of the Disease scenario in 7MM. The Postmenopausal Vaginal Atrophy epidemiology segment covers the epidemiology data in the US, EU5 countries (Germany, Spain, Italy, France, and the UK), and Japan from 2019 to 2032. It also helps recognize the causes of current and forecasted trends by exploring numerous studies, survey reports and views of key opinion leaders.

Postmenopausal Vaginal Atrophy Detailed Epidemiology Segmentation

The Postmenopausal Vaginal Atrophy epidemiology covered in the report provides historical as well as forecasted Postmenopausal Vaginal Atrophy epidemiology scenario in the 7MM covering the United States, EU5 countries (Germany, Spain, Italy, France, and the United Kingdom), and Japan from 2019 to 2032.

The DelveInsight Postmenopausal Vaginal Atrophy report also provides the epidemiology trends observed in the 7MM during the study period, along with the assumptions undertaken. The calculated data are presented with relevant tables and graphs to give a clear view of the epidemiology at first sight.

Scope of the Report

The Postmenopausal Vaginal Atrophy report covers a detailed overview explaining its causes, symptoms, classification, pathophysiology, diagnosis and treatment patterns

The Postmenopausal Vaginal Atrophy Epidemiology Report and Model provide an overview of the global trends of Postmenopausal Vaginal Atrophy in the seven major markets (7MM: US, France, Germany, Italy, Spain, UK, and Japan)

The report provides insight into the historical and forecasted patient pool of Postmenopausal Vaginal Atrophy in seven major markets covering the United States, EU5 (Germany, Spain, France, Italy, UK), and Japan

The report helps recognize the growth opportunities in the 7MM for the patient population

The report assesses the disease risk and burden and highlights the unmet needs of Postmenopausal Vaginal Atrophy

The report provides the segmentation of the Postmenopausal Vaginal Atrophy epidemiology

Report Highlights

11-year Forecast of Postmenopausal Vaginal Atrophy epidemiology

7MM Coverage

Prevalent and Diagnosed Cases of Postmenopausal Vaginal Atrophy

Cases of Postmenopausal Vaginal Atrophy by Mutation Types

Postmenopausal Vaginal Atrophy Cases associated with Clinical Manifestations

KOL views

We interview, KOLs and SME's opinion through primary research to fill the data gaps and validate our secondary research. The opinion helps understand the total patient population and current treatment pattern. This will support the clients in potential upcoming novel treatment by identifying the overall scenario of the indications.

Key Questions Answered

What will be the growth opportunities in the 7MM with respect to the patient population pertaining to Postmenopausal Vaginal Atrophy?

What are the key findings pertaining to the Postmenopausal Vaginal Atrophy epidemiology across 7MM and which country will have the highest number of patients during the forecast period (2019-2032)?

What would be the total number of patients of Postmenopausal Vaginal Atrophy across the 7MM during the forecast period (2019-2032)?

Among the EU5 countries, which country will have the highest number of patients during the forecast period (2019-2032)?

At what CAGR the patient population is expected to grow in 7MM during the forecast period (2019-2032)?

What is the disease risk, burden and unmet needs of Postmenopausal Vaginal Atrophy?

What are the currently available treatments of Postmenopausal Vaginal Atrophy?

Reasons to buy

The Postmenopausal Vaginal Atrophy Epidemiology report will allow the user to -

Develop business strategies by understanding the trends shaping and driving the global Postmenopausal Vaginal Atrophy market

Quantify patient populations in the global Postmenopausal Vaginal Atrophy market to improve product design, pricing, and launch plans

Organize sales and marketing efforts by identifying the age groups and sex that present the best opportunities for Postmenopausal Vaginal Atrophy therapeutics in each of the markets covered

Understand the magnitude of Postmenopausal Vaginal Atrophy population by its epidemiology

The Postmenopausal Vaginal Atrophy Epidemiology Model developed by DelveInsight is easy to navigate, interactive with dashboards, and epidemiology based with transparent and consistent methodologies. Moreover, the model supports data presented in the report and showcases disease trends over 11-year forecast period using reputable sources

Key Assessments

Patient Segmentation

Disease Risk & Burden

Risk of disease by the segmentation

Factors driving growth in a specific patient population

Contents

1. KEY INSIGHTS

2. EXECUTIVE SUMMARY OF POSTMENOPAUSAL VAGINAL ATROPHY

3. POSTMENOPAUSAL VAGINAL ATROPHY: DISEASE BACKGROUND AND OVERVIEW

3.1. Introduction

3.2. Sign and Symptoms

3.3. Pathophysiology

3.4. Risk Factors

3.5. Diagnosis

4. PATIENT JOURNEY

5. EPIDEMIOLOGY AND PATIENT POPULATION

5.1. Epidemiology Key Findings

5.2. Assumptions and Rationale: 7MM

5.3. Epidemiology Scenario: 7MM

5.3.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in the 7MM (2019-2032)

5.4. United States Epidemiology

5.4.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in the United States (2019- 2032)

5.5. EU-5 Country-wise Epidemiology

5.5.1. Germany Epidemiology

5.5.1.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in Germany (2019-2032)

5.5.2. France Epidemiology

5.5.2.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in France (2019-2032)

5.5.3. Italy Epidemiology

5.5.3.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in Italy (2019-2032)

5.5.4. Spain Epidemiology

5.5.4.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in Spain (2019-

2032)

5.5.5. United Kingdom Epidemiology

5.5.5.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in the United Kingdom (2019-2032)

5.6. Japan Epidemiology

5.6.1. Postmenopausal Vaginal Atrophy Epidemiology Scenario in Japan (2019- 2032)

6. TREATMENT ALGORITHM, CURRENT TREATMENT, AND MEDICAL PRACTICES

6.1. Postmenopausal Vaginal Atrophy Treatment and Management

6.2. Postmenopausal Vaginal Atrophy Treatment Algorithm

7. KOL VIEWS

8. UNMET NEEDS

9. APPENDIX

9.1. Bibliography

9.2. Report Methodology

10. DELVEINSIGHT CAPABILITIES

11. DISCLAIMER

12. ABOUT DELVEINSIGHT

*The table of contents is not exhaustive; will be provided in the final report

List Of Tables

LIST OF TABLES

List of Table:

Table 1: Postmenopausal Vaginal Atrophy Epidemiology in 7MM (2019-2032)

Table 2: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in 7MM (2019-2032)

Table 3: Postmenopausal Vaginal Atrophy Epidemiology in the United States (2019-2032)

Table 4: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in the United States (2019-2032)

Table 5: Postmenopausal Vaginal Atrophy Epidemiology in Germany (2019-2032)

Table 6: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Germany (2019-2032)

Table 7: Postmenopausal Vaginal Atrophy Epidemiology in France (2019-2032)

Table 8: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in France (2019-2032)

Table 9: Postmenopausal Vaginal Atrophy Epidemiology in Italy (2019-2032)

Table 10: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Italy (2019-2032)

Table 11: Postmenopausal Vaginal Atrophy Epidemiology in Spain (2019-2032)

Table 12: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Spain (2019-2032)

Table 13: Postmenopausal Vaginal Atrophy Epidemiology in the United Kingdom (2019-2032)

Table 14: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Table 15: Postmenopausal Vaginal Atrophy Epidemiology in Japan (2019-2032)

Table 16: Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Japan (2019-2032)

List Of Figures

LIST OF FIGURES

List of Figures

Figure 1 Postmenopausal Vaginal Atrophy Epidemiology in 7MM (2019-2032)

Figure 2 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in 7MM (2019-2032)

Figure 3 Postmenopausal Vaginal Atrophy Epidemiology in the United States (2019-2032)

Figure 4 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in the United States (2019-2032)

Figure 5 Postmenopausal Vaginal Atrophy Epidemiology in Germany (2019-2032)

Figure 6 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Germany (2019-2032)

Figure 7 Postmenopausal Vaginal Atrophy Epidemiology in France (2019-2032)

Figure 8 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in France (2019-2032)

Figure 9 Postmenopausal Vaginal Atrophy Epidemiology in Italy (2019-2032)

Figure 10 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Italy (2019-2032)

Figure 11 Postmenopausal Vaginal Atrophy Epidemiology in Spain (2019-2032)

Figure 12 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Spain (2019-2032)

Figure 13 Postmenopausal Vaginal Atrophy Epidemiology in the United Kingdom (2019-2032)

Figure 14 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in the United Kingdom (2019-2032)

Figure 15 Postmenopausal Vaginal Atrophy Epidemiology in Japan (2019-2032)

Figure 16 Postmenopausal Vaginal Atrophy Diagnosed and Treatable Cases in Japan (2019-2032)

*The table of contents is not exhaustive; will be provided in the final report

I would like to order

Product name: Postmenopausal Vaginal Atrophy - Epidemiology Forecast to 2032

Product link: <https://marketpublishers.com/r/PEE3382AA82EN.html>

Price: US\$ 3,950.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/PEE3382AA82EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970