

The Global Market for Bio- and CO2- based Plastics and Polymers

https://marketpublishers.com/r/G4BE74843722EN.html

Date: February 2023 Pages: 782 Price: US\$ 1,500.00 (Single User License) ID: G4BE74843722EN

Abstracts

Bio-based polymers are sustainable polymers synthesized from renewable resources such as biomass (e.g. plant waste, algae) rather than conventional petroleum feedstocks such as oil and gas. They offer significant advantages over traditional plastic

CO2 demonstrates the potential to be a renewable and inexhaustible platform chemical for the synthesis of commodities (methanol, urea, (in)organic carbonates, formic acid), fuel (methane, alcanes) and polymers. R&D is progressing to produce polymers and high-value chemicals utilising CO2 as a feedstock. The technology transforms CO2 into polycarbonates such as polypropylene carbonate (PPC) and polyethylene carbonate (PEC) using catalysts in a reaction with an epoxide, a chemical compound used as a reagent. Polymers and plastics generated utilising CO2 include:

1. Polymers incorporating CO2 directly into their structure, such as polycarbonates.

2. Polymers formed from monomers created by the hydrogenation of CO2, such as ethylene and propylene.

A number of companies are currently operating polymer plants using CO2 as a raw material. For the production of polymers, the utilization potential of CO2 is estimated to be 10 to 50 Mt yr?1 in 2050.

Report contents include:

Analysis of the Global Bio-based and Biodegradable Plastics and Polymers market.



Global production capacities, market demand and trends 2019-2033 for Bio-based and Biodegradable Plastics and Polymers.

Analysis of bio-based feedstock chemicals including: Bio-based adipic acid

11-Aminoundecanoic acid (11-AA)

1,4-Butanediol (1,4-BDO)

Dodecanedioic acid (DDDA)

Epichlorohydrin (ECH)

Ethylene

Furfural

5-Chloromethylfurfural (5-CMF)

5-Hydroxymethylfurfural (HMF)

2,5-Furandicarboxylic acid (2,5-FDCA)

Furandicarboxylic methyl ester (FDME)

Isosorbide

Itaconic acid

3-Hydroxypropionic acid (3-HP)

5 Hydroxymethyl furfural (HMF)

Lactic acid (D-LA)

Lactic acid – L-lactic acid (L-LA)

Lactide



Levoglucosenone

Levulinic acid

Monoethylene glycol (MEG)

Monopropylene glycol (MPG)

Muconic acid

Naphtha

Pentamethylene diisocyanate

1,3-Propanediol (1,3-PDO)

Sebacic acid

Succinic acid (SA)

Analysis of synthetic Bio-based plastics and Polymers market including: Polylactic acid (Bio-PLA)

Polyethylene terephthalate (Bio-PET)

Polytrimethylene terephthalate (Bio-PTT)

Polyethylene furanoate (Bio-PEF)

Polyamides (Bio-PA)

Poly(butylene adipate-co-terephthalate) (Bio-PBAT)

Polybutylene succinate (PBS) and copolymers, Polyethylene (Bio-PE), Polypropylene (Bio-PP)



Analysis of naturally produced bio-based polymers including Polyhydroxyalkanoates (PHA)

Polysaccharides

Microfibrillated cellulose (MFC)

Cellulose nanocrystals

Cellulose nanofibers,

Protein-based bioplastics

Algal and fungal based bioplastics and biopolymers.

Analysis of types of natural fibers including plant fibers, animal fibers including alternative leather, wool, silk fiber and down and polysaccharides.

Markets for natural fibers, including polymer composites, aerospace, automotive, construction & building, sports & leisure, textiles, consumer products and plastics & packaging.

The market for lignin-based plastics and polymers.

Production capacities of lignin producers.

In depth analysis of biorefinery lignin production.

Market segmentation analysis for bio-based plastics and polymers. Markets analysed include rigid & flexible packaging, consumer goods, automotive, building & construction, textiles, electronics, agriculture & horticulture.

Emerging technologies in synthetic and natural produced bio-based plastics and biopolymers.

492 company profiled including products and production capacities. Companies profiled include NatureWorks, Total Corbion, Danimer Scientific, Novamont,



Mitsubishi Chemicals, Indorama, Braskem, Avantium, Borealis, Cathay, Dupont, BASF, Arkema, DuPont, BASF, AMSilk GmbH, Notpla, Loliware, Bolt Threads, Ecovative, Bioform Technologies, Algal Bio, Kraig Biocraft Laboratories, Biotic Circular Technologies Ltd., Full Cycle Bioplastics, Stora Enso Oyj, Spiber, Traceless Materials GmbH, CJ Biomaterials, Natrify, Plastus, Humble Bee Bio and many more.

Analysis of the global market for carbon capture, utilization, and storage (CCUS) technologies.

Market developments, funding and investment in carbon capture, utilization, and storage (CCUS) 2020-2023.

Analysis of key market dynamics, trends, opportunities and factors influencing the global carbon, capture utilization & storage technologies market and its subsegments.

Latest developments in carbon capture, storage and utilization technologies

Market analysis of CO2-derived plastics and polymer products.

Profiles of 30 companies in CO2-dervied polymer and plastics products producers. Companies profiled include Algal Bio Co., Ltd., C4X Technologies Inc., Carbonova, CarbonMeta Research, Chiyoda Corporation, CERT Systems, Inc., Covestro A.G., Mars Materials and Twelve.



Contents

1 RESEARCH METHODOLOGY

2 BIO-BASED CHEMICALS AND FEEDSTOCKS

2.1 Types 2.2 Production capacities 2.3 Bio-based adipic acid 2.3.1 Applications and production 2.4 11-Aminoundecanoic acid (11-AA) 2.4.1 Applications and production 2.5 1,4-Butanediol (1,4-BDO) 2.5.1 Applications and production 2.6 Dodecanedioic acid (DDDA) 2.6.1 Applications and production 2.7 Epichlorohydrin (ECH) 2.7.1 Applications and production 2.8 Ethylene 2.8.1 Applications and production 2.9 Furfural 2.9.1 Applications and production 2.10 5-Hydroxymethylfurfural (HMF) 2.10.1 Applications and production 2.11 5-Chloromethylfurfural (5-CMF) 2.11.1 Applications and production 2.12 2,5-Furandicarboxylic acid (2,5-FDCA) 2.12.1 Applications and production 2.13 Furandicarboxylic methyl ester (FDME) 2.14 Isosorbide 2.14.1 Applications and production 2.15 Itaconic acid 2.15.1 Applications and production 2.16 3-Hydroxypropionic acid (3-HP) 2.16.1 Applications and production 2.17 5 Hydroxymethyl furfural (HMF) 2.17.1 Applications and production 2.18 Lactic acid (D-LA) 2.18.1 Applications and production



2.19 Lactic acid – L-lactic acid (L-LA)

2.19.1 Applications and production

2.20 Lactide

2.20.1 Applications and production

2.21 Levoglucosenone

2.21.1 Applications and production 2.22 Levulinic acid

- 2.22.1 Applications and production
- 2.23 Monoethylene glycol (MEG)

2.23.1 Applications and production

2.24 Monopropylene glycol (MPG)

2.24.1 Applications and production

- 2.25 Muconic acid
- 2.25.1 Applications and production
- 2.26 Bio-Naphtha
 - 2.26.1 Applications and production
 - 2.26.2 Production capacities
 - 2.26.3 Bio-naptha producers
- 2.27 Pentamethylene diisocyanate
- 2.27.1 Applications and production
- 2.28 1,3-Propanediol (1,3-PDO)
- 2.28.1 Applications and production
- 2.29 Sebacic acid
- 2.29.1 Applications and production
- 2.30 Succinic acid (SA)
 - 2.30.1 Applications and production

3 BIO-BASED PLASTICS AND POLYMERS

- 3.1 Bio-based or renewable plastics
- 3.1.1 Drop-in bio-based plastics
- 3.1.2 Novel bio-based plastics
- 3.2 Biodegradable and compostable plastics
 - 3.2.1 Biodegradability
 - 3.2.2 Compostability
- 3.3 Advantages and disadvantages
- 3.4 Types of Bio-based and/or Biodegradable Plastics
- 3.5 Market leaders by biobased and/or biodegradable plastic types
- 3.6 Synthetic bio-based polymers



3.6.1 Polylactic acid (Bio-PLA)

3.6.1.1 Market analysis

3.6.1.2 Production

3.6.1.3 Producers and production capacities, current and planned

3.6.1.3.1 Lactic acid producers and production capacities

3.6.1.3.2 PLA producers and production capacities

3.6.1.3.3 Polylactic acid (Bio-PLA) production capacities 2019-2033 (1,000 tons)

3.6.2 Polyethylene terephthalate (Bio-PET)

3.6.2.1 Market analysis

3.6.2.2 Producers and production capacities

3.6.2.3 Polyethylene terephthalate (Bio-PET) production capacities 2019-2033 (1,000 tons)

3.6.3 Polytrimethylene terephthalate (Bio-PTT)

3.6.3.1 Market analysis

3.6.3.2 Producers and production capacities

3.6.3.3 Polytrimethylene terephthalate (PTT) production capacities 2019-2033 (1,000 tons)

3.6.4 Polyethylene furanoate (Bio-PEF)

3.6.4.1 Market analysis

3.6.4.2 Comparative properties to PET

3.6.4.3 Producers and production capacities

3.6.4.3.1 FDCA and PEF producers and production capacities

3.6.4.3.2 Polyethylene furanoate (Bio-PEF) production capacities 2019-2033 (1,000

tons).

3.6.5 Polyamides (Bio-PA)

3.6.5.1 Market analysis

3.6.5.2 Producers and production capacities

3.6.5.3 Polyamides (Bio-PA) production capacities 2019-2033 (1,000 tons)

3.6.6 Poly(butylene adipate-co-terephthalate) (Bio-PBAT)

3.6.6.1 Market analysis

3.6.6.2 Producers and production capacities

3.6.6.3 Poly(butylene adipate-co-terephthalate) (Bio-PBAT) production capacities 2019-2033 (1,000 tons)

3.6.7 Polybutylene succinate (PBS) and copolymers

3.6.7.1 Market analysis

3.6.7.2 Producers and production capacities

3.6.7.3 Polybutylene succinate (PBS) production capacities 2019-2033 (1,000 tons)

3.6.8 Polyethylene (Bio-PE)

3.6.8.1 Market analysis



- 3.6.8.2 Producers and production capacities
- 3.6.8.3 Polyethylene (Bio-PE) production capacities 2019-2033 (1,000 tons).
- 3.6.9 Polypropylene (Bio-PP)
 - 3.6.9.1 Market analysis
 - 3.6.9.2 Producers and production capacities
 - 3.6.9.3 Polypropylene (Bio-PP) production capacities 2019-2033 (1,000 tons)
- 3.7 Natural bio-based polymers
 - 3.7.1 Polyhydroxyalkanoates (PHA)
 - 3.7.1.1 Technology description
 - 3.7.1.2 Types
 - 3.7.1.2.1 PHB
 - 3.7.1.2.2 PHBV
 - 3.7.1.3 Synthesis and production processes
 - 3.7.1.4 Market analysis
 - 3.7.1.5 Commercially available PHAs
 - 3.7.1.6 Markets for PHAs
 - 3.7.1.6.1 Packaging
 - 3.7.1.6.2 Cosmetics
 - 3.7.1.6.2.1 PHA microspheres
 - 3.7.1.6.3 Medical
 - 3.7.1.6.3.1 Tissue engineering
 - 3.7.1.6.3.2 Drug delivery
 - 3.7.1.6.4 Agriculture
 - 3.7.1.6.4.1 Mulch film
 - 3.7.1.6.4.2 Grow bags
 - 3.7.1.7 Producers and production capacities
 - 3.7.1.8 PHA production capacities 2019-2033 (1,000 tons)
 - 3.7.2 Polysaccharides
 - 3.7.2.1 Microfibrillated cellulose (MFC)
 - 3.7.2.1.1 Market analysis
 - 3.7.2.1.2 Producers and production capacities
 - 3.7.2.2 Nanocellulose
 - 3.7.2.2.1 Cellulose nanocrystals
 - 3.7.2.2.1.1 Synthesis
 - 3.7.2.2.1.2 Properties
 - 3.7.2.2.1.3 Production
 - 3.7.2.2.1.4 Applications
 - 3.7.2.2.1.5 Market analysis
 - 3.7.2.2.1.6 Producers and production capacities



- 3.7.2.2.2 Cellulose nanofibers
 - 3.7.2.2.2.1 Applications
 - 3.7.2.2.2.2 Market analysis
- 3.7.2.2.3 Producers and production capacities
- 3.7.2.2.3 Bacterial Nanocellulose (BNC)
- 3.7.2.2.3.1 Production
- 3.7.2.2.3.2 Applications
- 3.7.3 Protein-based bioplastics
 - 3.7.3.1 Types, applications and producers
- 3.7.4 Algal and fungal
 - 3.7.4.1 Algal
 - 3.7.4.1.1 Advantages
 - 3.7.4.1.2 Production
 - 3.7.4.1.3 Producers
 - 3.7.4.2 Mycelium
 - 3.7.4.2.1 Properties
 - 3.7.4.2.2 Applications
 - 3.7.4.2.3 Commercialization
- 3.7.5 Chitosan
 - 3.7.5.1 Technology description

3.8 Production of bio-based and biodegradable plastics, by region

- 3.8.1 North America
- 3.8.2 Europe
- 3.8.3 Asia-Pacific
 - 3.8.3.1 China
 - 3.8.3.2 Japan
 - 3.8.3.3 Thailand
 - 3.8.3.4 Indonesia
- 3.8.4 Latin America
- 3.9 Markets for bio-based plastic
 - 3.9.1 Packaging
 - 3.9.1.1 Processes for bioplastics in packaging
 - 3.9.1.2 Applications
 - 3.9.1.3 Flexible packaging
 - 3.9.1.3.1 Production volumes 2019-2033
 - 3.9.1.4 Rigid packaging
 - 3.9.1.4.1 Production volumes 2019-2033
 - 3.9.2 Consumer products
 - 3.9.2.1 Applications



- 3.9.3 Automotive
 - 3.9.3.1 Applications
- 3.9.3.2 Production capacities
- 3.9.4 Building & construction
- 3.9.4.1 Applications
- 3.9.4.2 Production capacities
- 3.9.5 Textiles
 - 3.9.5.1 Apparel
 - 3.9.5.2 Footwear
 - 3.9.5.3 Medical textiles
- 3.9.5.4 Production capacities
- 3.9.6 Electronics
- 3.9.6.1 Applications
- 3.9.6.2 Production capacities
- 3.9.7 Agriculture and horticulture
 - 3.9.7.1 Production capacities
- 3.10 Natural fibers
 - 3.10.1 Manufacturing method, matrix materials and applications of natural fibers
 - 3.10.2 Advantages of natural fibers
 - 3.10.3 Commercially available next-gen natural fiber products
 - 3.10.4 Market drivers for next-gen natural fibers
 - 3.10.5 Challenges
 - 3.10.6 Plants (cellulose, lignocellulose)
 - 3.10.6.1 Seed fibers
 - 3.10.6.1.1 Cotton
 - 3.10.6.1.1.1 Production volumes 2018-2033
 - 3.10.6.1.2 Kapok
 - 3.10.6.1.2.1 Production volumes 2018-2033
 - 3.10.6.1.3 Luffa
 - 3.10.6.2 Bast fibers
 - 3.10.6.2.1 Jute
 - 3.10.6.2.2 Production volumes 2018-2033
 - 3.10.6.2.2.1 Hemp
 - 3.10.6.2.2.2 Production volumes 2018-2033
 - 3.10.6.2.3 Flax
 - 3.10.6.2.3.1 Production volumes 2018-2033
 - 3.10.6.2.4 Ramie
 - 3.10.6.2.4.1 Production volumes 2018-2033
 - 3.10.6.2.5 Kenaf



- 3.10.6.2.5.1 Production volumes 2018-2033
- 3.10.6.3 Leaf fibers
- 3.10.6.3.1 Sisal
 - 3.10.6.3.1.1 Production volumes 2018-2033
- 3.10.6.3.2 Abaca
 - 3.10.6.3.2.1 Production volumes 2018-2033
- 3.10.6.4 Fruit fibers
- 3.10.6.4.1 Coir
- 3.10.6.4.1.1 Production volumes 2018-2033
- 3.10.6.4.2 Banana
 - 3.10.6.4.2.1 Production volumes 2018-2033
- 3.10.6.4.3 Pineapple
- 3.10.6.5 Stalk fibers from agricultural residues
- 3.10.6.5.1 Rice fiber
- 3.10.6.5.2 Corn
- 3.10.6.6 Cane, grasses and reed
- 3.10.6.6.1 Switch grass
- 3.10.6.6.2 Sugarcane (agricultural residues)
- 3.10.6.6.3 Bamboo
- 3.10.6.6.3.1 Production volumes 2018-2033
- 3.10.6.6.4 Fresh grass (green biorefinery)
- 3.10.6.7 Modified natural polymers
- 3.10.6.7.1 Mycelium
- 3.10.6.7.2 Chitosan
- 3.10.6.7.3 Alginate
- 3.10.7 Animal (fibrous protein)
 - 3.10.7.1 Wool
 - 3.10.7.1.1 Alternative wool materials
 - 3.10.7.1.2 Producers
 - 3.10.7.2 Silk fiber
 - 3.10.7.2.1 Alternative silk materials
 - 3.10.7.2.1.1 Producers
 - 3.10.7.3 Leather
 - 3.10.7.3.1 Alternative leather materials
 - 3.10.7.3.1.1 Producers
 - 3.10.7.4 Fur
 - 3.10.7.4.1 Producers
 - 3.10.7.5 Down
 - 3.10.7.5.1 Alternative down materials



3.10.7.5.1.1 Producers

- 3.10.8 Natural fiber polymer composites and plastics
 - 3.10.8.1 Applications
 - 3.10.8.2 Natural fiber injection moulding compounds
 - 3.10.8.2.1 Properties
 - 3.10.8.2.2 Applications
 - 3.10.8.3 Non-woven natural fiber mat composites
 - 3.10.8.3.1 Automotive
 - 3.10.8.3.2 Applications
 - 3.10.8.4 Aligned natural fiber-reinforced composites
 - 3.10.8.5 Natural fiber biobased polymer compounds
 - 3.10.8.6 Natural fiber biobased polymer non-woven mats
 - 3.10.8.6.1 Flax
 - 3.10.8.6.2 Kenaf
 - 3.10.8.7 Natural fiber thermoset bioresin composites
 - 3.10.8.8 Aerospace
 - 3.10.8.8.1 Market overview
 - 3.10.8.9 Automotive
 - 3.10.8.9.1 Market overview
 - 3.10.8.9.2 Applications of natural fibers
 - 3.10.8.10 Sports and leisure
 - 3.10.8.10.1 Market overview
 - 3.10.8.11 Packaging
 - 3.10.8.11.1 Market overview
- 3.10.9 Global production of natural fibers
- 3.10.9.1 Overall global fibers market
- 3.10.9.2 Plant-based fiber production
- 3.10.9.3 Animal-based natural fiber production
- 3.11 Lignin
 - 3.11.1 Introduciton
 - 3.11.1.1 What is lignin?
 - 3.11.1.1.1 Lignin structure
 - 3.11.1.2 Types of lignin
 - 3.11.1.2.1 Sulfur containing lignin
 - 3.11.1.2.2 Sulfur-free lignin from biorefinery process
 - 3.11.1.3 Properties
 - 3.11.1.4 The lignocellulose biorefinery
 - 3.11.1.5 Markets and applications
 - 3.11.1.6 Challenges for using lignin



- 3.11.2 Lignin production processes
 - 3.11.2.1 Lignosulphonates
 - 3.11.2.2 Kraft Lignin
 - 3.11.2.2.1 LignoBoost process
 - 3.11.2.2.2 LignoForce method
 - 3.11.2.2.3 Sequential Liquid Lignin Recovery and Purification
 - 3.11.2.2.4 A-Recovery+
 - 3.11.2.3 Soda lignin
 - 3.11.2.4 Biorefinery lignin
- 3.11.2.4.1 Commercial and pre-commercial biorefinery lignin production facilities and processes
 - 3.11.2.5 Organosolv lignins
 - 3.11.2.6 Hydrolytic lignin
 - 3.11.3 Markets for lignin
 - 3.11.3.1 Market drivers and trends for lignin
 - 3.11.3.2 Production capacities
 - 3.11.3.2.1 Technical lignin availability (dry ton/y)
 - 3.11.3.2.2 Biomass conversion (Biorefinery)
 - 3.11.3.3 Estimated consumption of lignin
 - 3.11.3.4 Prices
 - 3.11.3.5 Aromatic compounds
 - 3.11.3.5.1 Benzene, toluene and xylene
 - 3.11.3.5.2 Phenol and phenolic resins
 - 3.11.3.5.3 Vanillin
 - 3.11.3.6 Lignin-based plastics and polymers
 - 3.11.3.6.1 Lignin-based thermoplastics
 - 3.11.3.6.2 Lignin-based thermosets
 - 3.11.3.6.3 Epoxy resins
 - 3.11.3.6.4 Packaging board
 - 3.11.3.6.5 MDF and plywood
 - 3.11.3.6.6 Polyurethanes (PU) and foams
 - 3.11.3.6.7 Carbon materials
 - 3.11.3.6.8 Carbon fiber
 - 3.11.3.6.9 Automotive composites
 - 3.11.3.6.10 Fire retardants
- 3.12 Bio-based polymers company profiles 272 (492 company profiles)

4 CARBON (CO2) CAPTURE AND UTILIZATION FOR POLYMERS



- 4.1 Main sources of carbon dioxide emissions
- 4.2 CO2 as a commodity
- 4.3 Meeting climate targets
- 4.4 Market drivers and trends
- 4.5 The current market and future outlook
- 4.6 CCUS Industry developments 2020-2023
- 4.7 CCUS investments
- 4.7.1 Venture Capital Funding
- 4.8 Market map
- 4.9 Commercial CCUS facilities and projects
- 4.9.1 Facilities
 - 4.9.1.1 Operational
 - 4.9.1.2 Under development/construction
- 4.10 CCUS Value Chain
- 4.11 Key market barriers for CCUS
- 4.12 Carbon Capture, Utilization and Storage (CCUS) technologies
- 4.12.1 Carbon Capture
 - 4.12.1.1 Source Characterization
 - 4.12.1.2 Purification
- 4.12.1.3 CO2 capture technologies
- 4.12.2 Carbon Utilization
- 4.12.2.1 CO2 utilization pathways
- 4.12.3 Carbon storage
 - 4.12.3.1 Passive storage
- 4.12.3.2 Enhanced oil recovery
- 4.13 Products from CO2 capture
 - 4.13.1 Current market status
 - 4.13.2 Benefits of carbon utilization
 - 4.13.3 Market challenges
 - 4.13.4 Co2 utilization pathways
 - 4.13.5 Conversion processes
 - 4.13.5.1 Thermochemical
 - 4.13.5.1.1 Process overview
 - 4.13.5.1.2 Plasma-assisted CO2 conversion
 - 4.13.5.2 Electrochemical conversion of CO2
 - 4.13.5.2.1 Process overview
 - 4.13.5.3 Photocatalytic and photothermal catalytic conversion of CO2
 - 4.13.5.4 Catalytic conversion of CO2
 - 4.13.5.5 Biological conversion of CO2



- 4.13.5.6 Copolymerization of CO2
- 4.13.5.7 Mineral carbonation
- 4.13.6 CO?-derived polymers
 - 4.13.6.1 CO2 for the development of polymer materials
 - 4.13.6.2 Polycarbonate from CO?
 - 4.13.6.3 Scalability
- 4.13.6.4 Carbon nanotubes as by- products of CO2 conversion and sequestration
- 4.14 CO2-derived polymer producer profiles 750 (30 company profiles)

5 REFERENCES



List Of Tables

LIST OF TABLES

Table 1. List of Bio-based chemicals.

- Table 2. Lactide applications.
- Table 3. Biobased MEG producers capacities.
- Table 4. Bio-naphtha market value chain.
- Table 5. Bio-naptha producers and production capacities.
- Table 6. Type of biodegradation.

Table 7. Advantages and disadvantages of biobased plastics compared to conventional plastics.

Table 8. Types of Bio-based and/or Biodegradable Plastics, applications.

Table 9. Market leader by Bio-based and/or Biodegradable Plastic types.

Table 10. Polylactic acid (PLA) market analysis-manufacture, advantages,

disadvantages and applications.

Table 11. Lactic acid producers and production capacities.

Table 12. PLA producers and production capacities.

Table 13. Planned PLA capacity expansions in China.

Table 14. Bio-based Polyethylene terephthalate (Bio-PET) market analysis-

manufacture, advantages, disadvantages and applications.

Table 15. Bio-based Polyethylene terephthalate (PET) producers and production capacities,

Table 16. Polytrimethylene terephthalate (PTT) market analysis-manufacture, advantages, disadvantages and applications.

Table 17. Production capacities of Polytrimethylene terephthalate (PTT), by leading producers.

Table 18. Polyethylene furanoate (PEF) market analysis-manufacture, advantages, disadvantages and applications.

Table 19. PEF vs. PET.

Table 20. FDCA and PEF producers.

Table 21. Bio-based polyamides (Bio-PA) market analysis - manufacture, advantages, disadvantages and applications.

Table 22. Leading Bio-PA producers production capacities.

Table 23. Poly(butylene adipate-co-terephthalate) (PBAT) market analysis-

manufacture, advantages, disadvantages and applications.

Table 24. Leading PBAT producers, production capacities and brands.

Table 25. Bio-PBS market analysis-manufacture, advantages, disadvantages and applications.



Table 26. Leading PBS producers and production capacities.

Table 27. Bio-based Polyethylene (Bio-PE) market analysis- manufacture, advantages, disadvantages and applications.

Table 28. Leading Bio-PE producers.

Table 29. Bio-PP market analysis- manufacture, advantages, disadvantages and applications.

Table 30. Leading Bio-PP producers and capacities.

Table 31.Types of PHAs and properties.

Table 32. Comparison of the physical properties of different PHAs with conventional petroleum-based polymers.

- Table 33. Polyhydroxyalkanoate (PHA) extraction methods.
- Table 34. Polyhydroxyalkanoates (PHA) market analysis.
- Table 35. Commercially available PHAs.
- Table 36. Markets and applications for PHAs.

Table 37. Applications, advantages and disadvantages of PHAs in packaging.

- Table 38. Polyhydroxyalkanoates (PHA) producers.
- Table 39. Microfibrillated cellulose (MFC) market analysis-manufacture, advantages, disadvantages and applications.
- Table 40. Leading MFC producers and capacities.
- Table 41. Synthesis methods for cellulose nanocrystals (CNC).
- Table 42. CNC sources, size and yield.
- Table 43. CNC properties.
- Table 44. Mechanical properties of CNC and other reinforcement materials.
- Table 45. Applications of nanocrystalline cellulose (NCC).
- Table 46. Cellulose nanocrystals analysis.

Table 47: Cellulose nanocrystal production capacities and production process, by producer.

- Table 48. Applications of cellulose nanofibers (CNF).
- Table 49. Cellulose nanofibers market analysis.
- Table 50. CNF production capacities (by type, wet or dry) and production process, by producer, metric tonnes.
- Table 51. Applications of bacterial nanocellulose (BNC).
- Table 52. Types of protein based-bioplastics, applications and companies.
- Table 53. Types of algal and fungal based-bioplastics, applications and companies.
- Table 54. Overview of alginate-description, properties, application and market size.
- Table 55. Companies developing algal-based bioplastics.

Table 56. Overview of mycelium fibers-description, properties, drawbacks and applications.

Table 57. Companies developing mycelium-based bioplastics.



Table 58. Overview of chitosan-description, properties, drawbacks and applications.

Table 59. Global production capacities of biobased and sustainable plastics in 2019-2033, by region, tons.

Table 60. Biobased and sustainable plastics producers in North America.

Table 61. Biobased and sustainable plastics producers in Europe.

Table 62. Biobased and sustainable plastics producers in Asia-Pacific.

Table 63. Biobased and sustainable plastics producers in Latin America.

Table 64. Processes for bioplastics in packaging.

Table 65. Comparison of bioplastics' (PLA and PHAs) properties to other common polymers used in product packaging.

Table 66. Typical applications for bioplastics in flexible packaging.

Table 67. Typical applications for bioplastics in rigid packaging.

Table 68. Types of next-gen natural fibers.

Table 69. Application, manufacturing method, and matrix materials of natural fibers.

Table 70. Typical properties of natural fibers.

Table 71. Commercially available next-gen natural fiber products.

Table 72. Market drivers for natural fibers.

Table 73. Overview of cotton fibers-description, properties, drawbacks and applications.

Table 74. Overview of kapok fibers-description, properties, drawbacks and applications.

Table 75. Overview of luffa fibers-description, properties, drawbacks and applications.

Table 76. Overview of jute fibers-description, properties, drawbacks and applications.

Table 77. Overview of hemp fibers-description, properties, drawbacks and applications.

Table 78. Overview of flax fibers-description, properties, drawbacks and applications.

Table 79. Overview of ramie fibers- description, properties, drawbacks and applications.

Table 80. Overview of kenaf fibers-description, properties, drawbacks and applications.

Table 81. Overview of sisal leaf fibers-description, properties, drawbacks and applications.

Table 82. Overview of abaca fibers-description, properties, drawbacks and applications.

Table 83. Overview of coir fibers-description, properties, drawbacks and applications.

Table 84. Overview of banana fibers-description, properties, drawbacks and applications.

Table 85. Overview of pineapple fibers-description, properties, drawbacks and applications.

Table 86. Overview of rice fibers-description, properties, drawbacks and applications.

Table 87. Overview of corn fibers-description, properties, drawbacks and applications.

Table 88. Overview of switch grass fibers-description, properties and applications.

Table 89. Overview of sugarcane fibers-description, properties, drawbacks and application and market size.

Table 90. Overview of bamboo fibers-description, properties, drawbacks and



applications.

Table 91. Overview of mycelium fibers-description, properties, drawbacks and applications.

Table 92. Overview of chitosan fibers-description, properties, drawbacks and applications.

- Table 93. Overview of alginate-description, properties, application and market size.
- Table 94. Overview of wool fibers-description, properties, drawbacks and applications.

Table 95. Alternative wool materials producers.

Table 96. Overview of silk fibers-description, properties, application and market size.

Table 97. Alternative silk materials producers.

Table 98. Alternative leather materials producers.

Table 99. Next-gen fur producers.

Table 100. Alternative down materials producers.

Table 101. Applications of natural fiber composites.

Table 102. Typical properties of short natural fiber-thermoplastic composites.

Table 103. Properties of non-woven natural fiber mat composites.

Table 104. Properties of aligned natural fiber composites.

Table 105. Properties of natural fiber-bio-based polymer compounds.

Table 106. Properties of natural fiber-bio-based polymer non-woven mats.

Table 107. Natural fibers in the aerospace sector-market drivers, applications and challenges for NF use.

Table 108. Natural fiber-reinforced polymer composite in the automotive market.

Table 109. Natural fibers in the aerospace sector- market drivers, applications and challenges for NF use.

Table 110. Applications of natural fibers in the automotive industry.

Table 111. Natural fibers in the sports and leisure sector-market drivers, applications and challenges for NF use.

Table 112. Natural fibers in the packaging sector-market drivers, applications and challenges for NF use.

- Table 113. Technical lignin types and applications.
- Table 114. Classification of technical lignins.
- Table 115. Lignin content of selected biomass.
- Table 116. Properties of lignins and their applications.

Table 117. Example markets and applications for lignin.

Table 118. Processes for lignin production.

Table 119. Biorefinery feedstocks.

Table 120. Comparison of pulping and biorefinery lignins.

Table 121. Commercial and pre-commercial biorefinery lignin production facilities and processes



- Table 122. Market drivers and trends for lignin.
- Table 123. Production capacities of technical lignin producers.
- Table 124. Production capacities of biorefinery lignin producers.
- Table 125. Estimated consumption of lignin, 2019-2033 (000 MT).
- Table 126. Prices of benzene, toluene, xylene and their derivatives.
- Table 127. Application of lignin in plastics and polymers.
- Table 128. Lactips plastic pellets.
- Table 129. Oji Holdings CNF products.
- Table 130. Carbon Capture, Utilisation and Storage (CCUS) market drivers and trends.

Table 131. Carbon capture, usage, and storage (CCUS) industry developments 2020-2023.

Table 132. Global commercial CCUS facilities-in operation.

Table 133. Global commercial CCUS facilities-under development/construction.

- Table 134. Key market barriers for CCUS.
- Table 135. CO2 utilization and removal pathways
- Table 136. Approaches for capturing carbon dioxide (CO2) from point sources.
- Table 137. CO2 capture technologies.
- Table 138. Advantages and challenges of carbon capture technologies.
- Table 139. Overview of commercial materials and processes utilized in carbon capture.
- Table 140. Carbon utilization revenue forecast by product (US\$).
- Table 141. CO2 utilization and removal pathways.
- Table 142. Market challenges for CO2 utilization.
- Table 143. Example CO2 utilization pathways.

Table 144. CO2 derived products via Thermochemical conversion-applications,

advantages and disadvantages.

Table 145. Electrochemical CO? reduction products.

Table 146. CO2 derived products via electrochemical conversion-applications,

advantages and disadvantages.

Table 147. CO2 derived products via biological conversion-applications, advantages and disadvantages.

- Table 148. Companies developing and producing CO2-based polymers.
- Table 149. Companies developing mineral carbonation technologies.
- Table 150. Commodity chemicals and fuels manufactured from CO2.



List Of Figures

LIST OF FIGURES

- Figure 1. Bio-based chemicals and feedstocks production capacities, 2018-2033.
- Figure 2. Overview of Toray process. Overview of process
- Figure 3. Production capacities for 11-Aminoundecanoic acid (11-AA).
- Figure 4. 1,4-Butanediol (BDO) production capacities, 2018-2033 (tonnes).
- Figure 5. Dodecanedioic acid (DDDA) production capacities, 2018-2033 (tonnes).
- Figure 6. Epichlorohydrin production capacities, 2018-2033 (tonnes).
- Figure 7. Ethylene production capacities, 2018-2033 (tonnes).
- Figure 8. Potential industrial uses of 3-hydroxypropanoic acid.
- Figure 9. L-lactic acid (L-LA) production capacities, 2018-2033 (tonnes).
- Figure 10. Lactide production capacities, 2018-2033 (tonnes).
- Figure 11. Bio-MEG production capacities, 2018-2033.
- Figure 12. Bio-MPG production capacities, 2018-2033 (tonnes).
- Figure 13. Biobased naphtha production capacities, 2018-2033 (tonnes).
- Figure 14. 1,3-Propanediol (1,3-PDO) production capacities, 2018-2033 (tonnes).
- Figure 15. Sebacic acid production capacities, 2018-2033 (tonnes).
- Figure 16. Coca-Cola PlantBottle.
- Figure 17. Interrelationship between conventional, bio-based and biodegradable plastics.
- Figure 18. Polylactic acid (Bio-PLA) production capacities 2019-2033 (1,000 tons).
- Figure 19. Polyethylene terephthalate (Bio-PET) production capacities 2019-2033 (1,000 tons)
- Figure 20. Polytrimethylene terephthalate (PTT) production capacities 2019-2033 (1,000 tons).
- Figure 21. Production capacities of Polyethylene furanoate (PEF) to 2025.
- Figure 22. Polyethylene furanoate (Bio-PEF) production capacities 2019-2033 (1,000 tons).
- Figure 23. Polyamides (Bio-PA) production capacities 2019-2033 (1,000 tons).
- Figure 24. Poly(butylene adipate-co-terephthalate) (Bio-PBAT) production capacities 2019-2033 (1,000 tons).
- Figure 25. Polybutylene succinate (PBS) production capacities 2019-2033 (1,000 tons).
- Figure 26. Polyethylene (Bio-PE) production capacities 2019-2033 (1,000 tons).
- Figure 27. Polypropylene (Bio-PP) production capacities 2019-2033 (1,000 tons).
- Figure 28. PHA family.
- Figure 29. PHA production capacities 2019-2033 (1,000 tons).
- Figure 30. TEM image of cellulose nanocrystals.



Figure 31. CNC preparation.

Figure 32. Extracting CNC from trees.

Figure 33. CNC slurry.

Figure 34. CNF gel.

Figure 35. Bacterial nanocellulose shapes

Figure 36. BLOOM masterbatch from Algix.

Figure 37. Typical structure of mycelium-based foam.

Figure 38. Commercial mycelium composite construction materials.

Figure 39. Global production capacities of biobased and sustainable plastics 2020.

Figure 40. Global production capacities of biobased and sustainable plastics 2025.

Figure 41. Global production capacities for biobased and sustainable plastics by end user market 2019-2033, 1,000 tons.

Figure 42. PHA bioplastics products.

Figure 43. The global market for biobased and biodegradable plastics for flexible packaging 2019–2033 ('000 tonnes).

Figure 44. Bioplastics for rigid packaging, 2019–2033 ('000 tonnes).

Figure 45. Global production capacities for biobased and biodegradable plastics in consumer products 2019-2033, in 1,000 tons.

Figure 46. Global production capacities for biobased and biodegradable plastics in automotive 2019-2033, in 1,000 tons.

Figure 47. Global production capacities for biobased and biodegradable plastics in building and construction 2019-2033, in 1,000 tons.

Figure 48. AlgiKicks sneaker, made with the Algiknit biopolymer gel.

Figure 49. Reebok's [REE]GROW running shoes.

Figure 50. Camper Runner K21.

Figure 51. Global production capacities for biobased and biodegradable plastics in textiles 2019-2033, in 1,000 tons.

Figure 52. Global production capacities for biobased and biodegradable plastics in electronics 2019-2033, in 1,000 tons.

Figure 53. Biodegradable mulch films.

Figure 54. Global production capacities for biobased and biodegradable plastics in agriculture 2019-2033, in 1,000 tons.

Figure 55. Types of natural fibers.

Figure 56. Absolut natural based fiber bottle cap.

Figure 57. Adidas algae-ink tees.

Figure 58. Carlsberg natural fiber beer bottle.

Figure 59. Miratex watch bands.

Figure 60. Adidas Made with Nature Ultraboost 22.

Figure 61. PUMA RE:SUEDE sneaker



- Figure 62. Cotton production volume 2018-2033 (Million MT).
- Figure 63. Kapok production volume 2018-2033 (MT).
- Figure 64. Luffa cylindrica fiber.
- Figure 65. Jute production volume 2018-2033 (Million MT).
- Figure 66. Hemp fiber production volume 2018-2033 (MT).
- Figure 67. Flax fiber production volume 2018-2033 (MT).
- Figure 68. Ramie fiber production volume 2018-2033 (MT).
- Figure 69. Kenaf fiber production volume 2018-2033 (MT).
- Figure 70. Sisal fiber production volume 2018-2033 (MT).
- Figure 71. Abaca fiber production volume 2018-2033 (MT).
- Figure 72. Coir fiber production volume 2018-2033 (MILLION MT).
- Figure 73. Banana fiber production volume 2018-2033 (MT).
- Figure 74. Pineapple fiber.
- Figure 75. A bag made with pineapple biomaterial from the H&M Conscious Collection 2019.
- Figure 76. Bamboo fiber production volume 2018-2033 (MILLION MT).
- Figure 77. Typical structure of mycelium-based foam.
- Figure 78. Commercial mycelium composite construction materials.
- Figure 79. Frayme Mylo?.
- Figure 80. BLOOM masterbatch from Algix.
- Figure 81. Conceptual landscape of next-gen leather materials.
- Figure 82. Hemp fibers combined with PP in car door panel.
- Figure 83. Car door produced from Hemp fiber.
- Figure 84. Mercedes-Benz components containing natural fibers.
- Figure 85. Global fiber production in 2022, by fiber type, million MT and %.
- Figure 86. Global fiber production (million MT) to 2020-2033.
- Figure 87. Plant-based fiber production 2018-2033, by fiber type, MT.
- Figure 88. Animal based fiber production 2018-2033, by fiber type, million MT.
- Figure 89. High purity lignin.
- Figure 90. Lignocellulose architecture.
- Figure 91. Extraction processes to separate lignin from lignocellulosic biomass and corresponding technical lignins.
- Figure 92. The lignocellulose biorefinery.
- Figure 93. LignoBoost process.
- Figure 94. LignoForce system for lignin recovery from black liquor.
- Figure 95. Sequential liquid-lignin recovery and purification (SLPR) system.
- Figure 96. A-Recovery+ chemical recovery concept.
- Figure 97. Schematic of a biorefinery for production of carriers and chemicals.
- Figure 98. Organosolv lignin.



Figure 99. Hydrolytic lignin powder.

- Figure 100. Estimated consumption of lignin, 2019-2033 (000 MT).
- Figure 101. Schematic of WISA plywood home.
- Figure 102. Lignin based activated carbon.
- Figure 103. Lignin/celluose precursor.
- Figure 104. Pluumo.
- Figure 105. ANDRITZ Lignin Recovery process.
- Figure 106. Anpoly cellulose nanofiber hydrogel.
- Figure 107. MEDICELLU.
- Figure 108. Asahi Kasei CNF fabric sheet.
- Figure 109. Properties of Asahi Kasei cellulose nanofiber nonwoven fabric.
- Figure 110. CNF nonwoven fabric.
- Figure 111. Roof frame made of natural fiber.
- Figure 112. Beyond Leather Materials product.
- Figure 113. BIOLO e-commerce mailer bag made from PHA.
- Figure 114. Reusable and recyclable foodservice cups, lids, and straws from Joinease
- Hong Kong Ltd., made with plant-based NuPlastiQ BioPolymer from BioLogiQ, Inc.
- Figure 115. Fiber-based screw cap.
- Figure 116. formicobio technology.
- Figure 117. nanoforest-S.
- Figure 118. nanoforest-PDP.
- Figure 119. nanoforest-MB.
- Figure 120. sunliquid production process.
- Figure 121. CuanSave film.
- Figure 122. Celish.
- Figure 123. Trunk lid incorporating CNF.
- Figure 124. ELLEX products.
- Figure 125. CNF-reinforced PP compounds.
- Figure 126. Kirekira! toilet wipes.
- Figure 127. Color CNF.
- Figure 128. Rheocrysta spray.
- Figure 129. DKS CNF products.
- Figure 130. Domsj? process.
- Figure 131. Mushroom leather.
- Figure 132. CNF based on citrus peel.
- Figure 133. Citrus cellulose nanofiber.
- Figure 134. Filler Bank CNC products.
- Figure 135. Fibers on kapok tree and after processing.
- Figure 136. TMP-Bio Process.



Figure 137. Flow chart of the lignocellulose biorefinery pilot plant in Leuna.

- Figure 138. Water-repellent cellulose.
- Figure 139. Cellulose Nanofiber (CNF) composite with polyethylene (PE).
- Figure 140. PHA production process.
- Figure 141. CNF products from Furukawa Electric.
- Figure 142. AVAPTM process.
- Figure 143. GreenPower+ process.
- Figure 144. Cutlery samples (spoon, knife, fork) made of nano cellulose and biodegradable plastic composite materials.
- Figure 145. Non-aqueous CNF dispersion 'Senaf' (Photo shows 5% of plasticizer).
- Figure 146. CNF gel.
- Figure 147. Block nanocellulose material.
- Figure 148. CNF products developed by Hokuetsu.
- Figure 149. Marine leather products.
- Figure 150. Inner Mettle Milk products.
- Figure 151. Kami Shoji CNF products.
- Figure 152. Dual Graft System.
- Figure 153. Engine cover utilizing Kao CNF composite resins.
- Figure 154. Acrylic resin blended with modified CNF (fluid) and its molded product
- (transparent film), and image obtained with AFM (CNF 10wt% blended).
- Figure 155. Kel Labs yarn.
- Figure 156. 0.3% aqueous dispersion of sulfated esterified CNF and dried transparent film (front side).
- Figure 157. BioFlex process.
- Figure 158. Nike Algae Ink graphic tee.
- Figure 159. LX Process.
- Figure 160. Made of Air's HexChar panels.
- Figure 161. TransLeather.
- Figure 162. Chitin nanofiber product.
- Figure 163. Marusumi Paper cellulose nanofiber products.
- Figure 164. FibriMa cellulose nanofiber powder.
- Figure 165. METNIN Lignin refining technology.
- Figure 166. IPA synthesis method.
- Figure 167. MOGU-Wave panels.
- Figure 168. CNF slurries.
- Figure 169. Range of CNF products.
- Figure 170. Reishi.
- Figure 171. Compostable water pod.
- Figure 172. Leather made from leaves.



- Figure 173. Nike shoe with beLEAF.
- Figure 174. CNF clear sheets.
- Figure 175. Oji Holdings CNF polycarbonate product.
- Figure 176. Enfinity cellulosic ethanol technology process.
- Figure 177. Fabric consisting of 70 per cent wool and 30 per cent Qmilk.
- Figure 178. XCNF.
- Figure 179: Plantrose process.
- Figure 180. LOVR hemp leather.
- Figure 181. CNF insulation flat plates.
- Figure 182. Hansa lignin.
- Figure 183. Manufacturing process for STARCEL.
- Figure 184. Manufacturing process for STARCEL.
- Figure 185. 3D printed cellulose shoe.
- Figure 186. Lyocell process.
- Figure 187. North Face Spiber Moon Parka.
- Figure 188. PANGAIA LAB NXT GEN Hoodie.
- Figure 189. Spider silk production.
- Figure 190. Stora Enso lignin battery materials.
- Figure 191. 2 wt.? CNF suspension.
- Figure 192. BiNFi-s Dry Powder.
- Figure 193. BiNFi-s Dry Powder and Propylene (PP) Complex Pellet.
- Figure 194. Silk nanofiber (right) and cocoon of raw material.
- Figure 195. Sulapac cosmetics containers.
- Figure 196. Sulzer equipment for PLA polymerization processing.
- Figure 197. Teijin bioplastic film for door handles.
- Figure 198. Corbion FDCA production process.
- Figure 199. Comparison of weight reduction effect using CNF.
- Figure 200. CNF resin products.
- Figure 201. UPM biorefinery process.
- Figure 202. Vegea production process.
- Figure 203. The Proesa Process.
- Figure 204. Goldilocks process and applications.
- Figure 205. Visolis' Hybrid Bio-Thermocatalytic Process.
- Figure 206. HefCel-coated wood (left) and untreated wood (right) after 30 seconds flame test.
- Figure 207. Worn Again products.
- Figure 208. Zelfo Technology GmbH CNF production process.
- Figure 209. Carbon emissions by sector.
- Figure 210. Overview of CCUS market



Figure 211. Pathways for CO2 use.

- Figure 212. Regional capacity share 2022-2030.
- Figure 213. Global investment in carbon capture 2010-2022, millions USD.
- Figure 214. Carbon Capture, Utilization, & Storage (CCUS) Market Map.
- Figure 215. CCS deployment projects, historical and to 2035.
- Figure 216. Existing and planned CCS projects.
- Figure 217. CCUS Value Chain.
- Figure 218. Schematic of CCUS process.
- Figure 219. Pathways for CO2 utilization and removal.
- Figure 220. A pre-combustion capture system.
- Figure 221. Carbon dioxide utilization and removal cycle.
- Figure 222. Various pathways for CO2 utilization.
- Figure 223. Example of underground carbon dioxide storage.

Figure 224. CO2 non-conversion and conversion technology, advantages and disadvantages.

- Figure 225. Applications for CO2.
- Figure 226. Cost to capture one metric ton of carbon, by sector.
- Figure 227. Life cycle of CO2-derived products and services.
- Figure 228. Co2 utilization pathways and products.

Figure 229. Plasma technology configurations and their advantages and disadvantages for CO2 conversion.

- Figure 230. LanzaTech gas-fermentation process.
- Figure 231. Schematic of biological CO2 conversion into e-fuels.
- Figure 232. Econic catalyst systems.
- Figure 233. Mineral carbonation processes.
- Figure 234. Conversion of CO2 into chemicals and fuels via different pathways.
- Figure 235. Conversion pathways for CO2-derived polymeric materials
- Figure 236. Dioxycle modular electrolyzer.
- Figure 237. O12 Reactor.
- Figure 238. Sunglasses with lenses made from CO2-derived materials.
- Figure 239. CO2 made car part.



I would like to order

Product name: The Global Market for Bio- and CO2- based Plastics and Polymers Product link: <u>https://marketpublishers.com/r/G4BE74843722EN.html</u>

Price: US\$ 1,500.00 (Single User License / Electronic Delivery) If you want to order Corporate License or Hard Copy, please, contact our Customer Service: <u>info@marketpublishers.com</u>

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <u>https://marketpublishers.com/r/G4BE74843722EN.html</u>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name: Last name: Email: Company: Address: City: Zip code: Country: Tel: Fax: Your message:

**All fields are required

Custumer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <u>https://marketpublishers.com/docs/terms.html</u>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970