

The Global Market for Bioplastics and Biopolymers 2023-2033

https://marketpublishers.com/r/GAB15DE4B415EN.html

Date: July 2022 Pages: 405 Price: US\$ 1,550.00 (Single User License) ID: GAB15DE4B415EN

Abstracts

Global plastics production was over 367 million metric tons in 2020 and consumption is forecast to double by 2050. Apart from the environmental problems associated with extracting the non-renewable resource, nearly 80 million tonnes of plastics end up in landfills. Bioplastics and biopolymers are a biodegradable and sustainable alternative to fossil-based plastics.

Polymeric biomaterials are biobased products that allow for greater product sustainability due to their biodegradability and renewability. Their use is attractive as bioplastics that biodegrade to CO2 and H2O mitigate the negative effects of standard plastic (litter and damage to aqua environments). Renewable feedstocks can be utilized instead of petroleum, thereby reducing global dependence on crude oil and lessening the impact on climate.

The sky rocketing price of petroleum coupled with government regulations and consumer global environmental concerns, and continued population growth is pushing the plastic industries towards sustainability. Growing government regulatory restrictions, consumers' desire and energy conservation are some of the key factors that drive research and proudct development towards renewable resource-based polymeric biomaterials. The performance of bioplastics is also improving and range of applications expanding.

Bioplastics are defined as 'biobased and/or biodegradable plastics', a globally accepted definition. Not all bioplastics are biobased and if referring to the plastic problem of nonbiodegradability, not all bioplastics are biodegradable. Biobased is based upon the carbon source while biodegradability upon chemical structure.



These include:

Biobased plastics that are not necessarily biodegradable (including conventional polymers, e.g. PE, made from biobased monomers.

Plastics containing both petro-based and bio-based components, e.g. PET, not necessarily biodegradable.

Biodegradable or compostable plastics derived from biobased materials, such as starch, cellulose, polylactides or polyhydroxyalkaboates.

Biodegradable petroleum-based plastics, e.g. PBAT.

Bioplastics producers have scaled up production considerably, with further expansion over the next few years. This report covers:

Analysis of non-biodegradable bio-based plastics and biodegradable plastics and polymers.

Global production capacities, market demand, market drivers, trends and challenges.

Analysis of biobased chemicals including:

Bio-based adipic acid

11-Aminoundecanoic acid (11-AA)

1,4-Butanediol (1,4-BDO)

Dodecanedioic acid (DDDA)

Epichlorohydrin (ECH)

Ethylene

Furfural



5-Chloromethylfurfural (5-CMF)

5-Hydroxymethylfurfural (HMF)

2,5-Furandicarboxylic acid (2,5-FDCA)

Furandicarboxylic methyl ester (FDME)

Isosorbide

Itaconic acid

3-Hydroxypropionic acid (3-HP)

5 Hydroxymethyl furfural (HMF)

Lactic acid (D-LA)

Lactic acid – L-lactic acid (L-LA)

Lactide

Levoglucosenone

Levulinic acid

Monoethylene glycol (MEG)

Monopropylene glycol (MPG)

Muconic acid

Naphtha

Pentamethylene diisocyanate

1,3-Propanediol (1,3-PDO)

Sebacic acid



Succinic acid (SA)

Analysis of synthetic biopolymers market including:

Polylactic acid (Bio-PLA)

Polyethylene terephthalate (Bio-PET)

Polytrimethylene terephthalate (Bio-PTT)

Polyethylene furanoate (Bio-PEF)

Polyamides (Bio-PA)

Poly(butylene adipate-co-terephthalate) (Bio-PBAT)

Polybutylene succinate (PBS) and copolymers, Polyethylene (Bio-PE), Polypropylene (Bio-PP)

Analysis of naturally produced bio-based polymers including

Polyhydroxyalkanoates (PHA)

Polysaccharides

Microfibrillated cellulose (MFC)

Cellulose nanocrystals

Cellulose nanofibers,

Protein-based bioplastics

Algal and fungal based bioplastics and biopolymers.

Market segmentation analysis. Markets analysed include packaging, consumer goods, automotive, building & construction, textiles, electronics, agriculture & horticulture.



Market growth to 2033 in terms of consumption and producer capacities.

Emerging technologies in synthetic and natural produced bioplastics and biopolymers.

More than 300 companies profiled including products and production capacities. Companies profiled include major producers such as Arkema, Avantium, BASF, Borealis, Braskem, Cathay, Danimer Scientific, Indorama, Mitsubishi Chemicals, NatureWorks, Novamont, TotalEnergies Corbion and many more. Profiles include products and production capacities.

Profiles of start-up producers and product developers including AMSilk GmbH, Notpla, Loliware, Bolt Threads, Ecovative, Kraig Biocraft Laboratories, Plantic, Spiber and many more.



Contents

1 EXECUTIVE SUMMARY

- 1.1 Market trends
- 1.2 Drivers for recent growth in the bioplastics and biopolymers markets
- 1.3 Global production to 2033
- 1.4 Main producers and global production capacities
- 1.4.1 Producers
- 1.4.2 By biobased and sustainable plastic type
- 1.4.3 By region
- 1.5 Global demand for biobased and sustainable plastics 2020-21, by market
- 1.6 Impact of COVID-19 pandemic on the bioplastics market and future demand
- 1.7 Challenges for the bioplastics and biopolymers market

2 RESEARCH METHODOLOGY

3 THE GLOBAL PLASTICS MARKET

- 3.1 Global production of plastics
- 3.2 The importance of plastic
- 3.3 Issues with plastics use
- 3.4 The circular economy

4 BIO-BASED CHEMICALS AND FEEDSTOCKS

- 4.1 Types
- 4.2 Production capacities
- 4.3 Bio-based adipic acid
- 4.3.1 Applications and production
- 4.4 11-Aminoundecanoic acid (11-AA)
- 4.4.1 Applications and production
- 4.5 1,4-Butanediol (1,4-BDO)
- 4.5.1 Applications and production
- 4.6 Dodecanedioic acid (DDDA)
- 4.6.1 Applications and production
- 4.7 Epichlorohydrin (ECH)
- 4.7.1 Applications and production
- 4.8 Ethylene



4.8.1 Applications and production 4.9 Furfural 4.9.1 Applications and production 4.10 5-Hydroxymethylfurfural (HMF) 4.10.1 Applications and production 4.11 5-Chloromethylfurfural (5-CMF) 4.11.1 Applications and production 4.12 2,5-Furandicarboxylic acid (2,5-FDCA) 4.12.1 Applications and production 4.13 Furandicarboxylic methyl ester (FDME) 4.13.1 Applications and production 4.14 Isosorbide 4.14.1 Applications and production 4.15 Itaconic acid 4.15.1 Applications and production 4.16 3-Hydroxypropionic acid (3-HP) 4.16.1 Applications and production 4.17 5 Hydroxymethyl furfural (HMF) 4.17.1 Applications and production 4.18 Lactic acid (D-LA) 4.18.1 Applications and production 4.19 Lactic acid – L-lactic acid (L-LA) 4.19.1 Applications and production 4.20 Lactide 4.20.1 Applications and production 4.21 Levoglucosenone 4.21.1 Applications and production 4.22 Levulinic acid 4.22.1 Applications and production 4.23 Monoethylene glycol (MEG) 4.23.1 Applications and production 4.24 Monopropylene glycol (MPG) 4.24.1 Applications and production 4.25 Muconic acid 4.25.1 Applications and production 4.26 Naphtha 4.26.1 Description 4.26.2 Production capacities





- 4.27 Pentamethylene diisocyanate
- 4.27.1 Applications and production
- 4.28 1,3-Propanediol (1,3-PDO)
- 4.28.1 Applications and production
- 4.29 Sebacic acid
- 4.29.1 Applications and production
- 4.30 Succinic acid (SA)
 - 4.30.1 Applications and production

5 BIOPLASTICS AND BIOPOLYMERS

- 5.1 Bio-based or renewable plastics
- 5.1.1 Drop-in bio-based plastics
- 5.1.2 Novel bio-based plastics
- 5.2 Biodegradable and compostable plastics
 - 5.2.1 Biodegradability
- 5.2.2 Compostability
- 5.3 Advantages and disadvantages
- 5.4 Types of Bio-based and/or Biodegradable Plastics
- 5.5 Market leaders by biobased and/or biodegradable plastic types
- 5.6 Regional/country production capacities, by main types
- 5.6.1 Bio-based Polyethylene (Bio-PE) production capacities, by country
- 5.6.2 Bio-based Polyethylene terephthalate (Bio-PET) production capacities, by country
 - 5.6.3 Bio-based polyamides (Bio-PA) production capacities, by country
 - 5.6.4 Bio-based Polypropylene (Bio-PP) production capacities, by country
- 5.6.5 Bio-based Polytrimethylene terephthalate (Bio-PTT) production capacities, by country

5.6.6 Bio-based Poly(butylene adipate-co-terephthalate) (PBAT) production capacities, by country

- 5.6.7 Bio-based Polybutylene succinate (PBS) production capacities, by country
- 5.6.8 Bio-based Polylactic acid (PLA) production capacities, by country
- 5.6.9 Polyhydroxyalkanoates (PHA) production capacities, by country
- 5.6.10 Starch blends production capacities, by country
- 5.7 SYNTHETIC BIO-BASED POLYMERS
 - 5.7.1 Polylactic acid (Bio-PLA)
 - 5.7.1.1 Market analysis
 - 5.7.1.2 Production
 - 5.7.1.2.1 PLA production process



- 5.7.1.2.2 Lactic acid
- 5.7.1.3 Producers and production capacities, current and planned
- 5.7.1.3.1 Lactic acid producers and production capacities
- 5.7.1.3.2 PLA producers and production capacities
- 5.7.2 Polyethylene terephthalate (Bio-PET)
 - 5.7.2.1 Bio-based MEG and PET
 - 5.7.2.2 Market analysis
 - 5.7.2.3 Producers and production capacities
- 5.7.3 Polytrimethylene terephthalate (Bio-PTT)
- 5.7.3.1 Biobased PDO and PTT
- 5.7.3.2 Market analysis
- 5.7.3.3 Producers and production capacities
- 5.7.4 Polyethylene furanoate (Bio-PEF)
 - 5.7.4.1 Market analysis
 - 5.7.4.2 Comparative properties to PET
 - 5.7.4.3 Producers and production capacities
 - 5.7.4.3.1 FDCA and PEF producers and production capacities
- 5.7.5 Polyamides (Bio-PA)
- 5.7.5.1 Market analysis
- 5.7.5.2 Producers and production capacities
- 5.7.6 Poly(butylene adipate-co-terephthalate) (Bio-PBAT)
 - 5.7.6.1 Market analysis
- 5.7.6.2 Producers and production capacities
- 5.7.7 Polybutylene succinate (PBS) and copolymers
 - 5.7.7.1 Market analysis
- 5.7.7.2 Producers and production capacities
- 5.7.8 Polyethylene (Bio-PE)
 - 5.7.8.1 Market analysis
- 5.7.8.2 Producers and production capacities
- 5.7.9 Polypropylene (Bio-PP)
 - 5.7.9.1 Market analysis
- 5.7.9.2 Producers and production capacities
- 5.8 NATURAL BIO-BASED POLYMERS
 - 5.8.1 Polyhydroxyalkanoates (PHA)
 - 5.8.1.1 Technology description
 - 5.8.1.2 Types
 - 5.8.1.2.1 PHB
 - 5.8.1.2.2 PHBV
 - 5.8.1.3 Synthesis and production processes





- 5.8.1.4 Market analysis
- 5.8.1.5 Commercially available PHAs
- 5.8.1.6 Markets for PHAs
 - 5.8.1.6.1 Packaging
- 5.8.1.6.2 Cosmetics
- 5.8.1.6.2.1 PHA microspheres
- 5.8.1.6.3 Medical
 - 5.8.1.6.3.1 Tissue engineering
 - 5.8.1.6.3.2 Drug delivery
- 5.8.1.6.4 Agriculture
- 5.8.1.6.4.1 Mulch film
- 5.8.1.6.4.2 Grow bags
- 5.8.1.7 Producers and production capacities
- 5.8.2 Polysaccharides
 - 5.8.2.1 Microfibrillated cellulose (MFC)
 - 5.8.2.1.1 Market analysis
 - 5.8.2.1.2 Producers and production capacities
- 5.8.2.2 Nanocellulose
 - 5.8.2.2.1 Cellulose nanocrystals
 - 5.8.2.2.1.1 Market analysis
 - 5.8.2.2.1.2 Producers and production capacities
 - 5.8.2.2.2 Cellulose nanofibers
 - 5.8.2.2.2.1 Market analysis
 - 5.8.2.2.2.2 Producers and production capacities
- 5.8.2.3 Starch
 - 5.8.2.3.1 Production
 - 5.8.2.3.1.1 Thermoplastic starch (TPS)
 - 5.8.2.3.1.2 Producers
- 5.8.3 Protein-based bioplastics
 - 5.8.3.1 Types, applications and producers
- 5.8.4 Algal and fungal
 - 5.8.4.1 Algal
 - 5.8.4.1.1 Advantages
 - 5.8.4.1.2 Production
 - 5.8.4.1.3 Producers
 - 5.8.4.2 Mycelium
 - 5.8.4.2.1 Properties
 - 5.8.4.2.2 Applications
 - 5.8.4.2.3 Commercialization



5.8.5 Chitosan

5.8.5.1 Technology description

5.8.5.2 Applications

5.9 PRODUCTION OF BIOBASED AND SUSTAINABLE PLASTICS, BY REGION

- 5.9.1 North America
- 5.9.2 Europe
- 5.9.3 Asia-Pacific
 - 5.9.3.1 China
 - 5.9.3.2 Japan
 - 5.9.3.3 Thailand
 - 5.9.3.4 Indonesia
- 5.9.4 Latin America

5.10 MARKET SEGMENTATION OF BIOPLASTICS

- 5.10.1 Packaging
 - 5.10.1.1 Applications
 - 5.10.1.1.1 Flexible packaging
 - 5.10.1.1.2 Rigid packaging
- 5.10.1.2 Production capacities
- 5.10.2 Consumer products
 - 5.10.2.1 Applications
- 5.10.2.2 Production capacities
- 5.10.3 Automotive
- 5.10.3.1 Applications
- 5.10.3.2 Production capacities
- 5.10.4 Building & construction
 - 5.10.4.1 Applications
- 5.10.4.2 Production capacities
- 5.10.5 Textiles
 - 5.10.5.1 Apparel
 - 5.10.5.2 Footwear
 - 5.10.5.3 Medical textiles
- 5.10.5.4 Production capacities
- 5.10.6 Electronics
 - 5.10.6.1 Applications
- 5.10.6.2 Production capacities
- 5.10.7 Agriculture and horticulture
- 5.10.7.1 Production capacities
- 5.10.7.2 Applications



6 COMPANY PROFILES 178 (317 COMPANY PROFILES)

7 REFERENCES



List Of Tables

LIST OF TABLES

Table 1. Market trends in biobased and sustainable plastics.

Table 2. Drivers for recent growth in the bioplastics and biopolymers markets

Table 3. Global production capacities of biobased and sustainable plastics 2018-2033, in 1,000 tons.

Table 4. Global production capacities, by producers.

Table 5. Global production capacities of biobased and sustainable plastics 2019-2033, by type, in 1,000 tons.

Table 6. Global production capacities of biobased and sustainable plastics 2019-2033, by region, tons.

Table 7. Issues related to the use of plastics.

Table 8. List of Bio-based chemicals.

Table 9. Biobased MEG producers capacities.

Table 10. Bio-based naphtha producers.

Table 11. Type of biodegradation.

Table 12. Advantages and disadvantages of biobased plastics compared to conventional plastics.

Table 13. Types of Bio-based and/or Biodegradable Plastics, applications.

Table 14. Market leader by Bio-based and/or Biodegradable Plastic types.

Table 15. Bioplastics regional production capacities, 1,000 tons, 2019-2033.

Table 16. Polylactic acid (PLA) market analysis-manufacture, advantages, disadvantages and applications.

Table 17. Lactic acid producers and production capacities.

Table 18. PLA producers and production capacities.

Table 19. Planned PLA capacity expansions in China.

Table 20. Bio-based Polyethylene terephthalate (Bio-PET) market analysis-

manufacture, advantages, disadvantages and applications.

Table 21. Bio-based Polyethylene terephthalate (PET) producers and production capacities,

Table 22. Polytrimethylene terephthalate (PTT) market analysis-manufacture, advantages, disadvantages and applications.

Table 23. Production capacities of Polytrimethylene terephthalate (PTT), by leading producers.

Table 24. Polyethylene furanoate (PEF) market analysis-manufacture, advantages, disadvantages and applications.

Table 25. PEF vs. PET.



Table 26. FDCA and PEF producers.

Table 27. Bio-based polyamides (Bio-PA) market analysis - manufacture, advantages, disadvantages and applications.

Table 28. Leading Bio-PA producers production capacities.

Table 29. Poly(butylene adipate-co-terephthalate) (PBAT) market analysis-

manufacture, advantages, disadvantages and applications.

Table 30. Leading PBAT producers, production capacities and brands.

Table 31. Bio-PBS market analysis-manufacture, advantages, disadvantages and applications.

Table 32. Leading PBS producers and production capacities.

Table 33. Bio-based Polyethylene (Bio-PE) market analysis- manufacture, advantages, disadvantages and applications.

Table 34. Leading Bio-PE producers.

Table 35. Bio-PP market analysis- manufacture, advantages, disadvantages and applications.

Table 36. Leading Bio-PP producers and capacities.

Table 37.Types of PHAs and properties.

Table 38. Comparison of the physical properties of different PHAs with conventional petroleum-based polymers.

- Table 39. Polyhydroxyalkanoate (PHA) extraction methods.
- Table 40. Polyhydroxyalkanoates (PHA) market analysis.
- Table 41. Commercially available PHAs.
- Table 42. Markets and applications for PHAs.

Table 43. Applications, advantages and disadvantages of PHAs in packaging.

Table 44. Polyhydroxyalkanoates (PHA) producers.

Table 45. Microfibrillated cellulose (MFC) market analysis-manufacture, advantages, disadvantages and applications.

- Table 46. Leading MFC producers and capacities.
- Table 47. Cellulose nanocrystals analysis.

Table 48: Cellulose nanocrystal production capacities and production process, by producer.

Table 49. Cellulose nanofibers market analysis.

Table 50. CNF production capacities (by type, wet or dry) and production process, by producer, metric tonnes.

Table 51. Types of protein based-bioplastics, applications and companies.

Table 52. Types of algal and fungal based-bioplastics, applications and companies.

Table 53. Overview of alginate-description, properties, application and market size.

Table 54. Companies developing algal-based bioplastics.

Table 55. Overview of mycelium fibers-description, properties, drawbacks and



applications.

Table 56. Companies developing mycelium-based bioplastics.

Table 57. Overview of chitosan-description, properties, drawbacks and applications.

Table 58. Global production capacities of biobased and sustainable plastics in

2019-2033, by region, tons.

Table 59. Biobased and sustainable plastics producers in North America.

Table 60. Biobased and sustainable plastics producers in Europe.

Table 61. Biobased and sustainable plastics producers in Asia-Pacific.

Table 62. Biobased and sustainable plastics producers in Latin America.

Table 63. Granbio Nanocellulose Processes.

Table 64. Lactips plastic pellets.

Table 65. Oji Holdings CNF products.



List Of Figures

LIST OF FIGURES

Figure 1. Total global production capacities for biobased and sustainable plastics, all types, 000 tons.

Figure 2. Global production capacities of bioplastics 2018-2033, in 1,000 tons by biodegradable/non-biodegradable types.

Figure 3. Global production capacities of biobased and sustainable plastics in 2019-2033, by type, in 1,000 tons.

Figure 4. Global production capacities of bioplastics in 2019-2033, by type.

Figure 5. Global production capacities of bioplastics in 2030, by type.

Figure 6. Global production capacities of biobased and sustainable plastics 2020.

Figure 7. Global production capacities of biobased and sustainable plastics 2025.

Figure 8. Current and future applications of biobased and sustainable plastics.

Figure 9. Global demand for biobased and sustainable plastics by end user market, 2020.

Figure 10. Global production capacities for biobased and sustainable plastics by end user market 2019-2033, tons.

- Figure 11. Challenges for the bioplastics and biopolymers market.
- Figure 12. Global plastics production 1950-2020, millions of tons.
- Figure 13. Bio-based chemicals and feedstocks production capacities, 2018-2033.
- Figure 14. 1,4-Butanediol (BDO) production capacities, 2018-2033 (tonnes).
- Figure 15. Dodecanedioic acid (DDDA) production capacities, 2018-2033 (tonnes).
- Figure 16. Epichlorohydrin production capacities, 2018-2033 (tonnes).
- Figure 17. Ethylene production capacities, 2018-2033 (tonnes).
- Figure 18. L-lactic acid (L-LA) production capacities, 2018-2033 (tonnes).
- Figure 19. Lactide production capacities, 2018-2033 (tonnes).
- Figure 20. Bio-MEG producers capacities.
- Figure 21. Bio-MPG production capacities, 2018-2033.
- Figure 22. Blobased naphtha production capacities, 2018-2033 (tonnes).
- Figure 23. 1,3-Propanediol (1,3-PDO) production capacities, 2018-2033 (tonnes).
- Figure 24. Sebacic acid production capacities, 2018-2033 (tonnes).
- Figure 25. Coca-Cola PlantBottle®.

Figure 26. Interrelationship between conventional, bio-based and biodegradable plastics.

- Figure 27. Bioplastics regional production capacities, 1,000 tons, 2019-2033.
- Figure 28. Bio-based Polyethylene (Bio-PE), 1,000 tons, 2019-2033.
- Figure 29. Bio-based Polyethylene terephthalate (Bio-PET) production capacities, 1,000



tons, 2019-2033

Figure 30. Bio-based polyamides (Bio-PA) production capacities, 1,000 tons, 2019-2033.

Figure 31. Bio-based Polypropylene (Bio-PP) production capacities, 1,000 tons, 2019-2033.

Figure 32. Bio-based Polytrimethylene terephthalate (Bio-PTT) production capacities, 1,000 tons, 2019-2033.

Figure 33. Bio-based Poly(butylene adipate-co-terephthalate) (PBAT) production capacities, 1,000 tons, 2019-2033.

Figure 34. Bio-based Polybutylene succinate (PBS) production capacities, 1,000 tons, 2019-2033.

Figure 35. Bio-based Polylactic acid (PLA) production capacities, 1,000 tons, 2019-2033.

Figure 36. PHA production capacities, 1,000 tons, 2019-2033.

Figure 37. Starch blends production capacities, 1,000 tons, 2019-2033.

Figure 38. Production capacities of Polyethylene furanoate (PEF) to 2025.

Figure 39. PHA family.

Figure 40. BLOOM masterbatch from Algix.

Figure 41. Typical structure of mycelium-based foam.

Figure 42. Commercial mycelium composite construction materials.

Figure 43. Global production capacities of biobased and sustainable plastics 2020.

Figure 44. Global production capacities of biobased and sustainable plastics 2025.

Figure 45. Global production capacities for biobased and sustainable plastics by end user market 2021, 1,000 tons.

Figure 46. Global production capacities for biobased and sustainable plastics by end user market 2021, 1,000 tons.

Figure 47. Global production capacities for biobased and sustainable plastics by end user market, 2033, in 1,000 tons.

Figure 48. PHA bioplastics products.

Figure 49. Global production capacities for biobased and sustainable plastics in packaging 2019-2033, in 1,000 tons.

Figure 50. Global production capacities for biobased and sustainable plastics in consumer products 2019-2033, in 1,000 tons.

Figure 51. Global production capacities for biobased and sustainable plastics in automotive 2019-2033, in 1,000 tons.

Figure 52. Global production capacities for biobased and sustainable plastics in building and construction 2019-2033, in 1,000 tons.

Figure 53. AlgiKicks sneaker, made with the Algiknit biopolymer gel.

Figure 54. Reebok's [REE]GROW running shoes.



Figure 55. Camper Runner K21.

Figure 56. Global production capacities for biobased and sustainable plastics in textiles 2019-2033, in 1,000 tons.

Figure 57. Global production capacities for biobased and sustainable plastics in electronics 2019-2033, in 1,000 tons.

Figure 58. Biodegradable mulch films.

Figure 59. Global production capacities for biobased and sustainable plastics in agriculture 2019-2033, in 1,000 tons.

- Figure 60. Algiknit yarn.
- Figure 61. Bio-PA rear bumper stay.
- Figure 62. formicobio[™] technology.
- Figure 63. nanoforest-S.
- Figure 64. nanoforest-PDP.
- Figure 65. nanoforest-MB.
- Figure 66. CuanSave film.
- Figure 67. ELLEX products.
- Figure 68. CNF-reinforced PP compounds.
- Figure 69. Kirekira! toilet wipes.
- Figure 70. Mushroom leather.
- Figure 71. Cellulose Nanofiber (CNF) composite with polyethylene (PE).
- Figure 72. PHA production process.
- Figure 73. Cutlery samples (spoon, knife, fork) made of nano cellulose and
- biodegradable plastic composite materials.
- Figure 74. Non-aqueous CNF dispersion 'Senaf' (Photo shows 5% of plasticizer).
- Figure 75. CNF gel.
- Figure 76. Block nanocellulose material.
- Figure 77. CNF products developed by Hokuetsu.
- Figure 78. Made of Air's HexChar panels.
- Figure 79. IPA synthesis method.
- Figure 80. MOGU-Wave panels.
- Figure 81. Reishi.
- Figure 82. Nippon Paper Industries' adult diapers.
- Figure 83. Compostable water pod.
- Figure 84. CNF clear sheets.
- Figure 85. Oji Holdings CNF polycarbonate product.
- Figure 86. Manufacturing process for STARCEL.
- Figure 87. Lyocell process.
- Figure 88. Spider silk production.
- Figure 89. Sulapac cosmetics containers.



Figure 90. Sulzer equipment for PLA polymerization processing.

Figure 91. Teijin bioplastic film for door handles.

Figure 92. Corbion FDCA production process.

Figure 93. Visolis' Hybrid Bio-Thermocatalytic Process.



I would like to order

Product name: The Global Market for Bioplastics and Biopolymers 2023-2033 Product link: <u>https://marketpublishers.com/r/GAB15DE4B415EN.html</u>

> Price: US\$ 1,550.00 (Single User License / Electronic Delivery) If you want to order Corporate License or Hard Copy, please, contact our Customer Service: <u>info@marketpublishers.com</u>

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <u>https://marketpublishers.com/r/GAB15DE4B415EN.html</u>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name: Last name: Email: Company: Address: City: Zip code: Country: Tel: Fax: Your message:

**All fields are required

Custumer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <u>https://marketpublishers.com/docs/terms.html</u>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970