

The Global Market for Nanoelectronics (Nanotechnology in Electronics)

<https://marketpublishers.com/r/GE56275AC2DEN.html>

Date: April 2017

Pages: 400

Price: US\$ 1,650.00 (Single User License)

ID: GE56275AC2DEN

Abstracts

The electronics industry will witness significant change and growth in the next decade driven by:

Scaling

Growth of mobile wireless devices

Huge growth in the Internet of Things (IoT)

Data, logic and applications moving to the Cloud

Ubiquitous electronics.

To meet these market demands, power and functionality needs to improve hugely, while being cost effective, driving demand for nanomaterials that will allow for novel architectures, new types of energy harvesting and sensor integration. As well as allowing for greater power, improved performance and bandwidth, decreased size and cost, improved flexibility and better thermal management, the exploitation of nanomaterials allows for new device designs, new package architectures, new network architectures and new manufacturing processes. This will lead to greater device integration and density, and reduced time to market.

Semiconducting inorganic nanowires (NWs), carbon nanotubes, nanofibers, nanofibers, quantum dots, graphene and other 2D materials have been extensively explored in recent years as potential building blocks for nanoscale electronics, optoelectronics and

photonics components, coatings and devices.

The report covers nanotechnology and nanomaterials related to the following markets and applications:

Flexible, Stretchable and Printable Electronics

Conductive Films and Inks

Wearable health monitoring

Electronic textiles

HMI automotive displays

Displays

Transistors

Integrated Circuits

Other components

Memory Devices

Conductive and waterproof electronics coatings

Photonics

Contents

1 EXECUTIVE SUMMARY

- 1.1 Scaling
- 1.2 Growth of mobile wireless devices
- 1.3 Internet of things (IoT)
- 1.4 Data, logic and applications moving to the Cloud
- 1.5 Ubiquitous electronics
- 1.6 Growth in automotive interior electronics
- 1.7 Nanomaterials for new device design and architectures
- 1.8 Carbon and 2D nanomaterials
- 1.9 Industrial collaborations
- 1.10 Nanotechnology and smart textile & wearable technology
- 1.11 Growth in the wearable electronics market
 - 1.11.1 Recent growth
 - 1.11.2 Future growth
 - 1.11.3 Nanotechnology as a market driver
- 1.12 Growth in remote health monitoring and diagnostics
- 1.13 From rigid to flexible and stretchable

2 RESEARCH METHODOLOGY

- 1.1 MARKET OPPORTUNITY ANALYSIS
- 2.1 MARKET CHALLENGES RATING SYSTEM

3 NANOMATERIALS

- 3.1 Properties of nanomaterials
- 3.2 Categorization

4 NANOMATERIALS IN ELECTRONICS

- 4.1 SINGLE-WALLED CARBON NANOTUBES
 - 4.1.1 Properties
 - 4.1.1.1 Single-chirality
 - 4.1.2 Applications in nanoelectronics
- 4.2 GRAPHENE
 - 4.2.1 Properties

- 4.2.2 Applications in nanoelectronics
 - 4.2.2.1 Electronic paper
 - 4.2.2.2 Wearable electronics
 - 4.2.2.3 Integrated circuits
 - 4.2.2.4 Transistors
 - 4.2.2.5 Graphene Radio Frequency (RF) circuits
 - 4.2.2.6 Graphene spintronics
 - 4.2.2.7 Memory devices
- 4.3 NANOCELLULOSE
 - 4.3.1 Properties
 - 4.3.2 Applications in nanoelectronics
 - 4.3.3 Nanopaper
 - 4.3.4 Flexible electronics
 - 4.3.4.1 Paper memory
 - 4.3.5 Wearable electronics
 - 4.3.6 Flexible energy storage
 - 4.3.7 Conductive inks
- 4.4 NANOFIBERS
 - 4.4.1 Properties
 - 4.4.2 Applications in nanoelectronics
- 4.5 QUANTUM DOTS
 - 4.5.1 Properties
 - 4.5.2 Applications in nanoelectronics
 - 4.5.2.1 Cadmium Selenide, Cadmium Sulfide and other materials
 - 4.5.2.2 Cadmium free quantum dots
- 4.6 SILVER NANOWIRES
 - 4.6.1 Properties
 - 4.6.2 Applications in nanoelectronics
- 4.7 OTHER NANOMATERIALS IN ELECTRONICS
 - 4.7.1 Metal oxide nanoparticles
 - 4.7.1.1 Properties and applications
 - 4.7.2 Graphene quantum dots
 - 4.7.2.1 Applications
 - 4.7.3 Black phosphorus/Phosphorene
 - 4.7.3.1 Properties
 - 4.7.3.2 Applications in electronics
 - 4.7.4 C₂N
 - 4.7.4.1 Properties
 - 4.7.4.2 Applications in electronics

- 4.7.5 Double-walled carbon nanotubes (DWNT)
- 4.7.6 Fullerenes
 - 4.7.6.1 Properties
 - 4.7.6.2 Applications in electronics
- 4.7.7 Germanene
 - 4.7.7.1 Properties
 - 4.7.7.2 Applications in electronics
- 4.7.8 Graphdiyne
 - 4.7.8.1 Properties
 - 4.7.8.2 Applications in electronics
- 4.7.9 Graphane
 - 4.7.9.1 Properties
 - 4.7.9.2 Applications in electronics
- 4.7.10 Hexagonal boron-nitride
 - 4.7.10.1 Properties
 - 4.7.10.2 Applications in electronics
- 4.7.11 Molybdenum disulfide (MoS₂)
 - 4.7.11.1 Properties
 - 4.7.11.2 Applications in electronics
- 4.7.12 Nanodiamonds
 - 4.7.12.1 Properties
 - 4.7.12.2 Applications in electronics
- 4.7.13 Rhenium disulfide (ReS₂) and diselenide (ReSe₂)
 - 4.7.13.1 Properties
 - 4.7.13.2 Applications in electronics
- 4.7.14 Silicene
 - 4.7.14.1 Properties
 - 4.7.14.2 Applications in electronics
- 4.7.15 Stanene/tinene
 - 4.7.15.1 Properties
 - 4.7.15.2 Applications in electronics
- 4.7.16 Tungsten diselenide
 - 4.7.16.1 Properties
 - 4.7.16.2 Applications in electronics

5 TRANSPARENT CONDUCTIVE FILMS

5.1 MARKET DRIVERS

5.2 APPLICATIONS

5.2.1 Transparent electrodes in flexible electronics

- 5.2.1.1 Single-walled carbon nanotubes
- 5.2.1.2 Double-walled carbon nanotubes
- 5.2.1.3 Graphene
- 5.2.1.4 Silver nanowires
- 5.2.1.5 Copper nanowires

5.3 GLOBAL MARKET SIZE AND OPPORTUNITY

5.4 PRODUCT DEVELOPERS

5.4.33 MARKET CHALLENGES

- 5.4.33.1 Competing materials
- 5.4.33.2 Cost in comparison to ITO
- 5.4.33.3 Fabricating SWNT devices
- 5.4.33.4 Fabricating graphene devices
- 5.4.33.5 Problems with transfer and growth
- 5.4.33.6 Improving sheet resistance
- 5.4.33.7 High surface roughness of silver nanowires
- 5.4.33.8 Electrical properties
- 5.4.33.9 Difficulties in display panel integration

6 DISPLAYS-HDTV & MONITORS

6.1 MARKET DRIVERS

- 6.1.1 Improved performance with less power
- 6.1.2 Lower cost compared to OLED

6.2 APPLICATIONS

- 6.2.1 LCDS vs. OLEDs vs. QD-LCDs
- 6.2.2 QD-LCD TVs
- 6.2.3 Integration into LCDs
 - 6.2.3.1 On-edge (edge optic)
 - 6.2.3.2 On-surface (film)
 - 6.2.3.3 On-chip
- 6.2.4 Quantum rods
- 6.2.5 Quantum converters with red phosphors

6.3 GLOBAL MARKET SIZE AND OPPORTUNITY

6.4 PRODUCT DEVELOPERS

7 WEARABLE SENSORS AND ELECTRONIC TEXTILES

7.1 MARKET DRIVERS

- 7.1.1 Growth in the wearable electronics market
- 7.1.2 ITO replacement for flexible electronics
- 7.1.3 Energy needs of wearable devices
- 7.1.4 Increased power and performance of sensors with reduced cost
- 7.1.5 Growth in the printed sensors market
- 7.1.6 Growth in the home diagnostics and point of care market

7.2 APPLICATIONS

- 7.2.1 Wearable electronics
 - 7.2.1.1 Current state of the art
 - 7.2.1.2 Nanotechnology solutions
 - 7.2.1.3 Conductive inks
- 7.2.2 Wearable sensors
 - 7.2.2.1 Current stage of the art
 - 7.2.2.2 Nanotechnology solutions
 - 7.2.2.3 Wearable gas sensors
 - 7.2.2.4 Wearable strain sensors
 - 7.2.2.5 Wearable tactile sensors

7.3 GLOBAL MARKET SIZE AND OPPORTUNITY

7.4 PRODUCT DEVELOPERS

8 MEDICAL AND HEALTHCARE WEARABLES

8.1 MARKET DRIVERS

- 8.1.1 Universal to individualized medicine
- 8.1.2 Growth in the wearable monitoring market
- 8.1.3 Need for new materials for continuous health monitoring and adaptability

8.2 APPLICATIONS

- 8.2.1 Current state of the art
- 8.2.2 Nanotechnology solutions
 - 8.2.2.1 Flexible/stretchable health monitors
 - 8.2.2.2 Patch-type skin sensors

8.3 GLOBAL MARKET SIZE AND OPPORTUNITY

8.4 PRODUCT DEVELOPERS

9 SMART CLOTHING AND APPAREL INCLUDING SPORTSWEAR

9.1 MARKET DRIVERS

- 9.1.1 Reduction in size, appearance and cost of sensors
- 9.1.2 Increasing demand for smart fitness clothing

9.1.3 Improved medical analysis

9.1.4 Smart workwear for improved worker safety

9.2 APPLICATIONS

9.2.1 Current state of the art

9.2.2 Nanotechnology solutions

9.3 GLOBAL MARKET SIZE AND OPPORTUNITY

9.4 PRODUCT DEVELOPERS

10 WEARABLE ENERGY STORAGE AND HARVESTING DEVICES

10.1 MARKET DRIVERS

10.1.1 Inadequacies of current battery technology for wearables

10.1.2 Need for flexible power sources

10.1.3 Energy harvesting for “disappearables”

10.2 APPLICATIONS

10.2.1 Current state of the art

10.2.2 Nanotechnology solutions

10.2.2.1 Flexible and stretchable batteries

10.2.2.2 Flexible and stretchable supercapacitors

10.2.2.3 Solar energy harvesting textiles

10.3 GLOBAL MARKET SIZE AND OPPORTUNITY

10.4 PRODUCT DEVELOPERS

11 CONDUCTIVE INKS

11.1 MARKET DRIVERS AND TRENDS

11.2 APPLICATIONS

11.3 GLOBAL MARKET SIZE AND OPPORTUNITY

11.4 MARKET CHALLENGES

11.5 PRODUCT DEVELOPERS

12 TRANSISTORS, INTEGRATED CIRCUITS AND OTHER COMPONENTS

12.1 MARKET DRIVERS AND TRENDS

12.2 APPLICATIONS

12.2.1 Nanowires

12.2.2 Carbon nanotubes

12.2.3 Graphene

12.2.3.1 Integrated circuits

12.2.3.2 Transistors

12.2.3.3 Graphene Radio Frequency (RF) circuits

12.2.3.4 Graphene spintronics

12.3 GLOBAL MARKET SIZE AND OPPORTUNITY

12.4 MARKET CHALLENGES

12.4.1 Device complexity

12.4.2 Competition from other materials

12.4.3 Lack of band gap

12.4.4 Transfer and integration

12.5 PRODUCT DEVELOPERS

13 MEMORY DEVICES

13.1 MARKET DRIVERS

13.2 APPLICATIONS

13.2.1 Carbon nanotubes

13.2.2 Graphene and other 2D materials

13.2.2.1 Properties

13.2.2.2 ReRAM memory

13.2.2.3 Magnetic nanoparticles

13.3 GLOBAL MARKET SIZE AND OPPORTUNITY

13.4 MARKET CHALLENGES

13.5 PRODUCT DEVELOPERS

14 ELECTRONICS COATINGS

14.1 MARKET DRIVERS

14.1.1 Demand for multi-functional, active coatings

14.1.2 Waterproofing and permeability

14.1.3 Improved aesthetics and reduced maintenance

14.1.4 Proliferation of touch panels

14.1.5 Need for efficient moisture and oxygen protection in flexible and organic electronics

14.1.6 Electronics packaging

14.1.7 Growth in the optical and optoelectronic devices market

14.1.8 Improved performance and cost over traditional AR coatings

14.1.9 Growth in the solar energy market

14.2 APPLICATIONS

14.2.1 Waterproof nanocoatings

- 14.2.1.1 Barrier films
- 14.2.1.2 Hydrophobic coatings
- 14.2.2 Anti-fingerprint nanocoatings
- 14.2.3 Anti-reflection nanocoatings
- 14.3 GLOBAL MARKET SIZE AND OPPORTUNITY
 - 14.3.1 Anti-fingerprint nanocoatings
 - 14.3.2 Anti-reflective nanocoatings
 - 14.3.3 Waterproof nanocoatings
- 14.4 MARKET CHALLENGES
 - 14.4.1 Durability
 - 14.4.2 Dispersion
 - 14.4.3 Cost
- 14.5 PRODUCT DEVELOPERS

15 PHOTONICS

- 15.1 MARKET DRIVERS AND TRENDS
- 15.2 APPLICATIONS
 - 15.2.1 Si photonics versus graphene
 - 15.2.2 Optical modulators
 - 15.2.3 Photodetectors
 - 15.2.4 Saturable absorbers
 - 15.2.5 Plasmonics
 - 15.2.6 Fiber lasers
 - 15.2.6.1 Graphene and 2D materials
 - 15.2.6.2 Quantum dots
 - 15.2.7 GLOBAL MARKET SIZE AND OPPORTUNITY
- 15.3 MARKET CHALLENGES
 - 15.3.1 Need to design devices that harness graphene's properties
 - 15.3.2 Problems with transfer
 - 15.3.3 THz absorbance and nonlinearity
 - 15.3.4 Stability and sensitivity
- 15.4 PRODUCT DEVELOPERS

16 REFERENCES

Tables

TABLES

- Table 1: Semiconductor Components of IoT Devices
- Table 2: Nanoelectronics in next generation information processing
- Table 3: Nanoelectronics industrial collaborations and target markets
- Table 4: Types of smart textiles
- Table 5: Smart textile products
- Table 6: Evolution of wearable devices, 2011-2016
- Table 7: Categorization of nanomaterials
- Table 8: Comparison between single-walled carbon nanotubes (SWCNT) and multi-walled carbon nanotubes.
- Table 9: Properties of CNTs and comparable materials
- Table 10: Electronics sub-markets, benefits and applications of Carbon Nanotubes
- Table 11: Properties of graphene
- Table 12: Electronics sub-markets, benefits and applications of graphene
- Table 13: Comparison of ITO replacements
- Table 14: Comparative properties of silicon and graphene transistors
- Table 15: Properties of flexible electronics?cellulose nanofiber film (nanopaper)
- Table 16: Properties of flexible electronics cellulose nanofiber films
- Table 17: Applications of nanowires in electronics
- Table 18: Electronics markets and applications nanowires
- Table 19: Metal oxide nanoparticles in electronics-properties and applications
- Table 20: Comparison of graphene QDs and semiconductor QDs
- Table 21: Electronic and mechanical properties of monolayer phosphorene, graphene and MoS₂.
- Table 22: Markets, benefits and applications of fullerenes in electronics
- Table 23: Market assessment for the nanotechnology in the transparent conductive films market.
- Table 24: Market drivers for use of SWNTs in transparent conductive films
- Table 25: Comparison of ITO replacements
- Table 26: Properties of SWNTs and graphene relevant to flexible electronics
- Table 27: Comparative cost of TCF materials
- Table 28: Market size for nanotechnology in conductive films
- Table 29: Market opportunity assessment for nanotechnology in conductive films
- Table 30: Market challenges rating for nanotechnology and nanomaterials in transparent conductive films market.
- Table 31: Market assessment for the nanotechnology in the displays market

Table 32: Impact of market drivers for quantum dots in the LCD TVs/Displays market

Table 33: Advantages and disadvantages of LCDs, OLEDs and QDs

Table 34: Approaches for integrating QDs into displays

Table 35: Commercially available quantum dot display products

Table 36: Market assessment for the nanotechnology in the wearable sensors and electronics textiles market.

Table 37: Wearable electronics devices and stage of development

Table 38: Applications in wearable electronics, by nanomaterials type and benefits thereof

Table 39: Applications in conductive inks by nanomaterials type and benefits thereof

Table 40: Graphene properties relevant to application in sensors

Table 41: Global market for wearables, 2014-2021, units and US\$

Table 42: Market opportunity assessment for nanotechnology in wearable sensors and electronic textiles.

Table 43: Market assessment for the nanotechnology in the medical and healthcare wearables market.

Table 44: Wearable medical device products and stage of development

Table 45: Applications in flexible and stretchable health monitors, by nanomaterials type and benefits thereof.

Table 46: Applications in patch-type skin sensors, by nanomaterials type and benefits thereof.

Table 47: Potential addressable market for smart textiles and wearables in medical and healthcare.

Table 48: Market opportunity assessment for nanotechnology in medical wearables

Table 49: Market assessment for the nanotechnology in the smart clothing and apparel market.

Table 50: Currently available technologies for smart textiles

Table 51: Smart clothing and apparel and stage of development

Table 52: Desirable functional properties for the textiles industry afforded by the use of nanomaterials.

Table 53: Global market for smart clothing and apparel, 2014-2021, units and revenues (US\$).

Table 54: Market opportunity assessment for nanotechnology in smart clothing

Table 55: Market assessment for the nanotechnology in the wearable energy storage (printed and flexible battery) market.

Table 56: Market assessment for the nanotechnology in the wearable energy harvesting market.

Table 57: Wearable energy and energy harvesting devices and stage of development

Table 58: Applications in flexible and stretchable batteries, by nanomaterials type and

benefits thereof.

Table 59: Applications in flexible and stretchable supercapacitors, by nanomaterials type and benefits thereof.

Table 60: Applications in energy harvesting textiles, by nanomaterials type and benefits thereof.

Table 61: Potential addressable market for thin film, flexible and printed batteries

Table 62: Market challenges rating for nanotechnology and nanomaterials in the wearable energy storage and harvesting market

Table 63: Market assessment for the nanotechnology in the conductive inks market

Table 64: Market drivers for use of nanotechnology in conductive inks

Table 65: Comparative properties of conductive inks

Table 66: Applications in conductive inks by nanomaterials type and benefits thereof

Table 67: Opportunities for nanomaterials in printed electronics

Table 68: Market opportunity assessment for nanotechnology in conductive inks

Table 69: Market challenges rating for nanotechnology and nanomaterials in the conductive inks market.

Table 70: Market assessment for the nanotechnology in the transistors, integrated circuits and other components market.

Table 71: Market drivers for use of nanomaterials in transistors, integrated circuits and other components.

Table 72: Applications in transistors, integrated circuits and other components, by nanomaterials type and benefits thereof.

Table 73: Types of nanowires in semiconductor devices

Table 74: Applications of semiconductor nanowires

Table 75: Applications and benefits of SWNTs in transistors, integrated circuits and other components.

Table 76: Comparative properties of silicon and graphene transistors

Table 77: Applications and benefits of graphene in transistors, integrated circuits and other components.

Table 78: Market size for nanotechnology in transistors, integrated circuits and other components.

Table 79: Market opportunity assessment for graphene in transistors, integrated circuits and other components.

Table 80: Market challenges rating for nanotechnology and nanomaterials in the transistors, integrated circuits and other components market

Table 81: Market assessment for the nanotechnology in the memory devices market

Table 82: Market drivers for use of nanotechnology in memory devices

Table 83: Applications in memory devices, by nanomaterials type and benefits thereof

Table 84: Market size for nanotechnology in memory devices

Table 85: Market opportunity assessment for nanotechnology in memory devices

Table 86: Applications and commercialization challenges for nanotechnology in the memory devices market.

Table 87: Market challenges rating for nanotechnology and nanomaterials in the memory devices market.

Table 88: Market assessment for the nanotechnology in the electronics coatings market

Table 89: Properties of nanocoatings

Table 90: Nanocoatings applied in the consumer electronics industry

Table 91: Anti-reflective nanocoatings-Markets and applications

Table 92: Market opportunity for anti-reflection nanocoatings

Table 93: Market opportunity assessment for nanotechnology in electronics coatings

Table 94: Market challenges rating for nanotechnology and nanomaterials in the electronics coatings market.

Table 95: Market drivers for use of nanotechnology in photonics

Table 96: Applications in photonics, by nanomaterials type and benefits thereof

Table 97: Graphene properties relevant to application in optical modulators

Table 98: Market size for nanotechnology in photonics

Table 99: Nanotechnology and nanomaterials in the photonics market-applications, stage of commercialization and estimated economic impact

Table 100: Market challenges rating for nanotechnology in the photonics market

Figures

FIGURES

Figure 1: Evolution of electronics

Figure 2: Wearable health monitor incorporating graphene photodetectors

Figure 3: Polyera Wove Band

Figure 4: Schematic of single-walled carbon nanotube

Figure 5: Graphene layer structure schematic

Figure 6: Flexible graphene touch screen

Figure 7: Flexible organic light emitting diode (OLED) using graphene electrode

Figure 8: Foldable graphene E-paper

Figure 9: Graphene IC in wafer tester

Figure 10: A monolayer WS₂-based flexible transistor array

Figure 11: Schematic cross-section of a graphene based transistor (GBT, left) and a graphene field-effect transistor (GFET, right)

Figure 12: Graphene oxide-based RRAM device on a flexible substrate

Figure 13: Layered structure of tantalum oxide, multilayer graphene and platinum used for resistive random access memory (RRAM)

Figure 14: A schematic diagram for the mechanism of the resistive switching in metal/GO/Pt

Figure 15: Cellulose nanofiber films

Figure 16: Foldable nanopaper

Figure 17: Foldable nanopaper antenna

Figure 18: LEDs shining on circuitry imprinted on a 5x5cm sheet of CNF

Figure 19: NFC computer chip

Figure 20: NFC translucent diffuser schematic

Figure 21: Paper memory (ReRAM)

Figure 22: Nanocellulose photoluminescent paper

Figure 23: Quantum dot

Figure 24: The light-blue curve represents a typical spectrum from a conventional white-LED LCD TV. With quantum dots, the spectrum is tunable to any colours of red, green, and blue, and each Color is limited to a narrow band.

Figure 25: Schematic of (a) CQDs and (c) GQDs. HRTEM images of (b) C-dots and (d) GQDs showing combination of zigzag and armchair edges (positions marked as 1–4)

Figure 26: Green-fluorescing graphene quantum dots

Figure 27: Graphene quantum dots

Figure 28: Black phosphorus structure

Figure 29: Structural difference between graphene and C₂N-h₂D crystal: (a) graphene;

(b) C₂N-h₂D crystal.

Figure 30: Double-walled carbon

Figure 31: Fullerene schematic

Figure 32: Schematic of germanene

Figure 33: Graphdiyne structure

Figure 34: Schematic of Graphane crystal

Figure 35: Structure of hexagonal boron nitride

Figure 36: Structure of 2D molybdenum disulfide

Figure 37: Atomic force microscopy image of a representative MoS₂ thin-film transistor

Figure 38: Schematic of the molybdenum disulfide (MoS₂) thin-film sensor with the deposited molecules that create additional charge

Figure 39: Schematic of a monolayer of rhenium disulphide

Figure 40: Silicene structure

Figure 41: Monolayer silicene on a silver (111) substrate

Figure 42: Silicene transistor

Figure 43: Crystal structure for stanene

Figure 44: Atomic structure model for the 2D stanene on Bi₂Te₃(111)

Figure 45: Schematic of tungsten diselenide

Figure 46: Graphene-enabled bendable smartphone

Figure 47: 3D printed carbon nanotube sensor

Figure 48: Graphene electrochromic devices. Top left: Exploded-view illustration of the graphene electrochromic device. The device is formed by attaching two graphene-coated PVC substrates face-to-face and filling the gap with a liquid ionic electrolyte

Figure 49: Flexible mobile phones with graphene transparent conductive film

Figure 50: Bending durability of Ag nanowires

Figure 51: Global touch panel market (\$ million), 2011-2018

Figure 52: Capacitive touch panel market forecast by layer structure (Ksqm)

Figure 53: Global transparent conductive film market forecast by materials type, 2012-2020, millions \$.

Figure 54: Global transparent conductive film market forecast for nanomaterials, 2015-2027 (million \$).

Figure 55: Global transparent conductive film market forecast by materials type, 2015, %

Figure 56: Global transparent conductive film market forecast by materials type, 2020, %

Figure 57: Global transparent conductive film market forecast by materials type, 2027, %

Figure 58: Schematic of the wet roll-to-roll graphene transfer from copper foils to polymeric substrates.

- Figure 59: The transmittance of glass/ITO, glass/ITO/four organic layers, and glass/ITO/four organic layers/4-layer graphene.
- Figure 60: Samsung QD-LCD TVs, UHD range
- Figure 61: Samsung QLED TV range
- Figure 62: Quantum dot LED backlighting schematic
- Figure 63: Methods for integrating QDs into LCD System. (a) On-chip (b) On-edge. (c) On-surface.
- Figure 64: On-edge configuration
- Figure 65: QD-film integration into a standard LCD display
- Figure 66: QD display market by type 2016., %
- Figure 67: QD display market by type 2027., %
- Figure 68: LCD using Quantum rods (right) versus a standard LCD
- Figure 69: Quantum phosphor schematic in LED TV backlight
- Figure 70: Samsung CF791 QD monitor
- Figure 71: Acer Z271UV Quantum Dot monitor
- Figure 72: QD-TV unit sales, 2015-2027
- Figure 73: QD Monitor Unit sales, 2015-2027
- Figure 74: Covestro wearables
- Figure 75: Panasonic CTN stretchable Resin Film
- Figure 76: Bending durability of Ag nanowires
- Figure 77: NFC computer chip
- Figure 78: NFC translucent diffuser schematic
- Figure 79: Graphene printed antenna
- Figure 80: BGT Materials graphene ink product
- Figure 81: Softceptor sensor
- Figure 82: BeBop Media Arm Controller
- Figure 83: LG Innotek flexible textile pressure sensor
- Figure 84: nanofiber conductive shirt original design(top) and current design (bottom).
- Figure 85: Garment-based printable electrodes
- Figure 86: Wearable gas sensor
- Figure 87: Global market revenues for smart wearable devices 2014-2021, in US\$
- Figure 88: Global market revenues for nanotech-enabled smart wearable devices 2014-2027 in US\$, conservative estimate.
- Figure 89: Global market revenues for nanotech-enabled smart wearable devices 2014-2027 in US\$, optimistic estimate.
- Figure 90: TempTraQ wearable wireless thermometer
- Figure 91: Graphene-based E-skin patch
- Figure 92: Flexible, lightweight temperature sensor
- Figure 93: Smart e-skin system comprising health-monitoring sensors, displays, and

ultra flexible PLEDs.

Figure 94: Graphene medical patch

Figure 95: Addressable market for nanotech-enabled medical wearables

Figure 96: Global market revenues for smart clothing and apparel 2014-2021, in US\$

Figure 97: Global market revenues for nanotech-enabled smart clothing and apparel 2014-2027, in US\$, conservative estimate

Figure 98: Global market revenues for nanotech-enabled smart clothing and apparel 2014-2027, in US\$, optimistic estimate.

Figure 99: Energy harvesting textile

Figure 100: StretchSense Energy Harvesting Kit

Figure 101: LG Chem Hexagonal battery

Figure 102: Energy densities and specific energy of rechargeable batteries

Figure 103: Stretchable graphene supercapacitor

Figure 104: Schematic illustration of the fabrication concept for textile-based dye-sensitized solar cells (DSSCs) made by sewing textile electrodes onto cloth or paper

Figure 105: Demand for thin film, flexible and printed batteries 2015, by market

Figure 106: Demand for thin film, flexible and printed batteries 2027, by market

Figure 107: Potential addressable market for nanotech-enabled thin film, flexible or printed batteries.

Figure 108: Global market for conductive inks and pastes in printed electronics

Figure 109: Emerging logic devices

Figure 110: Emerging logic devices

Figure 111: Thin film transistor incorporating CNTs

Figure 112: Graphene IC in wafer tester

Figure 113: A monolayer WS₂-based flexible transistor array

Figure 114: Schematic cross-section of a graphene based transistor (GBT, left) and a graphene field-effect transistor (GFET, right)

Figure 115: Potential addressable market for nanotechnology in transistors and integrated circuits.

Figure 116: Potential addressable market for nanotechnology in transistors and integrated circuits.

Figure 117: Carbon nanotubes NRAM chip

Figure 118: Stretchable SWCNT memory and logic devices for wearable electronics

Figure 119: Schematic of NRAM cell

Figure 120: A schematic diagram for the mechanism of the resistive switching in metal/GO/Pt.

Figure 121: Graphene oxide-based RRAM device on a flexible substrate

Figure 122: Layered structure of tantalum oxide, multilayer graphene and platinum used for resistive random access memory (RRAM)

Figure 123: Phone coated in WaterBlock submerged in water tank

Figure 124: Demo solar panels coated with nanocoatings

Figure 125: Schematic of barrier nanoparticles deposited on flexible substrates

Figure 126: Schematic of anti-fingerprint nanocoatings

Figure 127: Toray anti-fingerprint film (left) and an existing lipophilic film (right)

Figure 128: Schematic of AR coating utilizing nanoporous coating

Figure 129: Schematic of KhepriCoat®. Image credit: DSM

Figure 130: Nanocoating submerged in water

Figure 131: Potential addressable market for nanocoatings in electronics

Figure 132: Revenues for nanocoatings in electronics, 2010-2027, US\$, conservative and optimistic estimates.

Figure 133: Hybrid graphene phototransistors

Figure 134: Wearable health monitor incorporating graphene photodetectors

Figure 135: Flexible PEN coated with graphene and a QD thin film (20nm) is highly visibly transparent and photosensitive.

Figure 136: Schematic of QD laser device

I would like to order

Product name: The Global Market for Nanoelectronics (Nanotechnology in Electronics)

Product link: <https://marketpublishers.com/r/GE56275AC2DEN.html>

Price: US\$ 1,650.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/GE56275AC2DEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970