

MXenes (2D Carbides Nitrides) Market Opportunity, Growth Drivers, Industry Trend Analysis, and Forecast 2025 - 2034

<https://marketpublishers.com/r/M19F00065826EN.html>

Date: October 2025

Pages: 192

Price: US\$ 4,850.00 (Single User License)

ID: M19F00065826EN

Abstracts

The Global MXenes (2D Carbides Nitrides) Market was valued at USD 67 million in 2024 and is expected to grow at a CAGR of 35.6% to reach USD 1.94 billion by 2034.

Market growth is fueled by continuous advancements in nanotechnology, increased demand for next-generation materials, and growing investments across the energy storage and electronics sectors. MXenes, a group of 2D transition metal-based carbides, nitrides, and carbonitrides derived from MAX phases, are gaining traction due to their unique blend of electrical conductivity, surface hydrophilicity, mechanical flexibility, and tunable chemical properties. Their multifunctional nature allows them to serve diverse roles across advanced electronics, flexible devices, sensors, and next-gen batteries. The continued electrification of transportation systems and energy grids is increasing the need for efficient, high-performance materials. MXenes are proving to be valuable assets across the global energy value chain, particularly for high-capacity and fast-charging solutions. Additionally, their integration in telecommunication components and EMI shielding applications is growing, supported by their strong electrical performance and light weight, making them superior alternatives to traditional metals in modern electronic environments.

The growing popularity of next-generation energy storage systems, including lithium-ion, sodium-ion, and zinc-ion batteries, is a major driver for the adoption of MXenes like Ti₂C₂T₂. With high volumetric capacitance (~1500 F/cm³) and excellent ion transport properties, these materials are ideal for use in supercapacitors and anode technologies. As electrification expands across mobility and grid sectors, the demand for high-efficiency materials like MXenes continues to rise across the global supply chain. MXenes are also gaining traction in the electronics and communications industries due

to their excellent electrical conductivity (~10,000 S/cm) and strong EMI shielding effectiveness (>60 dB in thin-film applications). These characteristics make them highly suitable for applications such as flexible electronics, sensors, RF shielding materials, and antennas. The growing need for lightweight, durable EMI shielding in compact and mobile devices is pushing MXenes into mainstream electronics design.

The single-element M-site MXenes segment generated USD 34.7 million in 2024 and is expected to reach USD 989.9 million by 2034, growing at a CAGR of 35.4%. This dominance is primarily due to the scalability and consistent high performance of Ti-based MXenes, particularly Ti₂C₂T_x, which remains the most extensively studied and commercially available form of MXene. Its widespread use in research and industry supports the continued expansion of this segment.

In 2024, the energy storage and conversion segment held a significant 39.8% share. The structural advantages of MXenes—metal-like conductivity, redox-active surfaces, and layered architecture with intercalation channels—make them highly effective for fast ion transport and high-surface energy storage. Materials like Nb₂C and Ti₂C₂T_x are being applied in systems requiring rapid charge and discharge cycles, making them ideal for grid storage and portable electronics.

China MXenes (2D Carbides Nitrides) Market accounted for USD 12.2 million in 2024 and is projected to rise to USD 360.1 million by 2034, driven by an impressive CAGR of 35.9%. The country benefits from strong government support, control over key raw materials, and growing industrial demand for advanced 2D nanomaterials in sectors like energy, defense, and healthcare. China continues to prioritize the commercialization of nanomaterials, including carbides and nitrides, by leveraging integrated manufacturing capabilities and state-backed research initiatives.

Prominent companies operating in the Global MXenes (2D Carbides Nitrides) Market include ACS Material LLC, 6Carbon Technology (Shenzhen) Co., Ltd., Beike 2D Materials Co., Ltd., Sigma-Aldrich (Merck KGaA), and Nanjing XFNANO Materials Tech Co., Ltd. Leading companies in the MXenes (2D Carbides Nitrides) Market are focusing on high-throughput synthesis, scalability, and consistent quality control to meet increasing industrial demand. A key approach involves expanding commercial-scale production while maintaining the material's purity and structural integrity. Many firms are investing in proprietary exfoliation and surface modification technologies to tailor MXene properties for specific end uses. Collaborations with battery manufacturers and electronics developers are helping integrate MXenes into emerging technologies.

Contents

CHAPTER 1 METHODOLOGY & SCOPE

- 1.1 Market scope and definition
- 1.2 Research design
 - 1.2.1 Research approach
 - 1.2.2 Data collection methods
- 1.3 Data mining sources
 - 1.3.1 Global
 - 1.3.2 Regional/Country
- 1.4 Base estimates and calculations
 - 1.4.1 Base year calculation
 - 1.4.2 Key trends for market estimation
- 1.5 Primary research and validation
 - 1.5.1 Primary sources
- 1.6 Forecast model
- 1.7 Research assumptions and limitations

CHAPTER 2 EXECUTIVE SUMMARY

- 2.1 Industry 360° synopsis
- 2.2 Key market trends
 - 2.2.1 Regional
 - 2.2.2 Composition
 - 2.2.3 Synthesis technology
 - 2.2.4 Application
- 2.3 TAM Analysis, 2025-2034
- 2.4 CXO perspectives: Strategic imperatives
 - 2.4.1 Executive decision points
 - 2.4.2 Critical success factors
- 2.5 Future Outlook and Strategic Recommendations

CHAPTER 3 INDUSTRY INSIGHTS

- 3.1 Industry ecosystem analysis
 - 3.1.1 Supplier Landscape
 - 3.1.2 Profit Margin
 - 3.1.3 Value addition at each stage

- 3.1.4 Factor affecting the value chain
- 3.1.5 Disruptions
- 3.2 Industry impact forces
 - 3.2.1 Growth drivers
 - 3.2.2 Industry pitfalls and challenges
 - 3.2.3 Market opportunities
- 3.3 Growth potential analysis
- 3.4 Regulatory landscape
 - 3.4.1 North America
 - 3.4.2 Europe
 - 3.4.3 Asia Pacific
 - 3.4.4 Latin America
 - 3.4.5 Middle East & Africa
- 3.5 Porter's analysis
- 3.6 PESTEL analysis
- 3.7 Price trends
 - 3.7.1 By region
 - 3.7.2 By composition
- 3.8 Future market trends
- 3.9 Technology and Innovation landscape
 - 3.9.1 Current technological trends
 - 3.9.2 Emerging technologies
- 3.10 Patent Landscape
- 3.11 Trade statistics
 - 3.11.1 Major importing countries
 - 3.11.2 Major exporting countries(Note: the trade statistics will be provided for key countries only)
- 3.12 Sustainability and Environmental Aspects
 - 3.12.1 Sustainable Practices
 - 3.12.2 Waste Reduction Strategies
 - 3.12.3 Energy Efficiency in Production
 - 3.12.4 Eco-friendly Initiatives
- 3.13 Carbon Footprint Considerations

CHAPTER 4 COMPETITIVE LANDSCAPE, 2024

- 4.1 Introduction
- 4.2 Company market share analysis
 - 4.2.1 By region

- 4.2.1.1 North America
- 4.2.1.2 Europe
- 4.2.1.3 Asia Pacific
- 4.2.1.4 LATAM
- 4.2.1.5 MEA
- 4.3 Company matrix analysis
- 4.4 Competitive analysis of major market players
- 4.5 Competitive positioning matrix
- 4.6 Key developments
 - 4.6.1 Mergers & acquisitions
 - 4.6.2 Partnerships & collaborations
 - 4.6.3 New Product Launches
 - 4.6.4 Expansion Plans

CHAPTER 5 MARKET ESTIMATES AND FORECAST, BY COMPOSITION, 2021 – 2034 (USD MILLION) (TONS)

- 5.1 Key trends
- 5.2 Single-Element M-Site MXenes
 - 5.2.1 Titanium MXenes
 - 5.2.2 Vanadium MXenes
 - 5.2.3 Niobium MXenes
 - 5.2.4 Molybdenum MXenes
 - 5.2.5 Other Single-Element MXenes
- 5.3 Multi-Element M-Site MXenes
 - 5.3.1 Solid Solution MXenes
 - 5.3.2 Ordered Double M MXenes
 - 5.3.3 High-Entropy MXenes
- 5.4 X-Site Composition
 - 5.4.1 Pure Carbides
 - 5.4.2 Pure Nitrides
 - 5.4.3 Carbonitrides
- 5.5 Surface Termination
 - 5.5.1 Fluorine-Terminated MXenes
 - 5.5.2 Oxygen/Hydroxyl-Terminated MXenes
 - 5.5.3 Chlorine-Terminated MXenes
 - 5.5.4 Mixed Terminations

CHAPTER 6 MARKET ESTIMATES AND FORECAST, BY SYNTHESIS

TECHNOLOGY, 2021 – 2034 (USD MILLION) (TONS)

- 6.1 Key trends
- 6.2 Chemical Etching Methods
 - 6.2.1 Fluoride-Based Etching
 - 6.2.2 HF-Free Chemical Etching
- 6.3 Physical / Electrochemical Methods
 - 6.3.1 Electrochemical Etching
 - 6.3.2 Thermal Methods
- 6.4 Bottom-Up Synthesis
 - 6.4.1 Vapor Deposition
 - 6.4.2 Solution-Based Synthesis

CHAPTER 7 MARKET ESTIMATES AND FORECAST, BY APPLICATION, 2021 – 2034 (USD MILLION) (TONS)

- 7.1 Key trends
- 7.2 Energy Storage & Conversion
 - 7.2.1 Electrochemical Energy Storage
 - 7.2.2 Electrochemical Conversion Applications
- 7.3 Electronics & Telecommunications
 - 7.3.1 Electromagnetic Applications
 - 7.3.2 Electronic Components
- 7.4 Environmental & Water Treatment
 - 7.4.1 Water Purification
 - 7.4.2 Air Treatment
- 7.5 Biomedical & Healthcare
 - 7.5.1 Diagnostic Applications
 - 7.5.2 Therapeutic Applications
- 7.6 Automotive & Transportation
 - 7.6.1 Electric Vehicle Components
 - 7.6.2 Structural Applications
- 7.7 Aerospace & Defense
 - 7.7.1 Structural Materials
 - 7.7.2 Electronic Warfare Applications

CHAPTER 8 MARKET ESTIMATES AND FORECAST, BY REGION, 2021 – 2034 (USD MILLION) (TONS)

- 8.1 Key trends
- 8.2 North America
 - 8.2.1 U.S.
 - 8.2.2 Canada
- 8.3 Europe
 - 8.3.1 Germany
 - 8.3.2 UK
 - 8.3.3 France
 - 8.3.4 Spain
 - 8.3.5 Italy
 - 8.3.6 Rest of Europe
- 8.4 Asia Pacific
 - 8.4.1 China
 - 8.4.2 India
 - 8.4.3 Japan
 - 8.4.4 Australia
 - 8.4.5 South Korea
 - 8.4.6 Rest of Asia Pacific
- 8.5 Latin America
 - 8.5.1 Brazil
 - 8.5.2 Mexico
 - 8.5.3 Argentina
 - 8.5.4 Rest of Latin America
- 8.6 Middle East and Africa
 - 8.6.1 Saudi Arabia
 - 8.6.2 South Africa
 - 8.6.3 UAE
 - 8.6.4 Rest of Middle East and Africa

CHAPTER 9 COMPANY PROFILES

- 9.1 6Carbon Technology (Shenzhen) Co., Ltd.
- 9.2 ACS Material LLC
- 9.3 Alfa Chemistry
- 9.4 American Elements Corporation
- 9.5 Beijing Zhongkeleiming Technology Co., Ltd.
- 9.6 Beike 2D Materials Co., Ltd.
- 9.7 Carbon-Ukraine LLC
- 9.8 Drexel University (Technology Transfer)

9.9 Japan Material Technologies Corporation (JMTC)

9.10 Murata Manufacturing Co., Ltd.

9.11 Nanjing XFNANO Materials Tech Co., Ltd.

9.12 Nanoshel LLC

9.13 Sigma-Aldrich (Merck KGaA)

9.14 Others

I would like to order

Product name: MXenes (2D Carbides Nitrides) Market Opportunity, Growth Drivers, Industry Trend Analysis, and Forecast 2025 - 2034

Product link: <https://marketpublishers.com/r/M19F00065826EN.html>

Price: US\$ 4,850.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/M19F00065826EN.html>