

# Global Transdermal Patch Market Data Survey Report 2025

<https://marketpublishers.com/r/G84F32BF9A1EN.html>

Date: August 2017

Pages: 88

Price: US\$ 1,500.00 (Single User License)

ID: G84F32BF9A1EN

## Abstracts

### Summary

Transdermal Patch is a medicated adhesive patch that is placed on the skin to deliver a specific dose of medication through the skin and into the bloodstream. Transdermal Patches include fentanyl transdermal patch, nicotine transdermal patch, buprenorphine transdermal patch, clonidine transdermal patch, oxybutynin transdermal patch, estradiol transdermal patch, nitroglycerin transdermal patch and many others.

The global Transdermal Patch market will reach xxx Million USD in 2017 with CAGR xx% from 2018-2025. The main contents of the report including:

Global market size and forecast

Regional market size, production data and export & import

Key manufacturers (manufacturing sites, capacity and production, product specifications etc.)

Average market price by SUK

Major applications

Key manufacturers are included based on manufacturing sites, capacity and production, product specifications etc.:

Hisamitsu Pharmaceutical

Novartis

Johnson & Johnson

Teikoku Pharma

Mylan

Actavis

Mundipharma

Henan Lingrui Pharmaceutical

Changzhou Siyao

Rfl Pharmaceutical

Major applications as follows:

The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped.

Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally

acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body.

Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

Others

Regional market size, production data and export & import:

Asia-Pacific

North America

Europe

South America

Middle East & Africa

## Contents

### **1 GLOBAL MARKET OVERVIEW**

- 1.1 Scope of Statistics
  - 1.1.1 Scope of Products
  - 1.1.2 Scope of Manufacturers
  - 1.1.3 Scope of Application
  - 1.1.4 Scope of Regions/Countries
- 1.2 Global Market Size

### **2 REGIONAL MARKET**

- 2.1 Regional Production
- 2.2 Regional Demand
- 2.3 Regional Trade

### **3 KEY MANUFACTURERS**

- 3.1 Hisamitsu Pharmaceutical
  - 3.1.2 Company Information
  - 3.1.2 Product Specifications
  - 3.1.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)
- 3.2 Novartis
  - 3.2.1 Company Information
  - 3.2.2 Product Specifications
  - 3.2.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)
- 3.3 Johnson & Johnson
  - 3.3.1 Company Information
  - 3.3.2 Product Specifications
  - 3.3.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)
- 3.4 Teikoku Pharma
  - 3.4.1 Company Information
  - 3.4.2 Product Specifications
  - 3.4.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)
- 3.5 Mylan
  - 3.5.1 Company Information
  - 3.5.2 Product Specifications
  - 3.5.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

### 3.6 Actavis

#### 3.6.1 Company Information

#### 3.6.2 Product Specifications

#### 3.6.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

### 3.7 Mundipharma

#### 3.7.1 Company Information

#### 3.7.2 Product Specifications

#### 3.7.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

### 3.8 Henan Lingrui Pharmaceutical

#### 3.8.1 Company Information

#### 3.8.2 Product Specifications

#### 3.8.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

### 3.9 Changzhou Siyao

#### 3.9.1 Company Information

#### 3.9.2 Product Specifications

#### 3.9.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

### 3.10 Rfl Pharmaceutical

#### 3.10.1 Company Information

#### 3.10.2 Product Specifications

#### 3.10.3 Business Data (Capacity, Sales Revenue, Volume, Price, Cost and Margin)

## 4 MAJOR APPLICATION

4.1 The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

#### 4.1.1 Overview

4.1.2 The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time.

#### Market Size and Forecast

4.2 Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped.

#### 4.2.1 Overview

4.2.2 Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Market Size and Forecast

4.3 Buprenorphine patches are used to relieve severe pain in people who are expected

to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

#### 4.3.1 Overview

4.3.2 Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain.

#### Market Size and Forecast

4.4 Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body.

#### 4.4.1 Overview

4.4.2 Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Market Size and Forecast

4.5 Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

#### 4.5.1 Overview

4.5.2 Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles.

#### Market Size and Forecast

#### 4.6 Others

##### 4.6.1 Overview

##### 4.6.2 Others Market Size and Forecast

## 5 MARKET PRICE

### 5.1 Overview

### 5.2 Price by SUK

## 6 CONCLUSION



## List Of Tables

### LIST OF TABLES

#### TAB REGIONAL PRODUCTION 2011-2017 (VALUE)

Tab Regional Production 2011-2017 (Volume)  
Tab Regional Demand and CAGR 2011-2017 (Value)  
Tab Regional Demand and CAGR 2011-2017 (Volume)  
Tab Regional Demand Forecast and CAGR 2018-2025 (Value)  
Tab Regional Demand Forecast and CAGR 2018-2025 (Volume)  
Tab Regional Export 2011-2017 (Value)  
Tab Regional Export 2011-2017 (Volume)  
Tab Regional Import 2011-2017 (Value)  
Tab Regional Import 2011-2017 (Volume)  
Tab Sales Revenue, Volume, Price, Cost and Margin of Hisamitsu Pharmaceutical  
Tab Sales Revenue, Volume, Price, Cost and Margin of Novartis  
Tab Sales Revenue, Volume, Price, Cost and Margin of Johnson & Johnson  
Tab Sales Revenue, Volume, Price, Cost and Margin of Teikoku Pharma  
Tab Sales Revenue, Volume, Price, Cost and Margin of Mylan  
Tab Sales Revenue, Volume, Price, Cost and Margin of Actavis  
Tab Sales Revenue, Volume, Price, Cost and Margin of Mundipharma  
Tab Sales Revenue, Volume, Price, Cost and Margin of Henan Lingrui Pharmaceutical  
Tab Sales Revenue, Volume, Price, Cost and Margin of Changzhou Siyao  
Tab Sales Revenue, Volume, Price, Cost and Margin of Rfl Pharmaceutical  
Tab Market Price by Region  
Tab Market Price by Manufacturers  
Tab Market Price by Application  
Tab Price by SUK (Popular Goods on the Market)



## List Of Figures

### LIST OF FIGURES

Fig Global Transdermal Patch Market Size and CAGR 2011-2017 (Value)

Fig Global Transdermal Patch Market Size and CAGR 2011-2017 (Volume)

Fig Global Transdermal Patch Market Forecast and CAGR 2018-2025 (Value)

Fig Global Transdermal Patch Market Forecast and CAGR 2018-2025 (Volume)

Fig The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time. Market Size and CAGR 2011-2017 (Value)

Fig The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time. Market Size and CAGR 2011-2017 (Volume)

Fig The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time. Market Forecast and CAGR 2018-2025 (Value)

Fig The fentanyl transdermal system (patch) is used for the management of persistent, moderate to severe chronic pain in opioid-tolerant patients when a continuous, around-the-clock opioid analgesic is needed for an extended period of time. Market Forecast and CAGR 2018-2025 (Volume)

Fig Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Market Size and CAGR 2011-2017 (Value)

Fig Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Market Size and CAGR 2011-2017 (Volume)

Fig Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Market Forecast and CAGR 2018-2025 (Value)

Fig Nicotine skin patches are used to help people stop smoking cigarettes. They provide a source of nicotine that reduces the withdrawal symptoms experienced when smoking is stopped. Market Forecast and CAGR 2018-2025 (Volume)

Fig Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics.

It works by changing the way the brain and nervous system respond to pain. Market Size and CAGR 2011-2017 (Value)

Fig Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain. Market Size and CAGR 2011-2017 (Volume)

Fig Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain. Market Forecast and CAGR 2018-2025 (Value)

Fig Buprenorphine patches are used to relieve severe pain in people who are expected to need pain medication around the clock for a long time and who cannot be treated with other medications. It is in a class of medications called opiate (narcotic) analgesics. It works by changing the way the brain and nervous system respond to pain. Market Forecast and CAGR 2018-2025 (Volume)

Fig Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Market Size and CAGR 2011-2017 (Value)

Fig Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Market Size and CAGR 2011-2017 (Volume)

Fig Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Market Forecast and CAGR 2018-2025 (Value)

Fig Transdermal clonidine is used alone or in combination with other medications to treat high blood pressure. Clonidine is in a class of medications called centrally acting alpha-agonist hypotensive agents. It works by decreasing your heart rate and relaxing the blood vessels so that blood can flow more easily through the body. Market Forecast and CAGR 2018-2025 (Volume)

Fig Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination,

urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles. Market Size and CAGR 2011-2017 (Value)

Fig Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles. Market Size and CAGR 2011-2017 (Volume)

Fig Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles. Market Forecast and CAGR 2018-2025 (Value)

Fig Oxybutynin transdermal patches are used to treat an overactive bladder (a condition in which the bladder muscles contract uncontrollably and cause frequent urination, urgent need to urinate, and inability to control urination). Oxybutynin is in a class of medications called antimuscarinics. It works by relaxing the bladder muscles. Market Forecast and CAGR 2018-2025 (Volume)

Fig Others Market Size and CAGR 2011-2017 (Value)

Fig Others Market Size and CAGR 2011-2017 (Volume)

Fig Others Market Forecast and CAGR 2018-2025 (Value)

Fig Others Market Forecast and CAGR 2018-2025 (Volume)

Fig Global Market Price 2011-2017

Fig Global Market Price 2018-2025

## I would like to order

Product name: Global Transdermal Patch Market Data Survey Report 2025

Product link: <https://marketpublishers.com/r/G84F32BF9A1EN.html>

Price: US\$ 1,500.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

[info@marketpublishers.com](mailto:info@marketpublishers.com)

## Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/G84F32BF9A1EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:  
Last name:  
Email:  
Company:  
Address:  
City:  
Zip code:  
Country:  
Tel:  
Fax:  
Your message:

**\*\*All fields are required**

Customer signature \_\_\_\_\_

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970