

Lab Automation for In-vitro Diagnostics-North America Market Status and Trend Report 2013-2023

<https://marketpublishers.com/r/LA010B459B4AEN.html>

Date: February 2020

Pages: 134

Price: US\$ 3,480.00 (Single User License)

ID: LA010B459B4AEN

Abstracts

Report Summary

Lab Automation for In-vitro Diagnostics-North America Market Status and Trend Report 2013-2023 offers a comprehensive analysis on Lab Automation for In-vitro Diagnostics industry, standing on the readers' perspective, delivering detailed market data and penetrating insights. No matter the client is industry insider, potential entrant or investor, the report will provides useful data and information. Key questions answered by this report include:

Whole North America and Regional Market Size of Lab Automation for In-vitro Diagnostics 2013-2017, and development forecast 2018-2023

Main market players of Lab Automation for In-vitro Diagnostics in North America, with company and product introduction, position in the Lab Automation for In-vitro Diagnostics market

Market status and development trend of Lab Automation for In-vitro Diagnostics by types and applications

Cost and profit status of Lab Automation for In-vitro Diagnostics, and marketing status

Market growth drivers and challenges

The report segments the North America Lab Automation for In-vitro Diagnostics market as:

North America Lab Automation for In-vitro Diagnostics Market: Regional Segment Analysis (Regional Consumption Volume, Consumption Volume, Revenue and Growth Rate 2013-2023):

United States

Canada

Mexico

North America Lab Automation for In-vitro Diagnostics Market: Product Type Segment Analysis (Consumption Volume, Average Price, Revenue, Market Share and Trend 2013-2023):

Automated Plate Handler

Automated Liquid Handler

Robotic Arm

Others

North America Lab Automation for In-vitro Diagnostics Market: Application Segment Analysis (Consumption Volume and Market Share 2013-2023; Downstream Customers and Market Analysis)

Academic

Laboratory

Others

North America Lab Automation for In-vitro Diagnostics Market: Players Segment Analysis (Company and Product introduction, Lab Automation for In-vitro Diagnostics Sales Volume, Revenue, Price and Gross Margin):

Cognex Corporation

Tecan Group Ltd

Danaher Corporation

F. Hoffmann-La Roche Ltd

PerkinElmer, Inc

Thermo Fisher Scientific Inc

Siemens

Abbott

Agilent Technologies, Inc

BD

In a word, the report provides detailed statistics and analysis on the state of the industry; and is a valuable source of guidance and direction for companies and individuals interested in the market.

Contents

CHAPTER 1 OVERVIEW OF LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS

- 1.1 Definition of Lab Automation for In-vitro Diagnostics in This Report
- 1.2 Commercial Types of Lab Automation for In-vitro Diagnostics
 - 1.2.1 Automated Plate Handler
 - 1.2.2 Automated Liquid Handler
 - 1.2.3 Robotic Arm
 - 1.2.4 Others
- 1.3 Downstream Application of Lab Automation for In-vitro Diagnostics
 - 1.3.1 Academic
 - 1.3.2 Laboratory
 - 1.3.3 Others
- 1.4 Development History of Lab Automation for In-vitro Diagnostics
- 1.5 Market Status and Trend of Lab Automation for In-vitro Diagnostics 2013-2023
 - 1.5.1 North America Lab Automation for In-vitro Diagnostics Market Status and Trend 2013-2023
 - 1.5.2 Regional Lab Automation for In-vitro Diagnostics Market Status and Trend 2013-2023

CHAPTER 2 NORTH AMERICA MARKET STATUS AND FORECAST BY REGIONS

- 2.1 Market Status of Lab Automation for In-vitro Diagnostics in North America 2013-2017
- 2.2 Consumption Market of Lab Automation for In-vitro Diagnostics in North America by Regions
 - 2.2.1 Consumption Volume of Lab Automation for In-vitro Diagnostics in North America by Regions
 - 2.2.2 Revenue of Lab Automation for In-vitro Diagnostics in North America by Regions
- 2.3 Market Analysis of Lab Automation for In-vitro Diagnostics in North America by Regions
 - 2.3.1 Market Analysis of Lab Automation for In-vitro Diagnostics in United States 2013-2017
 - 2.3.2 Market Analysis of Lab Automation for In-vitro Diagnostics in Canada 2013-2017
 - 2.3.3 Market Analysis of Lab Automation for In-vitro Diagnostics in Mexico 2013-2017
- 2.4 Market Development Forecast of Lab Automation for In-vitro Diagnostics in North America 2018-2023
 - 2.4.1 Market Development Forecast of Lab Automation for In-vitro Diagnostics in North

America 2018-2023

2.4.2 Market Development Forecast of Lab Automation for In-vitro Diagnostics by Regions 2018-2023

CHAPTER 3 NORTH AMERICA MARKET STATUS AND FORECAST BY TYPES

3.1 Whole North America Market Status by Types

3.1.1 Consumption Volume of Lab Automation for In-vitro Diagnostics in North America by Types

3.1.2 Revenue of Lab Automation for In-vitro Diagnostics in North America by Types

3.2 North America Market Status by Types in Major Countries

3.2.1 Market Status by Types in United States

3.2.2 Market Status by Types in Canada

3.2.3 Market Status by Types in Mexico

3.3 Market Forecast of Lab Automation for In-vitro Diagnostics in North America by Types

CHAPTER 4 NORTH AMERICA MARKET STATUS AND FORECAST BY DOWNSTREAM INDUSTRY

4.1 Demand Volume of Lab Automation for In-vitro Diagnostics in North America by Downstream Industry

4.2 Demand Volume of Lab Automation for In-vitro Diagnostics by Downstream Industry in Major Countries

4.2.1 Demand Volume of Lab Automation for In-vitro Diagnostics by Downstream Industry in United States

4.2.2 Demand Volume of Lab Automation for In-vitro Diagnostics by Downstream Industry in Canada

4.2.3 Demand Volume of Lab Automation for In-vitro Diagnostics by Downstream Industry in Mexico

4.3 Market Forecast of Lab Automation for In-vitro Diagnostics in North America by Downstream Industry

CHAPTER 5 MARKET DRIVING FACTOR ANALYSIS OF LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS

5.1 North America Economy Situation and Trend Overview

5.2 Lab Automation for In-vitro Diagnostics Downstream Industry Situation and Trend Overview

CHAPTER 6 LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS MARKET COMPETITION STATUS BY MAJOR PLAYERS IN NORTH AMERICA

6.1 Sales Volume of Lab Automation for In-vitro Diagnostics in North America by Major Players

6.2 Revenue of Lab Automation for In-vitro Diagnostics in North America by Major Players

6.3 Basic Information of Lab Automation for In-vitro Diagnostics by Major Players

6.3.1 Headquarters Location and Established Time of Lab Automation for In-vitro Diagnostics Major Players

6.3.2 Employees and Revenue Level of Lab Automation for In-vitro Diagnostics Major Players

6.4 Market Competition News and Trend

6.4.1 Merger, Consolidation or Acquisition News

6.4.2 Investment or Disinvestment News

6.4.3 New Product Development and Launch

CHAPTER 7 LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS MAJOR MANUFACTURERS INTRODUCTION AND MARKET DATA

7.1 Cognex Corporation

7.1.1 Company profile

7.1.2 Representative Lab Automation for In-vitro Diagnostics Product

7.1.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Cognex Corporation

7.2 Tecan Group Ltd

7.2.1 Company profile

7.2.2 Representative Lab Automation for In-vitro Diagnostics Product

7.2.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Tecan Group Ltd

7.3 Danaher Corporation

7.3.1 Company profile

7.3.2 Representative Lab Automation for In-vitro Diagnostics Product

7.3.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Danaher Corporation

7.4 F. Hoffmann-La Roche Ltd

7.4.1 Company profile

7.4.2 Representative Lab Automation for In-vitro Diagnostics Product

7.4.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of F. Hoffmann-La Roche Ltd

7.5 PerkinElmer, Inc

7.5.1 Company profile

7.5.2 Representative Lab Automation for In-vitro Diagnostics Product

7.5.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of PerkinElmer, Inc

7.6 Thermo Fisher Scientific Inc

7.6.1 Company profile

7.6.2 Representative Lab Automation for In-vitro Diagnostics Product

7.6.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Thermo Fisher Scientific Inc

7.7 Siemens

7.7.1 Company profile

7.7.2 Representative Lab Automation for In-vitro Diagnostics Product

7.7.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Siemens

7.8 Abbott

7.8.1 Company profile

7.8.2 Representative Lab Automation for In-vitro Diagnostics Product

7.8.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Abbott

7.9 Agilent Technologies, Inc

7.9.1 Company profile

7.9.2 Representative Lab Automation for In-vitro Diagnostics Product

7.9.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of Agilent Technologies, Inc

7.10 BD

7.10.1 Company profile

7.10.2 Representative Lab Automation for In-vitro Diagnostics Product

7.10.3 Lab Automation for In-vitro Diagnostics Sales, Revenue, Price and Gross Margin of BD

CHAPTER 8 UPSTREAM AND DOWNSTREAM MARKET ANALYSIS OF LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS

8.1 Industry Chain of Lab Automation for In-vitro Diagnostics

8.2 Upstream Market and Representative Companies Analysis

8.3 Downstream Market and Representative Companies Analysis

CHAPTER 9 COST AND GROSS MARGIN ANALYSIS OF LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS

- 9.1 Cost Structure Analysis of Lab Automation for In-vitro Diagnostics
- 9.2 Raw Materials Cost Analysis of Lab Automation for In-vitro Diagnostics
- 9.3 Labor Cost Analysis of Lab Automation for In-vitro Diagnostics
- 9.4 Manufacturing Expenses Analysis of Lab Automation for In-vitro Diagnostics

CHAPTER 10 MARKETING STATUS ANALYSIS OF LAB AUTOMATION FOR IN-VITRO DIAGNOSTICS

- 10.1 Marketing Channel
 - 10.1.1 Direct Marketing
 - 10.1.2 Indirect Marketing
 - 10.1.3 Marketing Channel Development Trend
- 10.2 Market Positioning
 - 10.2.1 Pricing Strategy
 - 10.2.2 Brand Strategy
 - 10.2.3 Target Client
- 10.3 Distributors/Traders List

CHAPTER 11 REPORT CONCLUSION

CHAPTER 12 RESEARCH METHODOLOGY AND REFERENCE

- 12.1 Methodology/Research Approach
 - 12.1.1 Research Programs/Design
 - 12.1.2 Market Size Estimation
 - 12.1.3 Market Breakdown and Data Triangulation
- 12.2 Data Source
 - 12.2.1 Secondary Sources
 - 12.2.2 Primary Sources
- 12.3 Reference

I would like to order

Product name: Lab Automation for In-vitro Diagnostics-North America Market Status and Trend Report 2013-2023

Product link: <https://marketpublishers.com/r/LA010B459B4AEN.html>

Price: US\$ 3,480.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/LA010B459B4AEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970

