

Biomass-to-Hydrogen Converters Market Forecasts to 2034 – Global Analysis By Conversion (Gasification, Pyrolysis, Steam Reforming, Anaerobic Digestion, Supercritical Water Gasification, and Plasma Gasification), Feedstock Type, System Type, Application, End User, and By Geography

<https://marketpublishers.com/r/B4F214DABDC9EN.html>

Date: April 2026

Pages: 200

Price: US\$ 4,150.00 (Single User License)

ID: B4F214DABDC9EN

Abstracts

According to Statistics MRC, the Global Biomass-to-Hydrogen Converters Market is accounted for \$0.8 billion in 2026 and is expected to reach \$2.4 billion by 2034 growing at a CAGR of 14.7% during the forecast period. Biomass-to-hydrogen converters refer to thermochemical, biological, and electrochemical process systems that convert organic biomass feedstocks including agricultural residues, forestry waste, industrial biomass byproducts, municipal solid waste, energy crops, and algae biomass into hydrogen gas through gasification, pyrolysis, steam reforming, anaerobic digestion, supercritical water gasification, and plasma gasification pathways. These converter systems encompass feedstock preparation and handling equipment, reactor vessels, syngas cleaning and conditioning systems, water-gas shift reactors, and hydrogen purification membranes that collectively produce specification-grade hydrogen for fuel cell, industrial process, and energy storage applications with significantly lower lifecycle carbon intensity than conventional fossil-based hydrogen production routes.

Market Dynamics:

Driver:

Renewable Hydrogen Policy Incentives

Renewable hydrogen policy incentives are the primary driver accelerating biomass-to-hydrogen converter deployment as government clean hydrogen production tax credits, green hydrogen mandates, and hydrogen economy investment programs create favorable economics for biomass-based hydrogen production that otherwise competes at a cost disadvantage versus natural gas steam methane reforming. U.S. Inflation Reduction Act 45V clean hydrogen production tax credit provides up to \$3 per kilogram for qualifying low-lifecycle-emission hydrogen including biomass-derived production. EU Renewable Energy Directive renewable hydrogen certification requirements are creating compliance demand for biomass-to-hydrogen production capacity from energy companies needing certified renewable hydrogen supply for industrial decarbonization and transportation fuel applications.

Restraint:

Feedstock Cost and Supply Chain Reliability

Feedstock cost volatility and biomass supply chain reliability represent significant project economics risks for biomass-to-hydrogen converter investments, as agricultural and forestry biomass residue pricing is subject to seasonal availability, competing demand from bioenergy and biomaterials sectors, and transportation logistics costs that substantially impact production economics. Securing long-term biomass supply contracts at prices supporting hydrogen production cost targets is technically challenging given the fragmented biomass supply landscape and absence of commodity markets providing price hedging instruments. Land use competition between biomass energy crop cultivation and food production creates regulatory and reputational risks that constrain dedicated energy crop feedstock development for hydrogen production applications.

Opportunity:

Waste-to-Hydrogen Municipal Applications

Municipal solid waste and sewage biogas to hydrogen conversion represents a large near-term commercial opportunity for biomass-to-hydrogen converter deployment, as urban waste management authorities are seeking higher-value waste treatment outcomes than landfill disposal or incineration for gate-fee economics improvement. Gasification of municipal solid waste residues that cannot be mechanically recycled provides a renewable hydrogen production pathway with negative feedstock cost from gate-fee revenue that substantially improves hydrogen production economics. Cities

with net-zero commitments are evaluating integrated waste-to-hydrogen facilities as circular economy anchor infrastructure investments that simultaneously address waste management, clean fuel production, and municipal fleet decarbonization objectives.

Threat:

Green Electrolytic Hydrogen Cost Competition

Green electrolytic hydrogen produced from renewable electricity via water electrolysis represents the dominant competing pathway that is attracting the majority of government incentive support, private investment, and technology development resources within the clean hydrogen sector, creating competitive risks for biomass-to-hydrogen converters as electrolyzer cost reduction trajectories may reach commercial parity with biomass production economics faster than biomass technology developers project. Electrolyzer scalability advantages and simpler value chain versus biomass logistics management create long-term structural advantages that could limit biomass-to-hydrogen converter market positioning to niche feedstock-advantaged applications. Investor perception of electrolytic hydrogen as the canonical clean hydrogen pathway creates fundraising challenges for biomass-to-hydrogen converter developers competing for green hydrogen investment capital.

Covid-19 Impact:

COVID-19 disrupted biomass supply chains and delayed several biomass-to-hydrogen demonstration project construction timelines through workforce and equipment delivery constraints. Post-pandemic energy security concerns elevating domestic renewable fuel production as a strategic priority substantially strengthened political and financial support for biomass-to-hydrogen programs in the European Union, United Kingdom, and Japan where domestic energy production independence is a pressing policy objective. Pandemic-era waste management system strain highlighted the value of integrated waste-to-hydrogen facilities that convert problem waste streams into valuable clean fuel products within urban circular economy frameworks.

The supercritical water gasification segment is expected to be the largest during the forecast period

The supercritical water gasification segment is expected to account for the largest market share during the forecast period, due to its ability to directly process high-moisture biomass feedstocks including wet agricultural residues, algae slurries, and

sewage sludge without energy-intensive drying pre-treatment that substantially reduces net process efficiency for conventional gasification technologies. Supercritical water gasification at temperatures above 374 degrees Celsius and pressures exceeding 22 MPa achieves high carbon conversion efficiency and produces hydrogen-rich syngas from challenging wet feedstock categories that competing thermochemical pathways cannot economically utilize. Growing research investment from government and industry in supercritical water gasification scale-up is advancing the technology toward commercial viability for municipal waste and algae biomass applications.

The agricultural residues segment is expected to have the highest CAGR during the forecast period

Over the forecast period, the agricultural residues segment is predicted to witness the highest growth rate, driven by abundant low-cost feedstock availability, established agricultural logistics infrastructure reducing collection and transport costs compared to purpose-grown energy crops, and favorable regulatory classification under multiple national renewable hydrogen certification frameworks. Wheat straw, corn stover, rice husk, and sugarcane bagasse represent large-volume residue streams globally that agricultural operators are increasingly willing to supply under long-term feedstock contracts as biomass-to-hydrogen projects offer higher-value utilization than current field burning or low-value animal feed applications. Government agricultural sustainability programs in Europe, India, and Brazil are subsidizing agricultural residue collection infrastructure that reduces feedstock supply chain costs for biomass-to-hydrogen converter operators.

Region with largest share:

During the forecast period, the Europe region is expected to hold the largest market share, due to the EU Renewable Energy Directive creating strong regulatory demand for certified renewable hydrogen, substantial biomass energy infrastructure and supply chain networks providing feedstock logistics expertise, and government hydrogen economy investment programs supporting biomass-to-hydrogen demonstration and commercial project development. European energy companies including TotalEnergies SE, Engie SA, and Snam S.p.A. are integrating biomass-to-hydrogen into diversified clean hydrogen production portfolios. EU biomass sustainability certification frameworks provide regulatory clarity that reduces investment risk for biomass hydrogen project financing in European markets.

Region with highest CAGR:

Over the forecast period, the Asia Pacific region is anticipated to exhibit the highest CAGR, due to massive agricultural residue availability in China, India, and Southeast Asian nations providing low-cost feedstock supply, growing government clean hydrogen investment in Japan, South Korea, China, and India, and large industrial hydrogen demand markets creating commercial pull for diversified clean hydrogen production sourcing. Japan's hydrogen strategy targeting 3 million tonnes annual hydrogen supply by 2030 is creating procurement programs that are specifically evaluating biomass-to-hydrogen pathways. India's National Green Hydrogen Mission provides production incentives that make biomass-to-hydrogen economics competitive with electrolytic alternatives in feedstock-advantaged agricultural regions.

Key players in the market

Some of the key players in Biomass-to-Hydrogen Converters Market include Air Liquide, Linde plc, Air Products and Chemicals Inc., Siemens Energy, Shell plc, TotalEnergies SE, Engie SA, Plug Power Inc., Ballard Power Systems, Nel ASA, HyGear, Thyssenkrupp AG, Kawasaki Heavy Industries, Mitsubishi Heavy Industries, Snam S.p.A., ITM Power, Bloom Energy, and Doosan Fuel Cell.

Key Developments:

In March 2026, Air Liquide commissioned its first commercial-scale biomass gasification hydrogen production unit in France processing 50,000 tonnes annually of agricultural residues to produce certified renewable hydrogen.

In March 2026, Siemens Energy secured a contract to design and supply integrated biomass gasification and hydrogen purification systems for a major European waste-to-hydrogen circular economy facility.

In January 2026, Kawasaki Heavy Industries announced a joint development agreement to deploy its advanced plasma gasification converter for municipal solid waste to hydrogen production at a Japanese urban waste management facility.

Conversions Covered:

Gasification

Pyrolysis

Steam Reforming

Anaerobic Digestion

Supercritical Water Gasification

Plasma Gasification

Feedstock Types Covered:

Agricultural Residues

Forestry Waste

Industrial Biomass Waste

Municipal Solid Waste

Energy Crops

Algae Biomass

System Type Covered:

Fixed Systems

Modular Systems

Mobile Units

Integrated Systems

Hybrid Conversion Systems

Applications Covered:

Power Generation

Transportation Fuel

Industrial Hydrogen Supply

Chemical Production

Grid Energy Storage

End Users Covered:

Energy & Utilities

Chemical Industry

Transportation Sector

Waste Management Companies

Industrial Sector

Regions Covered:

North America

United States

Canada

Mexico

Europe

United Kingdom

Germany

France

Italy

Spain

Netherlands

Belgium

Sweden

Switzerland

Poland

Rest of Europe

Asia Pacific

China

Japan

India

South Korea

Australia

Indonesia

Thailand

Malaysia

Singapore

Vietnam

Rest of Asia Pacific

South America

Brazil

Argentina

Colombia

Chile

Peru

Rest of South America

Rest of the World (RoW)

Middle East

Saudi Arabia

United Arab Emirates

Qatar

Israel

Rest of Middle East

Africa

South Africa

Egypt

Morocco

Rest of Africa

What our report offers:

Market share assessments for the regional and country-level segments

Strategic recommendations for the new entrants

Covers Market data for the years 2023, 2024, 2025, 2026, 2027, 2028, 2030, 2032 and 2034

Market Trends (Drivers, Constraints, Opportunities, Threats, Challenges, Investment Opportunities, and recommendations)

Strategic recommendations in key business segments based on the market estimations

Competitive landscaping mapping the key common trends

Company profiling with detailed strategies, financials, and recent developments

Supply chain trends mapping the latest technological advancements

Free Customization Offerings:

All the customers of this report will be entitled to receive one of the following free customization options:

Company Profiling

Comprehensive profiling of additional market players (up to 3)

SWOT Analysis of key players (up to 3)

Regional Segmentation

Market estimations, Forecasts and CAGR of any prominent country as per the client's interest (Note: Depends on feasibility check)

Competitive Benchmarking

Benchmarking of key players based on product portfolio, geographical presence, and strategic alliances

Contents

1 EXECUTIVE SUMMARY

2 PREFACE

- 2.1 Abstract
- 2.2 Stake Holders
- 2.3 Research Scope
- 2.4 Research Methodology
 - 2.4.1 Data Mining
 - 2.4.2 Data Analysis
 - 2.4.3 Data Validation
 - 2.4.4 Research Approach
- 2.5 Research Sources
 - 2.5.1 Primary Research Sources
 - 2.5.2 Secondary Research Sources
 - 2.5.3 Assumptions

3 MARKET TREND ANALYSIS

- 3.1 Introduction
- 3.2 Drivers
- 3.3 Restraints
- 3.4 Opportunities
- 3.5 Threats
- 3.6 Technology Analysis
- 3.7 Application Analysis
- 3.8 End User Analysis
- 3.9 Emerging Markets
- 3.10 Impact of Covid-19

4 PORTERS FIVE FORCE ANALYSIS

- 4.1 Bargaining power of suppliers
- 4.2 Bargaining power of buyers
- 4.3 Threat of substitutes
- 4.4 Threat of new entrants
- 4.5 Competitive rivalry

5 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY CONVERSION

- 5.1 Gasification
- 5.2 Pyrolysis
- 5.3 Steam Reforming
- 5.4 Anaerobic Digestion
- 5.5 Supercritical Water Gasification
- 5.6 Plasma Gasification

6 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY FEEDSTOCK TYPE

- 6.1 Agricultural Residues
- 6.2 Forestry Waste
- 6.3 Industrial Biomass Waste
- 6.4 Municipal Solid Waste
- 6.5 Energy Crops
- 6.6 Algae Biomass

7 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY SYSTEM TYPE

- 7.1 Fixed Systems
- 7.2 Modular Systems
- 7.3 Mobile Units
- 7.4 Integrated Systems
- 7.5 Hybrid Conversion Systems

8 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY APPLICATION

- 8.1 Power Generation
- 8.2 Transportation Fuel
- 8.3 Industrial Hydrogen Supply
- 8.4 Chemical Production
- 8.5 Grid Energy Storage

9 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY END USER

- 9.1 Energy & Utilities

- 9.2 Chemical Industry
- 9.3 Transportation Sector
- 9.4 Waste Management Companies
- 9.5 Industrial Sector

10 GLOBAL BIOMASS-TO-HYDROGEN CONVERTERS MARKET, BY GEOGRAPHY

- 10.1 North America
 - 10.1.1 United States
 - 10.1.2 Canada
 - 10.1.3 Mexico
- 10.2 Europe
 - 10.2.1 United Kingdom
 - 10.2.2 Germany
 - 10.2.3 France
 - 10.2.4 Italy
 - 10.2.5 Spain
 - 10.2.6 Netherlands
 - 10.2.7 Belgium
 - 10.2.8 Sweden
 - 10.2.9 Switzerland
 - 10.2.10 Poland
 - 10.2.11 Rest of Europe
- 10.3 Asia Pacific
 - 10.3.1 China
 - 10.3.2 Japan
 - 10.3.3 India
 - 10.3.4 South Korea
 - 10.3.5 Australia
 - 10.3.6 Indonesia
 - 10.3.7 Thailand
 - 10.3.8 Malaysia
 - 10.3.9 Singapore
 - 10.3.10 Vietnam
 - 10.3.11 Rest of Asia Pacific
- 10.4 South America
 - 10.4.1 Brazil
 - 10.4.2 Argentina
 - 10.4.3 Colombia

- 10.4.4 Chile
- 10.4.5 Peru
- 10.4.6 Rest of South America
- 10.5 Rest of the World (RoW)
 - 10.5.1 Middle East
 - 10.5.1.1 Saudi Arabia
 - 10.5.1.2 United Arab Emirates
 - 10.5.1.3 Qatar
 - 10.5.1.4 Israel
 - 10.5.1.5 Rest of Middle East
 - 10.5.2 Africa
 - 10.5.2.1 South Africa
 - 10.5.2.2 Egypt
 - 10.5.2.3 Morocco
 - 10.5.2.4 Rest of Africa

11 KEY DEVELOPMENTS

- 11.1 Agreements, Partnerships, Collaborations and Joint Ventures
- 11.2 Acquisitions & Mergers
- 11.3 New Product Launch
- 11.4 Expansions
- 11.5 Other Key Strategies

12 COMPANY PROFILING

- 12.1 Air Liquide
- 12.2 Linde plc
- 12.3 Air Products and Chemicals Inc.
- 12.4 Siemens Energy
- 12.5 Shell plc
- 12.6 TotalEnergies SE
- 12.7 Engie SA
- 12.8 Plug Power Inc.
- 12.9 Ballard Power Systems
- 12.10 Nel ASA
- 12.11 HyGear
- 12.12 Thyssenkrupp AG
- 12.13 Kawasaki Heavy Industries

12.14 Mitsubishi Heavy Industries

12.15 Snam S.p.A.

12.16 ITM Power

12.17 Bloom Energy

12.18 Doosan Fuel Cell

List Of Tables

LIST OF TABLES

- Table 1 Global Biomass-to-Hydrogen Converters Market Outlook, By Region (2023-2034) (\$MN)
- Table 2 Global Biomass-to-Hydrogen Converters Market Outlook, By Conversion (2023-2034) (\$MN)
- Table 3 Global Biomass-to-Hydrogen Converters Market Outlook, By Gasification (2023-2034) (\$MN)
- Table 4 Global Biomass-to-Hydrogen Converters Market Outlook, By Pyrolysis (2023-2034) (\$MN)
- Table 5 Global Biomass-to-Hydrogen Converters Market Outlook, By Steam Reforming (2023-2034) (\$MN)
- Table 6 Global Biomass-to-Hydrogen Converters Market Outlook, By Anaerobic Digestion (2023-2034) (\$MN)
- Table 7 Global Biomass-to-Hydrogen Converters Market Outlook, By Supercritical Water Gasification (2023-2034) (\$MN)
- Table 8 Global Biomass-to-Hydrogen Converters Market Outlook, By Plasma Gasification (2023-2034) (\$MN)
- Table 9 Global Biomass-to-Hydrogen Converters Market Outlook, By Feedstock Type (2023-2034) (\$MN)
- Table 10 Global Biomass-to-Hydrogen Converters Market Outlook, By Agricultural Residues (2023-2034) (\$MN)
- Table 11 Global Biomass-to-Hydrogen Converters Market Outlook, By Forestry Waste (2023-2034) (\$MN)
- Table 12 Global Biomass-to-Hydrogen Converters Market Outlook, By Industrial Biomass Waste (2023-2034) (\$MN)
- Table 13 Global Biomass-to-Hydrogen Converters Market Outlook, By Municipal Solid Waste (2023-2034) (\$MN)
- Table 14 Global Biomass-to-Hydrogen Converters Market Outlook, By Energy Crops (2023-2034) (\$MN)
- Table 15 Global Biomass-to-Hydrogen Converters Market Outlook, By Algae Biomass (2023-2034) (\$MN)
- Table 16 Global Biomass-to-Hydrogen Converters Market Outlook, By System Type (2023-2034) (\$MN)
- Table 17 Global Biomass-to-Hydrogen Converters Market Outlook, By Fixed Systems (2023-2034) (\$MN)
- Table 18 Global Biomass-to-Hydrogen Converters Market Outlook, By Modular Systems

(2023-2034) (\$MN)

Table 19 Global Biomass-to-Hydrogen Converters Market Outlook, By Mobile Units (2023-2034) (\$MN)

Table 20 Global Biomass-to-Hydrogen Converters Market Outlook, By Integrated Systems (2023-2034) (\$MN)

Table 21 Global Biomass-to-Hydrogen Converters Market Outlook, By Hybrid Conversion Systems (2023-2034) (\$MN)

Table 22 Global Biomass-to-Hydrogen Converters Market Outlook, By Application (2023-2034) (\$MN)

Table 23 Global Biomass-to-Hydrogen Converters Market Outlook, By Power Generation (2023-2034) (\$MN)

Table 24 Global Biomass-to-Hydrogen Converters Market Outlook, By Transportation Fuel (2023-2034) (\$MN)

Table 25 Global Biomass-to-Hydrogen Converters Market Outlook, By Industrial Hydrogen Supply (2023-2034) (\$MN)

Table 26 Global Biomass-to-Hydrogen Converters Market Outlook, By Chemical Production (2023-2034) (\$MN)

Table 27 Global Biomass-to-Hydrogen Converters Market Outlook, By Grid Energy Storage (2023-2034) (\$MN)

Table 28 Global Biomass-to-Hydrogen Converters Market Outlook, By End User (2023-2034) (\$MN)

Table 29 Global Biomass-to-Hydrogen Converters Market Outlook, By Energy & Utilities (2023-2034) (\$MN)

Table 30 Global Biomass-to-Hydrogen Converters Market Outlook, By Chemical Industry (2023-2034) (\$MN)

Table 31 Global Biomass-to-Hydrogen Converters Market Outlook, By Transportation Sector (2023-2034) (\$MN)

Table 32 Global Biomass-to-Hydrogen Converters Market Outlook, By Waste Management Companies (2023-2034) (\$MN)

Table 33 Global Biomass-to-Hydrogen Converters Market Outlook, By Industrial Sector (2023-2034) (\$MN)

Note: Tables for North America, Europe, APAC, South America, and Rest of the World (RoW) Regions are also represented in the same manner as above.

I would like to order

Product name: Biomass-to-Hydrogen Converters Market Forecasts to 2034 – Global Analysis By Conversion (Gasification, Pyrolysis, Steam Reforming, Anaerobic Digestion, Supercritical Water Gasification, and Plasma Gasification), Feedstock Type, System Type, Application, End User, and By Geography

Product link: <https://marketpublishers.com/r/B4F214DABDC9EN.html>

Price: US\$ 4,150.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/B4F214DABDC9EN.html>