

# **Fruit Thinning Robots Market Forecasts to 2032 – Global Analysis By Robot Type (Autonomous Robots, End Effector Tools/Manipulators and Semi-Autonomous Robots), Power Source, Technology, End User and By Geography**

<https://marketpublishers.com/r/FD6C47DE6774EN.html>

Date: July 2025

Pages: 150

Price: US\$ 4,150.00 (Single User License)

ID: FD6C47DE6774EN

## **Abstracts**

According to Statistics MRC, the Global Fruit Thinning Robots Market is accounted for \$702.3 billion in 2025 and is expected to reach \$1652.2 billion by 2032 growing at a CAGR of 13% during the forecast period. Fruit thinning robots are automated agricultural machines designed to selectively remove excess fruit from trees to optimize crop quality and yield. Equipped with AI, computer vision, and robotic arms, they identify and remove underdeveloped or overcrowded fruits with precision. These robots reduce labor costs, minimize human error, and promote sustainable farming by ensuring healthier, larger fruits. Their adoption enhances efficiency in orchards, particularly for crops like apples and peaches.

According to the USDA Economic Research Service reports from 2023, labor costs in agriculture have surged by 10% over the last five years, making automation solutions more appealing.

Market Dynamics:

Driver:

Rising standards for fruit quality

The escalating global standards for fruit quality are a primary driver for the fruit thinning robots market. Consumers and retailers increasingly demand uniformly sized, blemish-

free, and high-quality produce. Manual thinning, while effective, is labor-intensive and prone to inconsistencies. Robotic thinning ensures precise and consistent fruit spacing, leading to optimal nutrient distribution and improved fruit development. This precision helps growers meet stringent market specifications and maximize the value of their harvests. The desire to enhance overall yield quality and market competitiveness is directly fueling the adoption of robotic thinning solutions.

Restraint:

#### Technical complexity challenges

A significant restraint for the fruit thinning robots market is the inherent technical complexity and challenges associated with their development and deployment. Designing robots that can navigate diverse orchard terrains, accurately identify individual fruits, and perform delicate thinning operations requires advanced robotics, computer vision, and artificial intelligence. The variability in fruit types, tree structures, and environmental conditions adds to this complexity. Overcoming these technical hurdles to create robust, reliable, and versatile robots is a substantial engineering challenge. This complexity can lead to higher development costs and slower market penetration compared to simpler agricultural machinery.

Opportunity:

#### Development of modular, crop-specific tools

A significant opportunity for the fruit thinning robots market lies in the development of modular and crop-specific tools. Instead of creating a single, universal thinning robot, focusing on interchangeable end-effectors and software modules tailored to specific fruit types (e.g., apples, peaches, citrus) can enhance versatility and market adoption. This approach allows growers to customize their robotic solutions for different crops without investing in entirely new machines. Such modularity can also reduce the overall cost of ownership and increase the return on investment for farmers. The flexibility offered by crop-specific attachments, backed by the diverse needs of horticulture, presents a compelling growth pathway.

Threat:

#### Competition from Manual Thinning

The fruit thinning robots market faces a considerable threat from the deeply entrenched practice of manual thinning. Manual thinning, while labor-intensive, is highly flexible and can adapt to variations in fruit density and tree characteristics with human judgment. Many growers, particularly in regions with abundant and affordable labor, still prefer manual methods due to lower upfront investment and established practices. The initial high cost of robotic systems, coupled with the need for specialized training and maintenance, can make them less attractive than traditional manual approaches. This strong reliance on human labor poses a significant competitive challenge for robotic solutions.

#### Covid-19 Impact:

The COVID-19 pandemic had a mixed impact on the fruit thinning robots market. Initially, disruptions in global supply chains and economic uncertainties might have slowed down investments in new agricultural technologies. However, the pandemic also highlighted the severe vulnerabilities in the agricultural labor supply, with restrictions on migrant workers and increased health concerns. This scarcity of manual labor significantly accelerated the interest and demand for automated solutions like fruit thinning robots. Growers recognized the critical need for resilient and less labor-dependent operations, driving a renewed focus on agricultural automation as a long-term solution to labor challenges.

The autonomous robots segment is expected to be the largest during the forecast period

The autonomous robots segment is expected to account for the largest market share during the forecast period, driven by the increasing demand for self-sufficient and highly efficient solutions that minimize human intervention in orchards. Autonomous robots can navigate complex terrains, operate continuously, and collect vast amounts of data, leading to optimized thinning operations. Their ability to cover large areas independently enhances productivity and reduces labor costs for fruit growers. The integration of advanced AI and machine learning for decision-making further solidifies their leading market position.

The battery operated segment is expected to have the highest CAGR during the forecast period

Over the forecast period, the battery operated segment is predicted to witness the highest growth rate, fuelled by the growing emphasis on environmental sustainability

and operational flexibility, is expected to have the highest CAGR during the forecast period. Battery-operated robots offer silent operation, zero emissions, and the ability to operate in areas without direct power access. Advancements in battery technology, providing longer runtimes and faster charging, are making these units increasingly practical for extended fieldwork. The desire to reduce reliance on fossil fuels and comply with environmental regulations further accelerates the adoption of electric robotic solutions in agriculture.

Region with largest share:

During the forecast period, the Asia Pacific region is expected to hold the largest market share, attributed to the region's extensive agricultural lands, high fruit production volumes, and increasing adoption of advanced farming technologies, particularly in countries like China and India. The rising demand for high-quality fruits for both domestic consumption and export markets drives investment in automated thinning solutions. Government support for agricultural modernization and the growing awareness among farmers about precision agriculture practices further contribute to market growth.

Region with highest CAGR:

Over the forecast period, the North America region is anticipated to exhibit the highest CAGR, driven by the severe labor shortages in the agricultural sector and the high cost of manual labor. The presence of major agricultural technology companies and significant investments in R&D for robotic solutions further fuel market expansion. A strong emphasis on precision agriculture and smart farming practices among North American growers also contributes to the rapid adoption of fruit thinning robots. The demand for efficiency and sustainability in farming operations remains a key driver.

Key players in the market

Some of the key players in Fruit Thinning Robots Market include FFRobotics, Abundant Robotics, Tevel Aerobotics Technologies, Clearpath Robotics Inc., Kubota Corporation, Agrobot, Octinion, Ripe Robotics, Saga Robotics, Green Atlas, Bakus Robotics, Harvest CROO Robotics, Naio Technologies, Vision Robotics Corporation, Aigritec, Energid Technologies, Blue River Technology, and Panasonic Corporation.

Key Developments:

In June 2025, FFRobotics introduced the OrchardX AI Thinning Robot, designed for precision thinning in apple and pear orchards. Equipped with advanced computer vision and AI, it identifies and removes excess fruit to optimize yield, reducing labor costs by 40%. The robot's flexible grippers ensure minimal damage to trees, enhancing fruit quality.

In May 2025, Tevel Aerobotics Technologies launched the FAR-T2000 Autonomous Thinning Drone, utilizing AI-based vision systems to selectively thin fruits with high precision. The drone's tethered design allows continuous operation, covering large orchards swiftly. It minimizes fruit damage, improving crop quality and yield. Recognized at the 2023 World Ag Expo, Tevel's technology addresses labor shortages, offering a scalable solution for modern agriculture.

In March 2025, Saga Robotics announced the commercial rollout of its Thorvald Thinning Robot, designed for continuous orchard management. Operating day and night, Thorvald uses advanced sensors to thin fruits with precision, improving yield consistency. Its modular design supports multiple tasks, including pruning, making it a versatile tool for growers.

#### Robot Types Covered:

Autonomous Robots

End Effector Tools/Manipulators

Semi-Autonomous Robots

#### Power Sources Covered:

Battery Operated

Solar Powered

Electric Powered

Other Power Sources

**Sensing Technologies Covered:**

Vision-Based

Non-Vision Based

Other Sensing Technologies

**End Users Covered:**

Corporate Farming Enterprises

Agricultural Cooperatives

Individual Farmers

Greenhouses

Research Institutes

Other End Users

**Regions Covered:**

North America

US

Canada

Mexico

Europe

Germany

UK

Italy

France

Spain

Rest of Europe

Asia Pacific

Japan

China

India

Australia

New Zealand

South Korea

Rest of Asia Pacific

South America

Argentina

Brazil

Chile

Rest of South America

Middle East & Africa

Saudi Arabia

UAE

Qatar

South Africa

Rest of Middle East & Africa

What our report offers:

- Market share assessments for the regional and country-level segments
- Strategic recommendations for the new entrants
- Covers Market data for the years 2024, 2025, 2026, 2028, and 2032
- Market Trends (Drivers, Constraints, Opportunities, Threats, Challenges, Investment Opportunities, and recommendations)
- Strategic recommendations in key business segments based on the market estimations
- Competitive landscaping mapping the key common trends
- Company profiling with detailed strategies, financials, and recent developments
- Supply chain trends mapping the latest technological advancements

Free Customization Offerings:

All the customers of this report will be entitled to receive one of the following free customization options:

#### Company Profiling

Comprehensive profiling of additional market players (up to 3)

SWOT Analysis of key players (up to 3)

#### Regional Segmentation

Market estimations, Forecasts and CAGR of any prominent country as per the client's interest (Note: Depends on feasibility check)

#### Competitive Benchmarking

Benchmarking of key players based on product portfolio, geographical presence, and strategic alliances

## Contents

### **1 EXECUTIVE SUMMARY**

### **2 PREFACE**

- 2.1 Abstract
- 2.2 Stake Holders
- 2.3 Research Scope
- 2.4 Research Methodology
  - 2.4.1 Data Mining
  - 2.4.2 Data Analysis
  - 2.4.3 Data Validation
  - 2.4.4 Research Approach
- 2.5 Research Sources
  - 2.5.1 Primary Research Sources
  - 2.5.2 Secondary Research Sources
  - 2.5.3 Assumptions

### **3 MARKET TREND ANALYSIS**

- 3.1 Introduction
- 3.2 Drivers
- 3.3 Restraints
- 3.4 Opportunities
- 3.5 Threats
- 3.6 Technology Analysis
- 3.7 End User Analysis
- 3.8 Emerging Markets
- 3.9 Impact of Covid-19

### **4 PORTERS FIVE FORCE ANALYSIS**

- 4.1 Bargaining power of suppliers
- 4.2 Bargaining power of buyers
- 4.3 Threat of substitutes
- 4.4 Threat of new entrants
- 4.5 Competitive rivalry

## **5 GLOBAL FRUIT THINNING ROBOTS MARKET, BY ROBOT TYPE**

- 5.1 Introduction
- 5.2 Autonomous Robots
- 5.3 End Effector Tools/Manipulators
  - 5.3.1 Pruning Shear
  - 5.3.2 Pruning Saw
  - 5.3.3 Vacuum Pruning
- 5.4 Semi-Autonomous Robots

## **6 GLOBAL FRUIT THINNING ROBOTS MARKET, BY POWER SOURCE**

- 6.1 Introduction
- 6.2 Battery Operated
- 6.3 Solar Powered
- 6.4 Electric Powered
- 6.5 Other Power Sources

## **7 GLOBAL FRUIT THINNING ROBOTS MARKET, BY SENSING TECHNOLOGY**

- 7.1 Introduction
- 7.2 Vision-Based
  - 7.2.1 2D Imaging
  - 7.2.2 3D Imaging
  - 7.2.3 Hyperspectral Imaging
  - 7.2.4 3D Imaging
- 7.3 Non-Vision Based
  - 7.3.1 Mechanical Sensing
  - 7.3.2 LiDAR
- 7.4 Other Sensing Technologies

## **8 GLOBAL FRUIT THINNING ROBOTS MARKET, BY END USER**

- 8.1 Introduction
- 8.2 Corporate Farming Enterprises
- 8.3 Agricultural Cooperatives
- 8.4 Individual Farmers
- 8.5 Greenhouses
- 8.6 Research Institutes

## 8.7 Other End Users

# 10 GLOBAL FRUIT THINNING ROBOTS MARKET, BY GEOGRAPHY

## 10.1 Introduction

## 10.2 North America

### 10.2.1 US

### 10.2.2 Canada

### 10.2.3 Mexico

## 10.3 Europe

### 10.3.1 Germany

### 10.3.2 UK

### 10.3.3 Italy

### 10.3.4 France

### 10.3.5 Spain

### 10.3.6 Rest of Europe

## 10.4 Asia Pacific

### 10.4.1 Japan

### 10.4.2 China

### 10.4.3 India

### 10.4.4 Australia

### 10.4.5 New Zealand

### 10.4.6 South Korea

### 10.4.7 Rest of Asia Pacific

## 10.5 South America

### 10.5.1 Argentina

### 10.5.2 Brazil

### 10.5.3 Chile

### 10.5.4 Rest of South America

## 10.6 Middle East & Africa

### 10.6.1 Saudi Arabia

### 10.6.2 UAE

### 10.6.3 Qatar

### 10.6.4 South Africa

### 10.6.5 Rest of Middle East & Africa

# 11 KEY DEVELOPMENTS

## 11.1 Agreements, Partnerships, Collaborations and Joint Ventures

- 11.2 Acquisitions & Mergers
- 11.3 New Product Launch
- 11.4 Expansions
- 11.5 Other Key Strategies

## **12 COMPANY PROFILING**

- 12.1 FFRobotics
- 12.2 Abundant Robotics
- 12.3 Tevel Aerobotics Technologies
- 12.4 Clearpath Robotics, Inc.
- 12.5 Kubota Corporation
- 12.6 Agrobot
- 12.7 Octinion
- 12.8 Ripe Robotics
- 12.9 Saga Robotics
- 12.10 Green Atlas
- 12.11 Bakus Robotics
- 12.12 Harvest CROO Robotics
- 12.13 Naio Technologies
- 12.14 Vision Robotics Corporation
- 12.15 Aigritec
- 12.16 Energid Technologies
- 12.17 Blue River Technology
- 12.18 Panasonic Corporation

## List Of Tables

### LIST OF TABLES

Table 1 Global Fruit Thinning Robots Market Outlook, By Region (2024-2032) (\$MN)

Table 2 Global Fruit Thinning Robots Market Outlook, By Robot Type (2024-2032) (\$MN)

Table 3 Global Fruit Thinning Robots Market Outlook, By Autonomous Robots (2024-2032) (\$MN)

Table 4 Global Fruit Thinning Robots Market Outlook, By End Effector Tools/Manipulators (2024-2032) (\$MN)

Table 5 Global Fruit Thinning Robots Market Outlook, By Pruning Shear (2024-2032) (\$MN)

Table 6 Global Fruit Thinning Robots Market Outlook, By Pruning Saw (2024-2032) (\$MN)

Table 7 Global Fruit Thinning Robots Market Outlook, By Vacuum Pruning (2024-2032) (\$MN)

Table 8 Global Fruit Thinning Robots Market Outlook, By Semi-Autonomous Robots (2024-2032) (\$MN)

Table 9 Global Fruit Thinning Robots Market Outlook, By Power Source (2024-2032) (\$MN)

Table 10 Global Fruit Thinning Robots Market Outlook, By Battery Operated (2024-2032) (\$MN)

Table 11 Global Fruit Thinning Robots Market Outlook, By Solar Powered (2024-2032) (\$MN)

Table 12 Global Fruit Thinning Robots Market Outlook, By Electric Powered (2024-2032) (\$MN)

Table 13 Global Fruit Thinning Robots Market Outlook, By Other Power Sources (2024-2032) (\$MN)

Table 14 Global Fruit Thinning Robots Market Outlook, By Sensing Technology (2024-2032) (\$MN)

Table 15 Global Fruit Thinning Robots Market Outlook, By Vision-Based (2024-2032) (\$MN)

Table 16 Global Fruit Thinning Robots Market Outlook, By 2D Imaging (2024-2032) (\$MN)

Table 17 Global Fruit Thinning Robots Market Outlook, By 3D Imaging (2024-2032) (\$MN)

Table 18 Global Fruit Thinning Robots Market Outlook, By Hyperspectral Imaging (2024-2032) (\$MN)

Table 19 Global Fruit Thinning Robots Market Outlook, By 3D Imaging (2024-2032) (\$MN)

Table 20 Global Fruit Thinning Robots Market Outlook, By Non-Vision Based (2024-2032) (\$MN)

Table 21 Global Fruit Thinning Robots Market Outlook, By Mechanical Sensing (2024-2032) (\$MN)

Table 22 Global Fruit Thinning Robots Market Outlook, By LiDAR (2024-2032) (\$MN)

Table 23 Global Fruit Thinning Robots Market Outlook, By Other Sensing Technologies (2024-2032) (\$MN)

Table 24 Global Fruit Thinning Robots Market Outlook, By End User (2024-2032) (\$MN)

Table 25 Global Fruit Thinning Robots Market Outlook, By Corporate Farming Enterprises (2024-2032) (\$MN)

Table 26 Global Fruit Thinning Robots Market Outlook, By Agricultural Cooperatives (2024-2032) (\$MN)

Table 27 Global Fruit Thinning Robots Market Outlook, By Individual Farmers (2024-2032) (\$MN)

Table 28 Global Fruit Thinning Robots Market Outlook, By Greenhouses (2024-2032) (\$MN)

Table 29 Global Fruit Thinning Robots Market Outlook, By Research Institutes (2024-2032) (\$MN)

Table 30 Global Fruit Thinning Robots Market Outlook, By Other End Users (2024-2032) (\$MN)

Note: Tables for North America, Europe, APAC, South America, and Middle East & Africa Regions are also represented in the same manner as above.

## I would like to order

Product name: Fruit Thinning Robots Market Forecasts to 2032 – Global Analysis By Robot Type  
(Autonomous Robots, End Effector Tools/Manipulators and Semi-Autonomous Robots),  
Power Source, Technology, End User and By Geography

Product link: <https://marketpublishers.com/r/FD6C47DE6774EN.html>

Price: US\$ 4,150.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer  
Service:

[info@marketpublishers.com](mailto:info@marketpublishers.com)

## Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click  
button on product page <https://marketpublishers.com/r/FD6C47DE6774EN.html>