

Gallium Nitride (GaN) Power Semiconductor Market Forecasts to 2034 - Global Analysis By Device Type (Power ICs, Power Discrete Devices and Power Modules), Voltage Range, Application, End User and By Geography

<https://marketpublishers.com/r/GFE5C8C8CC7EEN.html>

Date: October 2026

Pages: 200

Price: US\$ 4,150.00 (Single User License)

ID: GFE5C8C8CC7EEN

Abstracts

According to Statistics MRC, the Global Gallium Nitride (GaN) Power Semiconductor Market is accounted for \$3.3 billion in 2026 and is expected to reach \$13.1 billion by 2034 growing at a CAGR of 18.7% during the forecast period. Gallium Nitride (GaN) Power Semiconductors are next-generation devices designed for power conversion, high-speed switching, and efficient energy control in electronic systems. Their material properties provide rapid electron movement, high-frequency operation, reduced energy losses, and opportunities for smaller device designs. GaN technology supports diverse applications including consumer electronics, electric mobility, renewable power, telecommunications infrastructure, data centers, industrial systems, and aerospace equipment. These power devices contribute to the development of compact, lightweight, high-performance, and energy-efficient electronic systems serving increasingly demanding electrical and power management requirements across global markets.

According to the IEA, global electric car sales exceeded 20 million units in 2025, growing 20% from 2024, with electric cars accounting for 25% of all new-car sales worldwide. This supports demand for efficient power semiconductors used in EV charging and power-conversion systems.

Market Dynamics:

Driver:

Rising demand for high-efficiency power electronics

Increasing requirements for energy-efficient power electronics are accelerating adoption of GaN power semiconductors. Compared with traditional silicon devices, GaN components can enable rapid switching, reduced power losses, and greater power density, allowing equipment designers to achieve compact and efficient architectures. Growing use of fast chargers, power adapters, advanced power supplies, consumer electronics, data centers, and industrial equipment is creating additional opportunities for GaN technology. As manufacturers seek improved electrical performance and smaller form factors, demand for GaN-based power solutions continues to expand across diverse applications.

Restraint:

High manufacturing costs and complex production processes

The relatively high cost and complexity associated with GaN device manufacturing can limit market expansion. Producing GaN power semiconductors involves specialized substrates, fabrication techniques, processing equipment, and quality-control procedures that may require greater investment than conventional silicon technologies. Manufacturers must also maintain precise production conditions to achieve consistent performance and reliability. Such requirements can increase overall manufacturing expenses and create barriers to large-scale deployment, especially where customers remain highly price sensitive. Consequently, production economics may restrict the adoption of GaN power devices in some applications and regions.

Opportunity:

Growing adoption in electric vehicles and charging infrastructure

The continued development of electric mobility and charging networks creates opportunities for GaN power semiconductor manufacturers. GaN components offer fast switching, efficient power conversion, and compact designs that can benefit electric vehicle charging equipment, onboard charging systems, auxiliary power units, and related electronics. Automakers and charging infrastructure developers are increasingly seeking power technologies that can improve efficiency while reducing equipment size and thermal requirements. As transportation electrification expands, semiconductor companies have opportunities to introduce application-specific GaN solutions that address the evolving power-management requirements of electric vehicles.

Threat:

Competition from silicon and other wide-bandgap technologies

GaN power semiconductors face competitive pressure from conventional silicon components and other advanced semiconductor materials. Silicon continues to benefit from well-established production capabilities, supply networks, technical expertise, and cost advantages. At the same time, silicon carbide is increasingly used for demanding power applications involving higher voltages, temperatures, and efficiency requirements. Ongoing improvements in competing technologies may provide manufacturers with additional alternatives when selecting power devices. This competitive environment could influence purchasing decisions, technology investments, and the pace of GaN adoption across various power-electronics applications.

Covid-19 Impact:

COVID-19 created initial challenges for the GaN Power Semiconductor Market by disrupting manufacturing operations, supply networks, labor availability, and component deliveries. Weak industrial and automotive activity temporarily reduced demand across several applications. Conversely, rising use of connected devices, telecommunications equipment, data centers, and remote-working technologies increased requirements for efficient power-management components. Growing interest in electrification, rapid charging, renewable power, and energy-efficient electronics subsequently supported renewed demand for GaN semiconductor solutions across multiple end-use sectors.

The power ICs segment is expected to be the largest during the forecast period

The power ICs segment is expected to account for the largest market share during the forecast period because they combine essential power-control, switching, regulation, and conversion functions within electronic devices. GaN technology enables Power ICs to provide compact designs, efficient energy handling, fast switching, and effective thermal characteristics. These components are increasingly incorporated into chargers, power adapters, telecommunications systems, consumer devices, data centers, industrial equipment, and automotive electronics. The growing preference for integrated, compact, and energy-efficient power-management technologies continues to strengthen the role of GaN Power ICs.

The automotive segment is expected to have the highest CAGR during the forecast period

Over the forecast period, the automotive segment is predicted to witness the highest growth rate, driven by increasing vehicle electrification and the expansion of electric and hybrid mobility. GaN components support efficient power conversion, rapid switching, compact system designs, and effective energy management. They can be utilized in onboard charging systems, DC-DC converters, battery-management solutions, power supplies, and auxiliary electronics. Growing requirements for efficient charging, lightweight architectures, and sophisticated automotive electronics are creating significant opportunities for GaN adoption within vehicles.

Region with largest share:

During the forecast period, the Asia-Pacific region is expected to hold the largest market share, driven by its strong electronics manufacturing base and developed semiconductor ecosystem. Countries including China, Japan, South Korea, and Taiwan support regional demand through consumer electronics, telecommunications, automotive applications, and power-management technologies. The presence of integrated supply networks, expanding electric mobility, and rising use of fast-charging systems further supports regional development. Growing data-center requirements and investments in semiconductor production capabilities are also reinforcing Asia-Pacific's prominent position in GaN power semiconductor applications.

Region with highest CAGR:

Over the forecast period, the Asia-Pacific region is anticipated to exhibit the highest CAGR, driven by its expanding semiconductor ecosystem, electronics manufacturing base, electric mobility, and increasing use of fast-charging solutions. China, Japan, South Korea, Taiwan, and India are contributing through investments in semiconductor production and GaN applications. Rising requirements from data centers, telecommunications, renewable energy systems, and advanced power electronics are providing additional growth opportunities. The region's strong manufacturing infrastructure and growing focus on energy efficiency are supporting accelerated adoption of GaN technologies.

Key players in the market

Some of the key players in Gallium Nitride (GaN) Power Semiconductor Market include Infineon Technologies, Navitas Semiconductor, Innoscience, Power Integrations, Inc., Renesas Electronics, Efficient Power Conversion Corporation, Texas Instruments, STMicroelectronics, onsemi, NXP Semiconductors, Wolfspeed, Qorvo, Toshiba,

Mitsubishi Electric, ROHM Co., Ltd., Panasonic Holdings Corporation, Littelfuse Inc. and Alpha and Omega Semiconductor.

Key Developments:

In February 2026, STMicroelectronics (STM) unveiled an expanded multi-year, multi-billion-dollar collaboration with Amazon Web Services (AMZN), spanning multiple product lines, including a warrant issuance to AWS for up to 24.8 million ST shares. The collaboration establishes STMicroelectronics (STM) as a strategic supplier of advanced semiconductor technologies and products that AWS integrates into its compute infrastructure.

In February 2026, Renesas Electronics Corporation and GlobalFoundries announced an expanded strategic collaboration through a multi-billion-dollar manufacturing partnership that broadens Renesas' access to GF technologies including its differentiated technology platforms. This agreement reflects a shared commitment to secure, resilient supply chains and aligns with U.S. priorities to strengthen domestic semiconductor production for economic and national security.

In October 2025, Infineon Technologies AG has signed power purchase agreements (PPA) with PNE AG and Statkraft to procure wind and solar electricity for its German facilities. Under a 10-year deal with German renewables developer and wind power producer PNE AG, Infineon will buy electricity from the Schlenzer and Kittlitz III wind farms in Brandenburg, Germany, which have a combined capacity of 24 MW, for its sites in Dresden, Regensburg, Warstein and Neubiberg near Munich.

Device Types Covered:

Power ICs

Power Discrete Devices

Power Modules

Voltage Ranges Covered:

Low Voltage (Below 200V)

Medium Voltage (200V - 600V)

High Voltage (Above 600V)

Applications Covered:

Power Supply

Wireless Charging

Motor Drives

RF Devices

Inverters

Other Applications

End Users Covered:

Consumer Electronics

Automotive

Industrial

Telecommunications

Aerospace & Defense

Healthcare Equipment

Regions Covered:

North America

United States

Canada

Mexico

Europe

United Kingdom

Germany

France

Italy

Spain

Netherlands

Belgium

Sweden

Switzerland

Poland

Rest of Europe

Asia Pacific

China

Japan

India

South Korea

Australia

Indonesia

Thailand

Malaysia

Singapore

Vietnam

Rest of Asia Pacific

South America

Brazil

Argentina

Colombia

Chile

Peru

Rest of South America

Rest of the World (RoW)

Middle East

Saudi Arabia

United Arab Emirates

Qatar

Israel

Rest of Middle East

Africa

South Africa

Egypt

Morocco

Rest of Africa

What our report offers:

Market share assessments for the regional and country-level segments

Strategic recommendations for the new entrants

Covers Market data for the years 2023, 2024, 2025, 2026, 2027, 2028, 2030, 2032 and 2034

Market Trends (Drivers, Constraints, Opportunities, Threats, Challenges, Investment Opportunities, and recommendations)

Strategic recommendations in key business segments based on the market estimations

Competitive landscaping mapping the key common trends

Company profiling with detailed strategies, financials, and recent developments

Supply chain trends mapping the latest technological advancements

Free Customization Offerings:

All the customers of this report will be entitled to receive one of the following free customization options:

Company Profiling

Comprehensive profiling of additional market players (up to 3)

SWOT Analysis of key players (up to 3)

Regional Segmentation

Market estimations, Forecasts and CAGR of any prominent country as per the client's interest (Note: Depends on feasibility check)

Competitive Benchmarking

Benchmarking of key players based on product portfolio, geographical presence, and strategic alliances

Contents

1 EXECUTIVE SUMMARY

- 1.1 Market Snapshot and Key Highlights
- 1.2 Growth Drivers, Challenges, and Opportunities
- 1.3 Competitive Landscape Overview
- 1.4 Strategic Insights and Recommendations

2 RESEARCH FRAMEWORK

- 2.1 Study Objectives and Scope
- 2.2 Stakeholder Analysis
- 2.3 Research Assumptions and Limitations
- 2.4 Research Methodology
 - 2.4.1 Data Collection (Primary and Secondary)
 - 2.4.2 Data Modeling and Estimation Techniques
 - 2.4.3 Data Validation and Triangulation
 - 2.4.4 Analytical and Forecasting Approach

3 MARKET DYNAMICS AND TREND ANALYSIS

- 3.1 Market Definition and Structure
- 3.2 Key Market Drivers
- 3.3 Market Restraints and Challenges
- 3.4 Growth Opportunities and Investment Hotspots
- 3.5 Industry Threats and Risk Assessment
- 3.6 Technology and Innovation Landscape
- 3.7 Emerging and High-Growth Markets
- 3.8 Regulatory and Policy Environment
- 3.9 Impact of COVID-19 and Recovery Outlook

4 COMPETITIVE AND STRATEGIC ASSESSMENT

- 4.1 Porter's Five Forces Analysis
 - 4.1.1 Supplier Bargaining Power
 - 4.1.2 Buyer Bargaining Power
 - 4.1.3 Threat of Substitutes
 - 4.1.4 Threat of New Entrants

- 4.1.5 Competitive Rivalry
- 4.2 Market Share Analysis of Key Players
- 4.3 Product Benchmarking and Performance Comparison

5 GLOBAL GALLIUM NITRIDE (GAN) POWER SEMICONDUCTOR MARKET, BY DEVICE TYPE

- 5.1 Power ICs
- 5.2 Power Discrete Devices
- 5.3 Power Modules

6 GLOBAL GALLIUM NITRIDE (GAN) POWER SEMICONDUCTOR MARKET, BY VOLTAGE RANGE

- 6.1 Low Voltage (Below 200V)
- 6.2 Medium Voltage (200V - 600V)
- 6.3 High Voltage (Above 600V)

7 GLOBAL GALLIUM NITRIDE (GAN) POWER SEMICONDUCTOR MARKET, BY APPLICATION

- 7.1 Power Supply
- 7.2 Wireless Charging
- 7.3 Motor Drives
- 7.4 RF Devices
- 7.5 Inverters
- 7.6 Other Applications

8 GLOBAL GALLIUM NITRIDE (GAN) POWER SEMICONDUCTOR MARKET, BY END USER

- 8.1 Consumer Electronics
- 8.2 Automotive
- 8.3 Industrial
- 8.4 Telecommunications
- 8.5 Aerospace & Defense
- 8.6 Healthcare Equipment

9 GLOBAL GALLIUM NITRIDE (GAN) POWER SEMICONDUCTOR MARKET, BY

GEOGRAPHY

9.1 North America

9.1.1 United States

9.1.2 Canada

9.1.3 Mexico

9.2 Europe

9.2.1 United Kingdom

9.2.2 Germany

9.2.3 France

9.2.4 Italy

9.2.5 Spain

9.2.6 Netherlands

9.2.7 Belgium

9.2.8 Sweden

9.2.9 Switzerland

9.2.10 Poland

9.2.11 Rest of Europe

9.3 Asia Pacific

9.3.1 China

9.3.2 Japan

9.3.3 India

9.3.4 South Korea

9.3.5 Australia

9.3.6 Indonesia

9.3.7 Thailand

9.3.8 Malaysia

9.3.9 Singapore

9.3.10 Vietnam

9.3.11 Rest of Asia Pacific

9.4 South America

9.4.1 Brazil

9.4.2 Argentina

9.4.3 Colombia

9.4.4 Chile

9.4.5 Peru

9.4.6 Rest of South America

9.5 Rest of the World (RoW)

9.5.1 Middle East

- 9.5.1.1 Saudi Arabia
- 9.5.1.2 United Arab Emirates
- 9.5.1.3 Qatar
- 9.5.1.4 Israel
- 9.5.1.5 Rest of Middle East
- 9.5.2 Africa
 - 9.5.2.1 South Africa
 - 9.5.2.2 Egypt
 - 9.5.2.3 Morocco
 - 9.5.2.4 Rest of Africa

10 STRATEGIC MARKET INTELLIGENCE

- 10.1 Industry Value Network and Supply Chain Assessment
- 10.2 White-Space and Opportunity Mapping
- 10.3 Product Evolution and Market Life Cycle Analysis
- 10.4 Channel, Distributor, and Go-to-Market Assessment

11 INDUSTRY DEVELOPMENTS AND STRATEGIC INITIATIVES

- 11.1 Mergers and Acquisitions
- 11.2 Partnerships, Alliances, and Joint Ventures
- 11.3 New Product Launches and Certifications
- 11.4 Capacity Expansion and Investments
- 11.5 Other Strategic Initiatives

12 COMPANY PROFILES

- 12.1 Infineon Technologies
- 12.2 Navitas Semiconductor
- 12.3 Innoscience
- 12.4 Power Integrations, Inc.
- 12.5 Renesas Electronics
- 12.6 Efficient Power Conversion Corporation
- 12.7 Texas Instruments
- 12.8 STMicroelectronics
- 12.9 onsemi
- 12.10 NXP Semiconductors
- 12.11 Wolfspeed

12.12 Qorvo

12.13 Toshiba

12.14 Mitsubishi Electric

12.15 ROHM Co., Ltd.

12.16 Panasonic Holdings Corporation

12.17 Littelfuse Inc.

12.18 Alpha and Omega Semiconductor

List of Tables

Table 1 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Region (2023-2034) (\$MN)

Table 2 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Device Type (2023-2034) (\$MN)

Table 3 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Power ICs (2023-2034) (\$MN)

Table 4 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Power Discrete Devices (2023-2034) (\$MN)

Table 5 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Power Modules (2023-2034) (\$MN)

Table 6 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Voltage Range (2023-2034) (\$MN)

Table 7 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Low Voltage (Below 200V) (2023-2034) (\$MN)

Table 8 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Medium Voltage (200V - 600V) (2023-2034) (\$MN)

Table 9 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By High Voltage (Above 600V) (2023-2034) (\$MN)

Table 10 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Application (2023-2034) (\$MN)

Table 11 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Power Supply (2023-2034) (\$MN)

Table 12 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Wireless Charging (2023-2034) (\$MN)

Table 13 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Motor Drives (2023-2034) (\$MN)

Table 14 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By RF Devices (2023-2034) (\$MN)

Table 15 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Inverters (2023-2034) (\$MN)

Table 16 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Other

Applications (2023-2034) (\$MN)

Table 17 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By End User (2023-2034) (\$MN)

Table 18 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Consumer Electronics (2023-2034) (\$MN)

Table 19 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Automotive (2023-2034) (\$MN)

Table 20 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Industrial (2023-2034) (\$MN)

Table 21 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Telecommunications (2023-2034) (\$MN)

Table 22 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Aerospace & Defense (2023-2034) (\$MN)

Table 23 Global Gallium Nitride (GaN) Power Semiconductor Market Outlook, By Healthcare Equipment (2023-2034) (\$MN)

Note: Tables for North America, Europe, APAC, South America, and Rest of the World (RoW) Regions are also represented in the same manner as above.

I would like to order

Product name: Gallium Nitride (GaN) Power Semiconductor Market Forecasts to 2034 - Global Analysis
By Device Type (Power ICs, Power Discrete Devices and Power Modules), Voltage
Range, Application, End User and By Geography

Product link: <https://marketpublishers.com/r/GFE5C8C8CC7EEN.html>

Price: US\$ 4,150.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer
Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click
button on product page <https://marketpublishers.com/r/GFE5C8C8CC7EEN.html>