

Chikungunya Fever Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, 2019-2029 Segmented By Diagnosis (ELISA Based Assays, Serological Tests, Virological Tests), By Treatment (Allopathy, Homeopathy, Ayurveda, Others), By End User (Hospital & Clinics, Ambulatory Surgical care, Others) Region and Competition

<https://marketpublishers.com/r/CE8B0CFB2D61EN.html>

Date: February 2024

Pages: 185

Price: US\$ 4,900.00 (Single User License)

ID: CE8B0CFB2D61EN

Abstracts

Global Chikungunya Fever Market was valued at USD 463.23 million in 2023 and is anticipated to project robust growth in the forecast period with a CAGR of 6.38% through 2029. The global Chikungunya Fever market represents a dynamic and evolving sector within the broader healthcare and pharmaceutical industry, focused on addressing the challenges posed by the Chikungunya virus. Chikungunya fever is a mosquito-borne viral disease that has gained prominence in recent years due to its rapid spread and debilitating symptoms, including severe joint pain, fever, and rash. This market encompasses a wide range of products and services, including diagnostic tools, therapeutics, vaccines, and vector control methods, aimed at both preventing and treating Chikungunya virus infections.

The Chikungunya Fever market has witnessed significant growth and innovation in response to the rising global burden of Chikungunya cases. Key factors driving market expansion include the increasing incidence of Chikungunya outbreaks, particularly in tropical and subtropical regions, as well as the lack of specific antiviral treatments for the disease. Diagnostic tools, such as nucleic acid tests and serological assays, have become essential in early detection and accurate diagnosis, facilitating timely patient management and epidemiological surveillance.

In addition to diagnostics, the development of therapeutics and vaccines is a crucial aspect of the Chikungunya Fever market. Researchers and pharmaceutical companies are actively engaged in clinical trials to evaluate the safety and efficacy of potential Chikungunya treatments, including antiviral drugs and monoclonal antibodies. Vaccines, which hold great promise in preventing Chikungunya infections, are also undergoing rigorous testing and are expected to play a pivotal role in controlling the spread of the virus.

Vector control measures are another integral component of the Chikungunya Fever market, aimed at reducing the mosquito populations responsible for transmitting the virus. These measures include the use of insecticides, larvicides, and community-based interventions to limit mosquito breeding sites and population growth.

Key Market Drivers

Rising Incidence of Chikungunya

The rising incidence of Chikungunya is a key driver fueling the growth of the global Chikungunya Fever market. Chikungunya fever, caused by the Chikungunya virus and transmitted by Aedes mosquitoes, has become a significant public health concern due to its rapid global expansion. Climate change increased international travel, and urbanization have all contributed to the wider geographic spread of the disease, leading to more frequent and larger-scale outbreaks. As a result, the World Health Organization (WHO) estimates that millions of people are affected by Chikungunya annually, with over 30 countries and territories reporting outbreaks.

This growing burden of Chikungunya has created a sense of urgency and has spurred investments in research, development, and innovation across various sectors of the Chikungunya Fever market. Healthcare professionals, researchers, and pharmaceutical companies are increasingly focusing on addressing the challenges posed by this mosquito-borne viral disease. Diagnostic tools, therapeutics, vaccines, and vector control methods have all seen heightened interest and development in response to the rising incidence of Chikungunya.

The need for better Chikungunya prevention, diagnosis, and treatment is evident, and this surge in demand is driving market growth. Efforts to develop more accurate diagnostic tests, effective antiviral treatments, and promising vaccine candidates have gained momentum. Additionally, innovative vector control strategies aimed at reducing mosquito populations responsible for transmitting the virus are being explored to

mitigate the risk of outbreaks.

The escalating incidence of Chikungunya represents a critical market driver, compelling stakeholders to take action and invest in solutions that will help combat the disease. With continued research and development efforts, the global Chikungunya Fever market is positioned to make a significant impact in reducing the prevalence and impact of Chikungunya fever on a global scale.

Diagnostic Advancements

Diagnostic advancements are playing a pivotal role in boosting the global Chikungunya Fever market. Accurate and timely diagnosis of Chikungunya is crucial for effective patient management and public health surveillance. Traditional diagnostic methods, such as serological assays, have limitations in terms of sensitivity and specificity, often leading to false-negative results and delayed confirmation of infection. However, recent advances in diagnostic technologies have transformed the landscape of Chikungunya diagnosis, enhancing both speed and accuracy.

One of the most significant breakthroughs has been the adoption of nucleic acid tests, such as polymerase chain reaction (PCR) and loop-mediated isothermal amplification (LAMP) assays. These molecular techniques have revolutionized Chikungunya diagnosis by allowing for the direct detection of the virus's genetic material in patient samples. They offer a higher level of sensitivity and specificity compared to traditional methods, making early and accurate diagnosis a reality. This is especially important because Chikungunya shares clinical symptoms with other arboviral diseases, and a precise diagnosis ensures the appropriate treatment and public health response.

Furthermore, point-of-care testing (POCT) devices and rapid diagnostic kits have become more accessible and efficient. These tools enable healthcare providers to diagnose Chikungunya at the patient's bedside, reducing the time required for confirmation and immediate treatment initiation. POCT devices have been particularly valuable in resource-limited settings where access to advanced laboratory facilities may be limited.

The incorporation of serological assays and nucleic acid tests into routine diagnostic protocols has significantly improved the detection and surveillance of Chikungunya outbreaks. As a result, healthcare professionals and public health agencies can respond more effectively to the disease, implementing control measures and reducing its spread.

Lack of Specific Treatments

The lack of specific antiviral treatments for Chikungunya fever is a major driver fueling the growth of the global Chikungunya Fever market. Chikungunya, caused by the Chikungunya virus, is characterized by debilitating symptoms, including severe joint pain, fever, and rash, and in some cases, it can lead to chronic joint complications that persist for months or even years. With no approved antiviral drugs specifically designed to treat Chikungunya, the disease has presented a significant medical challenge, motivating researchers, healthcare professionals, and pharmaceutical companies to address this treatment gap.

Pharmaceutical companies and research institutions have taken on the task of discovering and developing potential therapeutics to combat Chikungunya. These efforts have led to the investigation of antiviral drugs and monoclonal antibodies, among other treatment modalities. Clinical trials are actively underway to evaluate the safety and efficacy of these potential treatments, with the goal of providing healthcare providers with effective tools to manage severe Chikungunya cases, alleviate symptoms, and reduce the risk of long-term complications.

The absence of specific treatments has created a compelling market demand for Chikungunya therapeutics, as the need to alleviate patient suffering and enhance the quality of life for those affected by the disease becomes increasingly apparent. Consequently, pharmaceutical companies are investing in research and development, with the prospect of bringing novel treatments to the market.

Key Market Challenges

Limited Funding for Research

Limited funding for research is a significant hindrance to the growth and progress of the Global Chikungunya Fever Market. Chikungunya fever, a debilitating mosquito-borne viral disease, has garnered increased attention in recent years due to its rapid spread and the severity of its symptoms, which can persist for an extended period. However, despite its growing global impact, Chikungunya research remains underfunded compared to other infectious diseases of similar significance. One of the primary reasons for limited funding is the competition for resources within the broader healthcare and research landscape. Diseases like HIV/AIDS, malaria, and tuberculosis receive a considerable share of funding due to their well-established global burdens and the substantial efforts to combat them. As a result, Chikungunya, although a significant

public health concern, often struggles to secure the necessary financial support to drive research, innovation, and the development of preventive measures and treatments.

Developing an effective Chikungunya vaccine is a time-consuming and expensive process. Limited funding can slow down vaccine research, delay clinical trials, and hinder progress towards a licensed vaccine. This, in turn, affects the ability to prevent Chikungunya outbreaks effectively.

Limited funding for drug development hampers efforts to discover and test potential antiviral treatments for Chikungunya. The absence of specific drugs to alleviate symptoms and reduce the duration of the illness can significantly impact patients' quality of life and the ability to manage severe cases.

Effective mosquito control strategies, another vital component of Chikungunya prevention, require investment in research. Funding limitations can impede efforts to study and implement innovative vector control measures, including those addressing mosquito resistance to insecticides.

Diagnostic Complexities

Diagnostic complexities are significant obstacles hindering the growth and effectiveness of the Global Chikungunya Fever Market. Chikungunya fever, caused by the Chikungunya virus and transmitted by Aedes mosquitoes, is a viral illness characterized by symptoms such as high fever, severe joint pain, and skin rash. However, diagnosing Chikungunya accurately poses several challenges, which impact patient care and public health response.

One of the primary diagnostic complexities is the overlap of symptoms between Chikungunya and other arboviral diseases, such as Dengue and Zika. These diseases often share clinical features, making it difficult to differentiate between them based solely on symptoms. As a result, misdiagnosis or delayed confirmation of Chikungunya is not uncommon, leading to potential treatment delays and hampering effective epidemiological surveillance.

Traditional diagnostic methods, like serological assays, have limitations in sensitivity and specificity. They may yield false-negative or false-positive results, further complicating the diagnostic process. Cross-reactivity with related viruses, such as Dengue, can lead to false-positive Chikungunya test results, requiring additional confirmatory testing and potentially causing anxiety and confusion for patients.

Key Market Trends

Advancements in Vaccine Development

Advancements in vaccine development are playing a pivotal role in boosting the Global Chikungunya Fever Market. Chikungunya fever, caused by the Chikungunya virus and transmitted by Aedes mosquitoes, has been a growing public health concern due to its widespread global prevalence and debilitating symptoms. The development of a safe and effective Chikungunya vaccine has been a significant priority in the battle against the disease, and recent advancements in this field are driving the market forward.

Vaccine development for Chikungunya has seen remarkable progress in recent years, with several vaccine candidates entering preclinical and clinical trials. These candidates employ diverse strategies, including live-attenuated vaccines and virus-like particle (VLP) vaccines, all aimed at stimulating a protective immune response without causing the disease itself. These vaccine candidates have shown promising results in terms of safety and efficacy, offering hope for an effective preventive measure against Chikungunya.

The prospect of a licensed Chikungunya vaccine holds great promise for public health. Such a vaccine could substantially reduce the incidence of Chikungunya fever, preventing outbreaks and alleviating the burden on healthcare systems. It would not only improve patient outcomes but also limit the economic and social impact of the disease, particularly in regions where Chikungunya is endemic.

Furthermore, the development of a Chikungunya vaccine showcases the potential for innovation in the broader field of infectious disease prevention. These advancements in vaccine development can inform strategies for combating other mosquito-borne viral diseases, ultimately contributing to improved global public health preparedness.

As vaccine candidates progress through clinical trials and regulatory approval processes, the Chikungunya Fever Market is expected to see further growth and investments. The focus on vaccine development provides a promising pathway to effectively control Chikungunya and reduce its impact on individuals and communities worldwide.

Vector Control Strategies

Vector control strategies are playing a significant role in boosting the Global Chikungunya Fever Market. Chikungunya fever, caused by the Chikungunya virus and transmitted by Aedes mosquitoes, has emerged as a considerable global health concern. Vector control measures aim to mitigate the risk of Chikungunya transmission by reducing the mosquito population responsible for carrying and spreading the virus. Recent advancements in these strategies have led to notable progress within the Chikungunya Fever Market.

Traditionally, vector control methods included the use of insecticides and larvicides to target mosquito breeding sites. While these measures have been effective to some extent, challenges such as mosquito resistance to chemicals and the need for sustainable solutions have prompted the development of innovative approaches.

One such approach involves the use of genetically modified mosquitoes to reduce the Aedes mosquito population. By releasing genetically altered male mosquitoes, which do not transmit the virus, into the environment, they can mate with wild female mosquitoes, leading to non-viable offspring. This strategy helps lower mosquito numbers, ultimately reducing the risk of Chikungunya transmission.

Another emerging trend in vector control strategies involves the use of Wolbachia-infected mosquitoes. Wolbachia is a naturally occurring bacterium that, when introduced into Aedes mosquitoes, hinders their ability to transmit the Chikungunya virus. Such Wolbachia-infected mosquito releases have demonstrated success in field trials, contributing to a reduced risk of Chikungunya transmission.

Community-based interventions, including education and awareness programs, have also gained prominence as a key vector control strategy. These initiatives empower communities to eliminate mosquito breeding sites, manage water storage containers, and use bed nets and protective clothing, reducing their exposure to Aedes mosquitoes. Such community-driven efforts are essential in regions where resources are limited and local participation is crucial for successful vector control.

Segmental Insights

Diagnosis Insights

Based on the Diagnosis, Serological tests emerged as the dominant segment in the global market for Global Chikungunya Fever Market in 2023. Serological tests are highly accurate and specific for Chikungunya. They detect the presence of IgM and IgG

antibodies produced by the patient's immune system in response to Chikungunya infection. These antibodies typically become detectable in the blood within a few days to a week after the onset of symptoms. This accuracy is crucial for timely and reliable diagnosis. Serological tests can be used for both acute and convalescent-phase testing. This means that they are valuable not only for diagnosing current Chikungunya infections but also for confirming past infections, even after the acute phase of the disease has passed. This retroactive testing is significant for understanding the disease's epidemiology.

Serological tests are relatively cost-effective, making them a practical choice for large-scale screening and surveillance efforts. They are particularly useful in areas where resources may be limited, and cost considerations play a crucial role in test selection.

Treatment Insights

Based on the Treatment, Allopathy emerged as the dominant segment in the global market for Global Chikungunya Fever Market in 2023. Allopathic treatments for Chikungunya primarily focus on relieving the symptoms and managing the pain and discomfort associated with the disease. Nonsteroidal anti-inflammatory drugs (NSAIDs) such as ibuprofen and paracetamol are commonly used to reduce fever, pain, and inflammation. These medications have a proven track record of efficacy in providing symptomatic relief to Chikungunya patients. Allopathy is the dominant and widely accepted system of medicine around the world. Healthcare professionals, including physicians and nurses, are extensively trained in allopathic medicine, and this system is the foundation of healthcare systems in many countries. The familiarity and trust associated with allopathy make it the first choice for both patients and healthcare providers.

Regional Insights

North America emerged as the dominant player in the Global Chikungunya Fever Market in 2023, holding the largest market share. The region is home to numerous pharmaceutical and biotechnology companies that are actively involved in Chikungunya research and development. These organizations are at the forefront of vaccine and therapeutic development, contributing to the market's advancements. North America has a well-organized public health system that can effectively respond to disease outbreaks. This ability to coordinate public health efforts, including vector control and disease surveillance, plays a crucial role in managing Chikungunya and reducing its

impact. North America has been a leader in the development and adoption of advanced diagnostic technologies, including molecular diagnostic methods. These innovations enhance the accuracy and timeliness of Chikungunya diagnosis, a key aspect of disease management.

Key Market Players

Quest Diagnostics, Inc

Alere Inc.

Genome Diagnostics Pvt. Ltd.

Altona Diagnostics

Bio-Rad Laboratories, Inc.

Sanat Products Ltd.

Taj Pharmaceuticals Ltd.

Etubics Corporation

Report Scope:

In this report, the Global Chikungunya Fever Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Global Chikungunya Fever Market, By Diagnosis:

ELISA Based Assays

Serological Tests

Virological Tests

Global Chikungunya Fever Market, By Treatment:

Allopathy

Homeopathy

Ayurveda

Others

Global Chikungunya Fever Market, By End User:

Hospital & Clinics

Ambulatory Surgical care

Others

Global Chikungunya Fever Market, By Region:

North America

United States

Canada

Mexico

Europe

France

United Kingdom

Italy

Germany

Spain

Asia-Pacific

China

India

Japan

Australia

South Korea

South America

Brazil

Argentina

Colombia

Middle East & Africa

South Africa

Saudi Arabia

UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Chikungunya Fever Market.

Available Customizations:

Global Chikungunya Fever Market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following

Chikungunya Fever Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, 2019-2029 Segmented...

customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

Contents

1. Product Overview
 - 1.1. Market Definition
 - 1.2. Scope of the Market
 - 1.2.1. Markets Covered
 - 1.2.2. Years Considered for Study
 - 1.2.3. Key Market Segmentations

2. RESEARCH METHODOLOGY

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Key Industry Partners
- 2.4. Major Association and Secondary Sources
- 2.5. Forecasting Methodology
- 2.6. Data Triangulation & Validation
- 2.7. Assumptions and Limitations

3. EXECUTIVE SUMMARY

- 3.1. Overview of the Market
- 3.2. Overview of Key Market Segmentations
- 3.3. Overview of Key Market Players
- 3.4. Overview of Key Regions/Countries
- 3.5. Overview of Market Drivers, Challenges, Trends

4. GLOBAL CHIKUNGUNYA FEVER MARKET OUTLOOK

- 4.1. Market Size & Forecast
 - 4.1.1. By Value
- 4.2. Market Share & Forecast
 - 4.2.1. By Diagnosis (ELISA Based Assays, Serological Tests, Virological Tests)
 - 4.2.2. By Treatment (Allopathy, Homeopathy, Ayurveda, Others)
 - 4.2.3. By End User (Hospital & Clinics, Ambulatory Surgical care, Others)
 - 4.2.4. By Region
 - 4.2.5. By Company (2023)
- 4.3. Market Map
 - 4.3.1. By Diagnosis

- 4.3.2. By Treatment
- 4.3.3. By End User
- 4.3.4. By Region

5. ASIA PACIFIC CHIKUNGUNYA FEVER MARKET OUTLOOK

- 5.1. Market Size & Forecast
 - 5.1.1. By Value
- 5.2. Market Share & Forecast
 - 5.2.1. By Diagnosis
 - 5.2.2. By Treatment
 - 5.2.3. By End User
 - 5.2.4. By Country
- 5.3. Asia Pacific: Country Analysis
 - 5.3.1. China Chikungunya Fever Market Outlook
 - 5.3.1.1. Market Size & Forecast
 - 5.3.1.1.1. By Value
 - 5.3.1.2. Market Share & Forecast
 - 5.3.1.2.1. By Diagnosis
 - 5.3.1.2.2. By Treatment
 - 5.3.1.2.3. By End User
 - 5.3.2. India Chikungunya Fever Market Outlook
 - 5.3.2.1. Market Size & Forecast
 - 5.3.2.1.1. By Value
 - 5.3.2.2. Market Share & Forecast
 - 5.3.2.2.1. By Diagnosis
 - 5.3.2.2.2. By Treatment
 - 5.3.2.2.3. By End User
 - 5.3.3. Australia Chikungunya Fever Market Outlook
 - 5.3.3.1. Market Size & Forecast
 - 5.3.3.1.1. By Value
 - 5.3.3.2. Market Share & Forecast
 - 5.3.3.2.1. By Diagnosis
 - 5.3.3.2.2. By Treatment
 - 5.3.3.2.3. By End User
 - 5.3.4. Japan Chikungunya Fever Market Outlook
 - 5.3.4.1. Market Size & Forecast
 - 5.3.4.1.1. By Value
 - 5.3.4.2. Market Share & Forecast

- 5.3.4.2.1. By Diagnosis
- 5.3.4.2.2. By Treatment
- 5.3.4.2.3. By End User
- 5.3.5. South Korea Chikungunya Fever Market Outlook
 - 5.3.5.1. Market Size & Forecast
 - 5.3.5.1.1. By Value
 - 5.3.5.2. Market Share & Forecast
 - 5.3.5.2.1. By Diagnosis
 - 5.3.5.2.2. By Treatment
 - 5.3.5.2.3. By End User

6. EUROPE CHIKUNGUNYA FEVER MARKET OUTLOOK

- 6.1. Market Size & Forecast
 - 6.1.1. By Value
- 6.2. Market Share & Forecast
 - 6.2.1. By Diagnosis
 - 6.2.2. By Treatment
 - 6.2.3. By End User
 - 6.2.4. By Country
- 6.3. Europe: Country Analysis
 - 6.3.1. France Chikungunya Fever Market Outlook
 - 6.3.1.1. Market Size & Forecast
 - 6.3.1.1.1. By Value
 - 6.3.1.2. Market Share & Forecast
 - 6.3.1.2.1. By Diagnosis
 - 6.3.1.2.2. By Treatment
 - 6.3.1.2.3. By End User
 - 6.3.2. Germany Chikungunya Fever Market Outlook
 - 6.3.2.1. Market Size & Forecast
 - 6.3.2.1.1. By Value
 - 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Diagnosis
 - 6.3.2.2.2. By Treatment
 - 6.3.2.2.3. By End User
 - 6.3.3. Spain Chikungunya Fever Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value
 - 6.3.3.2. Market Share & Forecast

- 6.3.3.2.1. By Diagnosis
- 6.3.3.2.2. By Treatment
- 6.3.3.2.3. By End User
- 6.3.4. Italy Chikungunya Fever Market Outlook
 - 6.3.4.1. Market Size & Forecast
 - 6.3.4.1.1. By Value
 - 6.3.4.2. Market Share & Forecast
 - 6.3.4.2.1. By Diagnosis
 - 6.3.4.2.2. By Treatment
 - 6.3.4.2.3. By End User
- 6.3.5. United Kingdom Chikungunya Fever Market Outlook
 - 6.3.5.1. Market Size & Forecast
 - 6.3.5.1.1. By Value
 - 6.3.5.2. Market Share & Forecast
 - 6.3.5.2.1. By Diagnosis
 - 6.3.5.2.2. By Treatment
 - 6.3.5.2.3. By End User

7. NORTH AMERICA CHIKUNGUNYA FEVER MARKET OUTLOOK

- 7.1. Market Size & Forecast
 - 7.1.1. By Value
- 7.2. Market Share & Forecast
 - 7.2.1. By Diagnosis
 - 7.2.2. By Treatment
 - 7.2.3. By End User
 - 7.2.4. By Country
- 7.3. North America: Country Analysis
 - 7.3.1. United States Chikungunya Fever Market Outlook
 - 7.3.1.1. Market Size & Forecast
 - 7.3.1.1.1. By Value
 - 7.3.1.2. Market Share & Forecast
 - 7.3.1.2.1. By Diagnosis
 - 7.3.1.2.2. By Treatment
 - 7.3.1.2.3. By End User
 - 7.3.2. Mexico Chikungunya Fever Market Outlook
 - 7.3.2.1. Market Size & Forecast
 - 7.3.2.1.1. By Value
 - 7.3.2.2. Market Share & Forecast

- 7.3.2.2.1. By Diagnosis
- 7.3.2.2.2. By Treatment
- 7.3.2.2.3. By End User
- 7.3.3. Canada Chikungunya Fever Market Outlook
 - 7.3.3.1. Market Size & Forecast
 - 7.3.3.1.1. By Value
 - 7.3.3.2. Market Share & Forecast
 - 7.3.3.2.1. By Diagnosis
 - 7.3.3.2.2. By Treatment
 - 7.3.3.2.3. By End User

8. SOUTH AMERICA CHIKUNGUNYA FEVER MARKET OUTLOOK

- 8.1. Market Size & Forecast
 - 8.1.1. By Value
- 8.2. Market Share & Forecast
 - 8.2.1. By Diagnosis
 - 8.2.2. By Treatment
 - 8.2.3. By End User
 - 8.2.4. By Country
- 8.3. South America: Country Analysis
 - 8.3.1. Brazil Chikungunya Fever Market Outlook
 - 8.3.1.1. Market Size & Forecast
 - 8.3.1.1.1. By Value
 - 8.3.1.2. Market Share & Forecast
 - 8.3.1.2.1. By Diagnosis
 - 8.3.1.2.2. By Treatment
 - 8.3.1.2.3. By End User
 - 8.3.2. Argentina Chikungunya Fever Market Outlook
 - 8.3.2.1. Market Size & Forecast
 - 8.3.2.1.1. By Value
 - 8.3.2.2. Market Share & Forecast
 - 8.3.2.2.1. By Diagnosis
 - 8.3.2.2.2. By Treatment
 - 8.3.2.2.3. By End User
 - 8.3.3. Colombia Chikungunya Fever Market Outlook
 - 8.3.3.1. Market Size & Forecast
 - 8.3.3.1.1. By Value
 - 8.3.3.2. Market Share & Forecast

- 8.3.3.2.1. By Diagnosis
- 8.3.3.2.2. By Treatment
- 8.3.3.2.3. By End User

9. MIDDLE EAST AND AFRICA CHIKUNGUNYA FEVER MARKET OUTLOOK

- 9.1. Market Size & Forecast
 - 9.1.1. By Value
- 9.2. Market Share & Forecast
 - 9.2.1. By Diagnosis
 - 9.2.2. By Treatment
 - 9.2.3. By End User
 - 9.2.4. By Country
- 9.3. MEA: Country Analysis
 - 9.3.1. South Africa Chikungunya Fever Market Outlook
 - 9.3.1.1. Market Size & Forecast
 - 9.3.1.1.1. By Value
 - 9.3.1.2. Market Share & Forecast
 - 9.3.1.2.1. By Diagnosis
 - 9.3.1.2.2. By Treatment
 - 9.3.1.2.3. By End User
 - 9.3.2. Saudi Arabia Chikungunya Fever Market Outlook
 - 9.3.2.1. Market Size & Forecast
 - 9.3.2.1.1. By Value
 - 9.3.2.2. Market Share & Forecast
 - 9.3.2.2.1. By Diagnosis
 - 9.3.2.2.2. By Treatment
 - 9.3.2.2.3. By End User
 - 9.3.3. UAE Chikungunya Fever Market Outlook
 - 9.3.3.1. Market Size & Forecast
 - 9.3.3.1.1. By Value
 - 9.3.3.2. Market Share & Forecast
 - 9.3.3.2.1. By Diagnosis
 - 9.3.3.2.2. By Treatment
 - 9.3.3.2.3. By End User

10. MARKET DYNAMICS

- 10.1. Drivers

10.2. Challenges

11. MARKET TRENDS & DEVELOPMENTS

11.1. Recent Developments

11.2. Product Launches

11.3. Mergers & Acquisitions

12. GLOBAL CHIKUNGUNYA FEVER MARKET: SWOT ANALYSIS

13. PORTER'S FIVE FORCES ANALYSIS

13.1. Competition in the Industry

13.2. Potential of New Entrants

13.3. Power of Suppliers

13.4. Power of Customers

13.5. Threat of Substitute Product

14. COMPETITIVE LANDSCAPE

14.1. Quest Diagnostics, Inc

14.1.1. Business Overview

14.1.2. Company Snapshot

14.1.3. Products & Services

14.1.4. Financials (In case of listed)

14.1.5. Recent Developments

14.1.6. SWOT Analysis

14.2. Alere Inc.

14.3. Genome Diagnostics Pvt. Ltd.

14.4. Altona Diagnostics

14.5. Bio-Rad Laboratories, Inc.

14.6. Sanat Products Ltd.

14.7. Taj Pharmaceuticals Ltd.

14.8. Etubics Corporation

15. STRATEGIC RECOMMENDATIONS

16. ABOUT US & DISCLAIMER

I would like to order

Product name: Chikungunya Fever Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, 2019-2029 Segmented By Diagnosis (ELISA Based Assays, Serological Tests, Virological Tests), By Treatment (Allopathy, Homeopathy, Ayurveda, Others), By End User (Hospital & Clinics, Ambulatory Surgical care, Others) Region and Competition

Product link: <https://marketpublishers.com/r/CE8B0CFB2D61EN.html>

Price: US\$ 4,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/CE8B0CFB2D61EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below
and fax the completed form to +44 20 7900 3970