

Fipronil Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Form (Powder Formulation and Liquid Formulation), By Application (Agriculture, Turf Products, Seed Treatment, Pet Care Products, Gel Baits, and Liquid Termiticides), By Region and Competition, 2019-2029F

<https://marketpublishers.com/r/F3B4C57C9315EN.html>

Date: August 2024

Pages: 180

Price: US\$ 4,900.00 (Single User License)

ID: F3B4C57C9315EN

Abstracts

Global Fipronil Market was valued at USD 359.18 Million in 2023 and is anticipated to project impressive growth in the forecast period with a CAGR of 3.74% through 2029. The global fipronil market is driven primarily by increasing demand for effective pest control solutions across agriculture and public health sectors. Fipronil's broad-spectrum efficacy against a range of pests, including insects that damage crops and vectors of diseases, makes it a valuable tool in pest management. The rise in agricultural production to meet global food demands further boosts its use in crop protection. The expansion of residential and commercial pest control services supports market growth. Regulatory approvals for new formulations and the development of more efficient delivery systems also contribute to market expansion. As pest resistance to other chemicals grows, fipronil's role in integrated pest management strategies becomes increasingly crucial, driving its market demand.

Key Market Drivers

Increasing Agricultural Productivity Needs

The growing global demand for agricultural productivity is a major driver of the fipronil market. As the world's population expands, the need for efficient and increased food production becomes more pressing. This demand places significant pressure on

agricultural systems to maximize output and ensure food security. Fipronil, a versatile and broad-spectrum insecticide, is crucial in meeting these demands by providing effective pest control solutions. It targets a wide range of pests that pose threats to crops, thereby preventing crop damage and reducing yield losses. This insecticide is particularly valuable in the face of growing pest resistance to other chemical treatments. Fipronil's ability to manage and control pest populations that have developed resistance to alternative products ensures that it remains a preferred choice for farmers striving to protect their crops and enhance productivity. Farmers are increasingly relying on fipronil to manage persistent pest issues that can severely impact agricultural outputs. Its effectiveness in controlling various insect pests, including those resistant to other chemicals, makes it an essential tool in integrated pest management systems. This reliance on fipronil reflects its significant role in boosting crop health and productivity, which directly contributes to meeting the rising global food demand. By improving crop yields and ensuring that plants are less susceptible to pest-related damage, fipronil helps enhance overall agricultural efficiency and sustainability.

The use of fipronil supports agricultural sustainability by helping farmers maintain healthy crops over time. The insecticide's broad-spectrum activity allows for comprehensive pest management, reducing the need for multiple different chemicals and simplifying pest control practices. This can lead to better environmental outcomes by minimizing chemical usage and reducing the risk of pesticide resistance development. The sustained efficacy of fipronil in controlling a wide range of pests contributes to its continued use and growing market presence.

The effectiveness of fipronil also extends to its role in increasing the economic viability of farming operations. By mitigating pest damage and improving crop yields, fipronil enhances farmers' profitability and productivity. This economic benefit is crucial as agricultural producers face increasing costs and pressures to optimize their operations. Fipronil's ability to deliver consistent and reliable results makes it a valuable asset in maximizing returns on agricultural investments. The growing global demand for agricultural productivity drives the fipronil market by emphasizing the need for effective pest control solutions. Fipronil's ability to manage a wide range of pests, including those resistant to other chemicals, ensures its role in boosting crop yields and supporting sustainable farming practices. Its contribution to enhancing crop health, increasing productivity, and improving economic returns for farmers underscores its importance in meeting the rising food demands of a growing population. As agricultural systems adapt to these demands, fipronil continues to play a crucial role in the global agricultural landscape.

Expansion of Pest Control Services

The expansion of residential and commercial pest control services is another major driver of the global fipronil market. As urbanization increases and living standards improve, there is a growing need for effective pest control solutions in homes, offices, and other commercial spaces. Fipronil's efficacy in managing a wide range of pests, including termites, ants, and cockroaches, makes it a preferred choice for pest control professionals. The rise in awareness about the health risks associated with pest infestations, such as allergies and diseases, further fuels demand for reliable pest control products. The growth of the pest control industry, driven by urbanization and increased health consciousness, directly impacts the demand for fipronil-based solutions. In June 2022, Sulphur Mills Limited introduced two new products, Imara and Judwaa G, in Indore, Madhya Pradesh. Imara, a unique innovation, features a technical formulation of 0.6% Fipronil, 70% Sulphur, and 13% Zinc Oxide, and is the world's first patented insecticide with integrated nutrition. This water-dispersible granule (WDG) product is recommended for application at a rate of 4 kg per acre, ideally 15 to 20 days after transplanting paddy or 25 to 30 days after sowing direct-seeded paddy. The product should be mixed uniformly with soil or fertilizer. This timing is critical for creating a protective barrier against stem borer attacks while simultaneously delivering essential nutrients.

Growth in Livestock Farming

The expansion of livestock farming globally represents a significant driver of the fipronil market. As the demand for meat, dairy, and other animal products continues to rise due to growing global populations and changing dietary preferences, livestock farming is experiencing considerable growth. This expansion places an increased emphasis on maintaining the health and productivity of farm animals, making effective pest management solutions more crucial than ever. Livestock farms face numerous challenges related to parasites and pests, which can have substantial impacts on animal health and productivity. External parasites such as fleas, ticks, and lice can cause a range of health issues in livestock, including discomfort, anemia, and transmission of diseases. These parasites can also lead to reduced weight gain, lower milk production, and overall diminished productivity, which translates to significant economic losses for farmers. To mitigate these risks and maintain optimal livestock health, farmers rely on effective pest control solutions. According to Ministry of Fisheries, Animal Husbandry and Dairying, the livestock sector experienced a Compound Annual Growth Rate (CAGR) of 13.36% from 2014-15 to 2021-22. Its share of the total Gross Value Added (GVA) in agriculture and allied sectors rose from 24.38%

in 2014-15 to 30.19% in 2021-22. In 2021-22, the sector contributed 5.73% to the total GVA. According to the 20th Livestock Census, the country is home to approximately 303.76 million bovines (including cattle, buffalo, mithun, and yak), 74.26 million sheep, 148.88 million goats, 9.06 million pigs, and about 851.81 million poultry.

Fipronil is a highly effective insecticide used to control these external parasites in livestock. Its broad-spectrum activity ensures that it can target a variety of pests, providing comprehensive protection for animals. Fipronil's mode of action interferes with the nervous system of insects, leading to their elimination while being safe for the livestock when used according to recommended guidelines. This makes fipronil a valuable tool in integrated pest management systems designed to maintain animal health and productivity. The growth in meat and dairy production is directly linked to the need for improved pest control solutions. As livestock numbers increase to meet the rising consumer demand for animal products, the potential for parasite infestations also grows. Farmers must manage larger herds and flocks, often in varying environmental conditions that can exacerbate pest problems. This increased scale of livestock operations necessitates the use of effective and reliable pest management products like fipronil to ensure that animals remain healthy and productive.

Rising Awareness of Pest-Borne Diseases

The increasing awareness of pest-borne diseases is a significant driver for the fipronil market. As public health concerns about diseases transmitted by pests, such as mosquitoes and ticks, grow, there is a heightened demand for effective pest control solutions. Fipronil's ability to manage pests that are vectors for diseases like malaria, dengue, and Lyme disease makes it a critical tool in disease prevention. Governments and health organizations are investing in pest control measures to mitigate the spread of these diseases, further increasing the demand for fipronil. The focus on reducing the health impacts of pest-borne diseases drives the market for fipronil and similar insecticides.

Key Market Challenges

Regulatory Challenges and Compliance Issues

The global fipronil market faces significant challenges related to regulatory compliance and evolving regulations. Fipronil, a broad-spectrum insecticide, has been subject to stringent regulatory scrutiny due to its potential environmental and health impacts. Regulatory agencies, such as the U.S. Environmental Protection Agency (EPA) and the

European Chemicals Agency (ECHA), continuously review and update guidelines for the use of fipronil. These regulations often involve rigorous testing and documentation requirements to ensure the safety and efficacy of the product. In many regions, the approval process for fipronil products can be lengthy and complex. Companies must navigate a maze of regulatory frameworks, which can vary significantly from one country to another. For instance, while fipronil may be approved for use in one country, it might face restrictions or even bans in another due to differing environmental and health safety standards. This can create substantial barriers for manufacturers looking to market their products globally.

Recent trends show an increasing focus on reducing the environmental impact of pesticides, leading to stricter regulations on their use. In some regions, there is growing concern about the potential for fipronil to contaminate water sources and affect non-target species. This has resulted in the imposition of tighter restrictions on its application rates and usage patterns. Companies must invest in additional research and development to meet these evolving standards, which can increase operational costs and delay product launches. Compliance with these regulations requires significant resources, including extensive testing, documentation, and ongoing monitoring. Non-compliance can result in substantial fines, product recalls, and damage to a company's reputation. Therefore, navigating the complex regulatory landscape and ensuring compliance with diverse and evolving regulations is a major challenge for the global fipronil market.

Environmental and Ecological Concerns

Environmental and ecological concerns pose another significant challenge for the fipronil market. As a powerful insecticide, fipronil has the potential to impact non-target species and disrupt ecosystems if not used properly. Studies have shown that fipronil can affect aquatic organisms, birds, and beneficial insects, raising concerns about its broader ecological footprint.

One of the primary environmental concerns is the potential for fipronil runoff into water bodies. When fipronil is applied to agricultural fields or lawns, there is a risk of it being washed into nearby rivers, lakes, or streams, where it can harm aquatic life. This can lead to contamination of drinking water sources and negatively impact biodiversity. The persistence of fipronil in the environment further exacerbates these risks, as it can remain active for extended periods, potentially affecting ecosystems long after application.

In addition, the impact of fipronil on beneficial insects, such as bees, has been a subject of significant concern. Bees play a crucial role in pollination, and their decline due to pesticide exposure can have severe consequences for crop yields and ecosystem health. The potential harm to such non-target species can lead to public backlash and increased regulatory pressure, making it challenging for companies to balance effective pest control with environmental stewardship. Addressing these ecological concerns requires ongoing research into the environmental impact of fipronil and the development of safer application practices. Companies must invest in measures to minimize the environmental footprint of their products, such as improving application techniques to reduce runoff and exploring alternative formulations with lower ecological risks. Failure to address these concerns adequately can result in negative publicity, regulatory restrictions, and increased scrutiny from environmental groups.

Key Market Trends

Increased Use in Vector Control Programs

The increased use of fipronil in vector control programs significantly drives the growth of the global fipronil market. Vector control programs are critical initiatives aimed at managing and reducing populations of disease-carrying insects, such as mosquitoes, ticks, and fleas. These vectors are responsible for transmitting a range of severe and sometimes fatal diseases, including malaria, dengue fever, Zika virus, Lyme disease, and Rocky Mountain spotted fever. Effective control of these insect populations is essential for safeguarding public health and mitigating the impact of these diseases. Fipronil, a broad-spectrum insecticide, plays a crucial role in these vector control programs due to its high efficacy against various insect vectors. Its mode of action targets the nervous system of insects, leading to their death while posing minimal risk to humans and animals when used appropriately. This makes fipronil a valuable asset in the arsenal of tools used to manage and control vector populations. By controlling these pests, fipronil helps reduce the transmission rates of vector-borne diseases, contributing to public health improvements.

The rise in government and international health organizations' initiatives to combat vector-borne diseases has led to increased demand for effective vector control solutions. These initiatives often involve comprehensive strategies that include surveillance, monitoring, and targeted interventions to manage vector populations. Fipronil is increasingly being integrated into these strategies due to its proven effectiveness and versatility. Its use in vector control extends to various applications, including outdoor residential treatments, urban pest management, and agricultural

settings, where vectors are prevalent.

Government agencies and international health organizations are investing significantly in vector control programs to address the growing burden of vector-borne diseases. These investments include funding for research, development, and deployment of pest control measures. As part of these efforts, fipronil-based products are being utilized to enhance the efficacy of vector control programs. The emphasis on improving public health and reducing the incidence of vector-borne diseases creates a favorable environment for the growth of the fipronil market. The increasing awareness of the impact of vector-borne diseases on global health drives the demand for effective control measures. The emergence of new vector-borne diseases and the spread of existing ones highlight the need for robust pest management solutions. Fipronil's role in addressing these challenges supports its growing use in vector control programs. The need to protect populations from these diseases ensures that there is a continued focus on developing and utilizing effective insecticides like fipronil.

Advancements in Formulation Technology

Advancements in formulation technology have profoundly impacted the global fipronil market, driving growth and enhancing the utility of this crucial insecticide. Innovations in the development of fipronil formulations have led to significant improvements in how the product is delivered and its overall effectiveness. These technological advancements are reshaping the market landscape by offering enhanced pest control solutions, addressing environmental concerns, and expanding fipronil's applications across various sectors.

One of the key advancements in fipronil formulation technology is the development of microencapsulated products. Microencapsulation involves enclosing fipronil in tiny, protective capsules that release the active ingredient gradually over time. This slow-release mechanism not only prolongs the effectiveness of the insecticide but also reduces the frequency of application required. The extended residual activity of microencapsulated fipronil ensures prolonged pest control, making it particularly useful in managing persistent pest infestations. The controlled release reduces the potential for environmental contamination and minimizes the impact on non-target organisms. Another significant advancement is the introduction of slow-release formulations. These products are designed to release fipronil at a controlled rate, ensuring that the insecticide remains effective over an extended period. Slow-release formulations are especially valuable in scenarios where long-term pest management is required, such as in agricultural fields, livestock facilities, and urban pest control. By providing sustained

protection, these formulations help in maintaining optimal pest control while reducing the need for frequent reapplications. This not only improves the efficiency of pest management but also contributes to cost savings for users.

Segmental Insights

Form Insights

Based on the Form, liquid formulations are currently dominating over powder formulations. This dominance can be attributed to several factors, including ease of application, effectiveness, and versatility. Liquid fipronil formulations are widely preferred due to their convenience and efficiency in pest control applications across various sectors, including agriculture, veterinary care, and public health. One of the primary reasons liquid formulations are favored is their ease of application. Liquid fipronil products can be readily mixed with water or other carriers, making them simple to apply using a range of equipment, such as sprayers and injectors. This versatility allows for precise and uniform distribution of the insecticide, ensuring effective pest control. Liquid formulations are particularly advantageous in large-scale agricultural settings where broad coverage is required. They can be efficiently sprayed over crops, fields, or livestock areas, maximizing the reach and impact of the treatment.

In contrast, powder formulations, while effective, require a more labor-intensive application process. Powders need to be carefully dispersed or mixed with water before application, which can be cumbersome and time-consuming. Powders are more prone to drift or uneven distribution, which can reduce their effectiveness. The need for specialized equipment to handle and apply powders further complicates their use, making them less convenient compared to liquid formulations. Effectiveness is another key factor driving the dominance of liquid formulations. Liquid fipronil products often feature advanced formulation technologies, such as microencapsulation or slow-release mechanisms, that enhance their performance. These technologies allow for better adherence to surfaces, prolonged efficacy, and targeted action against pests. Liquid formulations can penetrate into cracks, crevices, and other hard-to-reach areas, providing comprehensive pest control that is not easily achievable with powder products.

Application Insights

Based on the Application segment, the agricultural sector is currently the dominant driver in the global fipronil market. This dominance can be attributed to the widespread

use of fipronil in pest management practices that significantly impact crop yields and agricultural productivity. The effectiveness of fipronil in controlling a broad spectrum of pests makes it an essential tool for farmers striving to protect their crops and optimize their harvests. In agriculture, fipronil is primarily used to manage pests that threaten various crops, including cereals, grains, oilseeds, and vegetables. It targets a wide range of harmful insects such as beetles, ants, termites, and weevils, which can cause substantial damage to crops and reduce yields. The increasing global demand for food and the need to enhance crop productivity drive the adoption of fipronil-based solutions in agriculture. Farmers rely on fipronil to prevent pest infestations that can lead to significant economic losses and ensure a successful growing season.

The effectiveness of fipronil in agriculture is supported by its broad-spectrum activity and long-lasting residual effects. It provides a reliable solution for managing pest populations that can develop resistance to other chemicals. This makes fipronil a preferred choice in integrated pest management (IPM) systems, where it complements other pest control measures to achieve comprehensive and sustainable results. The ability of fipronil to address resistant pest populations further solidifies its role in the agricultural sector. In contrast, while other applications such as turf products, seed treatments, pet care products, gel baits, and liquid termiticides are also significant, they do not match the scale and impact of fipronil's use in agriculture. For example, turf products and liquid termiticides, while important for specific pest control needs, represent smaller segments of the market compared to agricultural applications. Turf products focus on maintaining healthy lawns and landscapes, whereas liquid termiticides are primarily used in construction and structural pest control. Both are essential but do not drive the market to the same extent as agricultural use.

Regional Insights

North America was the dominated region, driven by its advanced agricultural sector, robust pest management practices, and substantial investment in agricultural technologies. The region's prominence in the fipronil market is largely due to its extensive use of fipronil in various applications, including agriculture, turf management, and pest control. North America, particularly the United States and Canada, represents a significant share of the global fipronil market. The agricultural landscape in these countries is characterized by large-scale farming operations and high-value crops, creating a substantial demand for effective pest control solutions. Fipronil's broad-spectrum activity and efficacy in managing a wide range of pests make it a preferred choice among North American farmers. The region's focus on maximizing crop yields and addressing pest issues effectively drives the adoption of fipronil-based products.

The agricultural sector in North America benefits from advanced farming practices and technologies, which further support the use of fipronil. Precision agriculture, which includes GPS-guided equipment and advanced monitoring systems, enhances the application of fipronil, ensuring targeted and efficient pest control. This integration of fipronil into modern agricultural practices contributes to its dominance in the region. North American farmers rely on fipronil to manage resistant pest populations and protect crops, reinforcing its importance in the agricultural sector. In the United States, fipronil is widely used in various agricultural applications, including row crops, vegetables, and fruit orchards. The demand for fipronil is supported by government regulations and support programs that promote effective pest management and crop protection. The U.S. Environmental Protection Agency (EPA) has approved fipronil for several uses, contributing to its widespread adoption in the country.

Key Market Players

BASF SE

FMC Corporation

Parijat Industries (India) Pvt. Ltd

GSP Crop Science Private Limited

Gharda Chemicals Limited

Insecticides (India) Ltd.

Bharat Rasayan Ltd.

Himani Industries Limited

Dhanuka Agritech Ltd.

HPM Chemicals and Fertilizers Limited

Report Scope:

In this report, the Global Fipronil Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Fipronil Market, By Form:

Powder Formulation

Liquid Formulation

Fipronil Market, By Application:

Agriculture

Turf Products

Seed Treatment

Pet Care Products

Gel Baits

Liquid Termiticides

Fipronil Market, By Region:

North America

United States

Canada

Mexico

Europe

France

United Kingdom

Italy

Germany

Spain

Asia-Pacific

China

India

Japan

Australia

South Korea

South America

Brazil

Argentina

Colombia

Middle East & Africa

South Africa

Saudi Arabia

UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Fipronil Market.

Available Customizations:

Global Fipronil market report with the given market data, TechSci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

Contents

1. PRODUCT OVERVIEW

- 1.1. Market Definition
- 1.2. Scope of the Market
 - 1.2.1. Markets Covered
 - 1.2.2. Years Considered for Study
 - 1.2.3. Key Market Segmentations

2. RESEARCH METHODOLOGY

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Key Industry Partners
- 2.4. Major Association and Secondary Sources
- 2.5. Forecasting Methodology
- 2.6. Data Triangulation & Validations
- 2.7. Assumptions and Limitations

3. EXECUTIVE SUMMARY

- 3.1. Overview of the Market
- 3.2. Overview of Key Market Segmentations
- 3.3. Overview of Key Market Players
- 3.4. Overview of Key Regions/Countries
- 3.5. Overview of Market Drivers, Challenges, Trends

4. VOICE OF CUSTOMER

5. GLOBAL FIPRONIL MARKET OUTLOOK

- 5.1. Market Size & Forecast
 - 5.1.1. By Value
- 5.2. Market Share & Forecast
 - 5.2.1. By Form (Powder Formulation and Liquid Formulation)
 - 5.2.2. By Application (Agriculture, Turf Products, Seed Treatment, Pet Care Products, Gel Baits, and Liquid Termiticides)
 - 5.2.3. By Region

- 5.2.4. By Company (2023)
- 5.3. Market Map

6. NORTH AMERICA FIPRONIL MARKET OUTLOOK

- 6.1. Market Size & Forecast
 - 6.1.1. By Value
- 6.2. Market Share & Forecast
 - 6.2.1. By Form
 - 6.2.2. By Application
 - 6.2.3. By Country
- 6.3. North America: Country Analysis
 - 6.3.1. United States Fipronil Market Outlook
 - 6.3.1.1. Market Size & Forecast
 - 6.3.1.1.1. By Value
 - 6.3.1.2. Market Share & Forecast
 - 6.3.1.2.1. By Form
 - 6.3.1.2.2. By Application
 - 6.3.2. Canada Fipronil Market Outlook
 - 6.3.2.1. Market Size & Forecast
 - 6.3.2.1.1. By Value
 - 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Form
 - 6.3.2.2.2. By Application
 - 6.3.3. Mexico Fipronil Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value
 - 6.3.3.2. Market Share & Forecast
 - 6.3.3.2.1. By Form
 - 6.3.3.2.2. By Application

7. EUROPE FIPRONIL MARKET OUTLOOK

- 7.1. Market Size & Forecast
 - 7.1.1. By Value
- 7.2. Market Share & Forecast
 - 7.2.1. By Form
 - 7.2.2. By Application
 - 7.2.3. By Country

7.3. Europe: Country Analysis

7.3.1. Germany Fipronil Market Outlook

7.3.1.1. Market Size & Forecast

7.3.1.1.1. By Value

7.3.1.2. Market Share & Forecast

7.3.1.2.1. By Form

7.3.1.2.2. By Application

7.3.2. United Kingdom Fipronil Market Outlook

7.3.2.1. Market Size & Forecast

7.3.2.1.1. By Value

7.3.2.2. Market Share & Forecast

7.3.2.2.1. By Form

7.3.2.2.2. By Application

7.3.3. Italy Fipronil Market Outlook

7.3.3.1. Market Size & Forecast

7.3.3.1.1. By Value

7.3.3.2. Market Share & Forecast

7.3.3.2.1. By Form

7.3.3.2.2. By Application

7.3.4. France Fipronil Market Outlook

7.3.4.1. Market Size & Forecast

7.3.4.1.1. By Value

7.3.4.2. Market Share & Forecast

7.3.4.2.1. By Form

7.3.4.2.2. By Application

7.3.5. Spain Fipronil Market Outlook

7.3.5.1. Market Size & Forecast

7.3.5.1.1. By Value

7.3.5.2. Market Share & Forecast

7.3.5.2.1. By Form

7.3.5.2.2. By Application

8. ASIA-PACIFIC FIPRONIL MARKET OUTLOOK

8.1. Market Size & Forecast

8.1.1. By Value

8.2. Market Share & Forecast

8.2.1. By Form

8.2.2. By Application

8.2.3. By Country

8.3. Asia-Pacific: Country Analysis

8.3.1. China Fipronil Market Outlook

8.3.1.1. Market Size & Forecast

8.3.1.1.1. By Value

8.3.1.2. Market Share & Forecast

8.3.1.2.1. By Form

8.3.1.2.2. By Application

8.3.2. India Fipronil Market Outlook

8.3.2.1. Market Size & Forecast

8.3.2.1.1. By Value

8.3.2.2. Market Share & Forecast

8.3.2.2.1. By Form

8.3.2.2.2. By Application

8.3.3. Japan Fipronil Market Outlook

8.3.3.1. Market Size & Forecast

8.3.3.1.1. By Value

8.3.3.2. Market Share & Forecast

8.3.3.2.1. By Form

8.3.3.2.2. By Application

8.3.4. South Korea Fipronil Market Outlook

8.3.4.1. Market Size & Forecast

8.3.4.1.1. By Value

8.3.4.2. Market Share & Forecast

8.3.4.2.1. By Form

8.3.4.2.2. By Application

8.3.5. Australia Fipronil Market Outlook

8.3.5.1. Market Size & Forecast

8.3.5.1.1. By Value

8.3.5.2. Market Share & Forecast

8.3.5.2.1. By Form

8.3.5.2.2. By Application

9. SOUTH AMERICA FIPRONIL MARKET OUTLOOK

9.1. Market Size & Forecast

9.1.1. By Value

9.2. Market Share & Forecast

9.2.1. By Form

- 9.2.2. By Application
- 9.2.3. By Country
- 9.3. South America: Country Analysis
 - 9.3.1. Brazil Fipronil Market Outlook
 - 9.3.1.1. Market Size & Forecast
 - 9.3.1.1.1. By Value
 - 9.3.1.2. Market Share & Forecast
 - 9.3.1.2.1. By Form
 - 9.3.1.2.2. By Application
 - 9.3.2. Argentina Fipronil Market Outlook
 - 9.3.2.1. Market Size & Forecast
 - 9.3.2.1.1. By Value
 - 9.3.2.2. Market Share & Forecast
 - 9.3.2.2.1. By Form
 - 9.3.2.2.2. By Application
 - 9.3.3. Colombia Fipronil Market Outlook
 - 9.3.3.1. Market Size & Forecast
 - 9.3.3.1.1. By Value
 - 9.3.3.2. Market Share & Forecast
 - 9.3.3.2.1. By Form
 - 9.3.3.2.2. By Application

10. MIDDLE EAST AND AFRICA FIPRONIL MARKET OUTLOOK

- 10.1. Market Size & Forecast
 - 10.1.1. By Value
- 10.2. Market Share & Forecast
 - 10.2.1. By Form
 - 10.2.2. By Application
 - 10.2.3. By Country
- 10.3. MEA: Country Analysis
 - 10.3.1. South Africa Fipronil Market Outlook
 - 10.3.1.1. Market Size & Forecast
 - 10.3.1.1.1. By Value
 - 10.3.1.2. Market Share & Forecast
 - 10.3.1.2.1. By Form
 - 10.3.1.2.2. By Application
 - 10.3.2. Saudi Arabia Fipronil Market Outlook
 - 10.3.2.1. Market Size & Forecast

- 10.3.2.1.1. By Value
- 10.3.2.2. Market Share & Forecast
 - 10.3.2.2.1. By Form
 - 10.3.2.2.2. By Application
- 10.3.3. UAE Fipronil Market Outlook
 - 10.3.3.1. Market Size & Forecast
 - 10.3.3.1.1. By Value
 - 10.3.3.2. Market Share & Forecast
 - 10.3.3.2.1. By Form
 - 10.3.3.2.2. By Application

11. MARKET DYNAMICS

- 11.1. Drivers
- 11.2. Challenges

12. MARKET TRENDS & DEVELOPMENTS

- 12.1. Merger & Acquisition (If Any)
- 12.2. Product Launches (If Any)
- 12.3. Recent Developments

13. PORTER'S FIVE FORCES ANALYSIS

- 13.1. Competition in the Industry
- 13.2. Potential of New Entrants
- 13.3. Power of Suppliers
- 13.4. Power of Customers
- 13.5. Threat of Substitute Products

14. COMPETITIVE LANDSCAPE

- 14.1. BASF SE
 - 14.1.1. Business Overview
 - 14.1.2. Company Snapshot
 - 14.1.3. Products & Services
 - 14.1.4. Financials (As Reported)
 - 14.1.5. Recent Developments
 - 14.1.6. Key Personnel Details

- 14.1.7. SWOT Analysis
- 14.2. FMC Corporation
- 14.3. Parijat Industries (India) Pvt. Ltd
- 14.4. GSP Crop Science Private Limited
- 14.5. Gharda Chemicals Limited
- 14.6. Insecticides (India) Ltd.
- 14.7. Bharat Rasayan Ltd.
- 14.8. Himani Industries Limited
- 14.9. Dhanuka Agritech Ltd.
- 14.10. HPM Chemicals and Fertilizers Limited

15. STRATEGIC RECOMMENDATIONS

16. ABOUT US & DISCLAIMER

I would like to order

Product name: Fipronil Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Form (Powder Formulation and Liquid Formulation), By Application (Agriculture, Turf Products, Seed Treatment, Pet Care Products, Gel Baits, and Liquid Termiticides), By Region and Competition, 2019-2029F

Product link: <https://marketpublishers.com/r/F3B4C57C9315EN.html>

Price: US\$ 4,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/F3B4C57C9315EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below
and fax the completed form to +44 20 7900 3970