

# **Germany Temporary Power Market Segmented By Fuel Type (Diesel Generator, Gas Generator and Others), By Power Rating (Less Than 80 Kw, 81 Kw–280 Kw, 281 Kw–600 Kw and Above 600 Kw), By End-User (Utilities, Events, Oil & Gas, Construction, Mining, Manufacturing and Others), By Region, and By Competition, 2018-2028F**

<https://marketpublishers.com/r/G39D78FB2827EN.html>

Date: November 2023

Pages: 70

Price: US\$ 3,500.00 (Single User License)

ID: G39D78FB2827EN

## **Abstracts**

Germany Temporary Power Market has valued at USD 385.81 million in 2022 and is anticipated to project robust growth in the forecast period with a CAGR of 8.12% through 2028. Germany's shift towards renewable energy necessitates extensive construction and infrastructure development. This includes the establishment of wind farms, solar installations, and grid enhancements. Temporary power services are crucial to meet the energy requirements for construction, commissioning, and ongoing maintenance. Consequently, there exists a consistent demand for temporary power solutions.

### **Key Market Drivers**

#### **Increasing Demand for Temporary Power in Germany**

The temporary power market in Germany is being fueled by a significant rise in demand for dependable and flexible power solutions. This surge in demand can be attributed to several factors.

Firstly, Germany's transition to renewable energy sources, particularly wind and solar, has resulted in an intermittent power supply. While these sources are crucial for a

sustainable future, they are weather-dependent and often generate excess energy during periods of low demand while falling short during high-demand periods. This intermittency necessitates backup power sources to maintain a stable grid and prevent power outages.

Secondly, the growth of industrial activities and construction projects in Germany has led to an increased need for temporary power solutions. Manufacturing, data centers, and construction industries heavily rely on uninterrupted power to sustain their operations. Temporary power solutions, such as mobile generators, are vital in bridging energy gaps during maintenance, expansion, or emergencies.

Lastly, Germany's thriving event and entertainment industry, which hosts numerous festivals, concerts, and large-scale events throughout the year, demands significant power resources for lighting, sound, and other crucial services. Temporary power solutions play a pivotal role in ensuring the smooth execution of these events, thus driving the growing demand for temporary power in the country.

In conclusion, the rising demand for temporary power in Germany is primarily driven by the transition to renewable energy sources, the expansion of industrial and construction activities, and the vibrant event and entertainment industry. These factors underscore the significance of reliable and flexible temporary power solutions in maintaining a stable and uninterrupted power supply in the country.

## Energy Transition & Grid Resilience

Germany's ambitious energy transition, known as the "Energiewende," serves as a significant catalyst for the temporary power market in the country. This transition involves a shift from fossil fuels to renewable energy sources, such as wind, solar, and biomass, along with the phased-out nuclear power. While this transition remains indispensable for sustainability, it presents challenges to the stability and resilience of the power grid.

One primary driver is the intermittency of renewable energy sources. Solar and wind power generation can exhibit substantial fluctuations depending on weather conditions, potentially creating gaps in the energy supply. Temporary power solutions, including mobile generators and energy storage systems, play a vital role in bridging these gaps and ensuring grid stability.

Furthermore, the decommissioning of nuclear power plants has reduced Germany's

baseload power capacity. Temporary power solutions offer quick and reliable backup power during periods of high demand or unexpected outages, thereby enhancing grid resilience and preventing blackouts.

Moreover, as Germany transitions to a decentralized energy system with a higher share of distributed energy resources (DERs), such as rooftop solar panels and small-scale wind turbines, the seamless integration of these resources into the grid necessitates temporary power solutions. Temporary power infrastructure can effectively manage and balance the energy flow from DERs, thereby augmenting the grid's reliability.

In conclusion, Germany's energy transition and the associated challenges to grid stability and resilience are driving the demand for temporary power solutions. These solutions play a pivotal role in bridging gaps in renewable energy generation, providing backup power, and seamlessly integrating distributed energy resources. They ensure a reliable and robust power grid during this transformative period.

### Infrastructure Development & Urbanization

The temporary power market in Germany is experiencing significant growth attributed to ongoing infrastructure development and urbanization trends. Several factors contribute to this driving force.

Firstly, urbanization is on the rise in Germany, with an increasing number of people relocating to cities and metropolitan areas. As cities expand, there is a heightened demand for critical infrastructure, such as roads, bridges, tunnels, and public transportation systems. Many of these infrastructure projects require temporary power solutions to support construction activities, provide lighting, and operate machinery.

Secondly, Germany is making substantial investments in renewable energy infrastructure, including the construction of wind farms and solar parks. These projects often take place in remote or undeveloped areas where the electrical grid infrastructure is limited. Temporary power solutions, such as mobile generators and substations, play a crucial role in supplying the necessary energy during construction and commissioning phases.

Thirdly, the growth of data centers and technology hubs in Germany has resulted in an increased need for reliable and scalable power solutions. Data centers require uninterrupted power to maintain critical operations, and temporary power infrastructure ensures continuous energy supply during maintenance, upgrades, or emergencies.

Furthermore, as Germany strives to enhance its transportation infrastructure, electric vehicle (EV) charging stations are becoming more prevalent. These charging stations often require temporary power connections during installation and can benefit from flexible, mobile power solutions.

In summary, the demand for temporary power solutions in Germany is driven by infrastructure development and urbanization trends. As cities expand, renewable energy projects proliferate, data centers grow, and EV infrastructure is developed, temporary power becomes an integral part of ensuring the reliable and continuous supply of electricity to support these initiatives.

## Key Market Challenges

### Regulatory Complexity & Environmental Concerns

One of the primary challenges facing the temporary power market in Germany is the intricate regulatory environment and the growing emphasis on environmental sustainability. Germany has stringent regulations governing power generation, emissions, and environmental protection, which can create obstacles for temporary power providers.

Firstly, environmental concerns are of utmost importance in Germany, a country renowned for its dedication to reducing greenhouse gas emissions and transitioning to renewable energy sources. Temporary power solutions often rely on diesel generators, which emit carbon dioxide and other pollutants. Meeting stringent emission standards and addressing air quality concerns can present a significant challenge for temporary power providers. This challenge is further amplified by the pressure to reduce carbon footprints, which may result in increased scrutiny and potential limitations on the use of diesel generators.

Secondly, navigating the complex permitting and regulatory landscape in Germany can be a time-consuming and costly process for temporary power companies. Acquiring the necessary licenses and approvals for temporary power projects can cause delays in deployment, affecting the ability to respond promptly to power emergencies or meet construction deadlines. Regulatory compliance may also involve adhering to noise restrictions and conducting environmental impact assessments, further adding to the complexity.

Thirdly, integrating temporary power solutions into the existing energy market poses challenges. Germany's energy market is rapidly evolving, with a focus on decentralized energy generation and grid stability. Coordinating temporary power sources with the grid and ensuring seamless energy flow can be technically challenging, particularly during periods of high renewable energy generation or grid fluctuations.

In conclusion, the regulatory complexity and environmental concerns in Germany present significant challenges to the temporary power market. Striking a balance between the need for reliable power solutions and strict emission standards, while navigating the intricate regulatory landscape, requires innovative approaches and a steadfast commitment to sustainability.

### Transition to Renewable Energy Sources

Germany's ambitious shift towards renewable energy sources presents both opportunities and challenges for the temporary power market. While the transition to renewables is crucial for sustainability, it brings specific hurdles for the temporary power industry.

Firstly, the intermittent nature of renewable energy sources like wind and solar power can result in energy supply gaps. This intermittency necessitates reliable backup power solutions to maintain grid stability. However, the challenge lies in seamlessly integrating these backup power sources with the variable renewable energy generation. Ensuring the availability of temporary power solutions without impeding the clean energy transition is a complex task.

Secondly, the decreasing reliance on traditional baseload power plants, such as coal and nuclear, introduces uncertainty in the energy market. Temporary power providers must adapt to these changing dynamics and remain agile in responding to shifts in demand and supply. This may involve investing in more flexible and efficient power generation technologies to align with the evolving energy landscape.

Lastly, as Germany expands its renewable energy capacity, there is a growing emphasis on energy storage solutions, such as batteries. These storage systems can offer backup power during periods of low renewable energy generation. However, temporary power providers face the challenge of staying competitive and relevant in a market where energy storage is increasingly integrated into the energy infrastructure.

In summary, the transition to renewable energy sources in Germany presents

challenges to the temporary power market, including the seamless integration of backup power, adaptation to changing market dynamics, and competition with emerging energy storage technologies.

## Market Competition & Economic Factors

The temporary power market in Germany encounters substantial challenges associated with market competition and economic factors, which can impact the profitability and sustainability of temporary power providers.

Firstly, market saturation and intense competition present prevalent challenges. Germany boasts a mature and well-established temporary power industry with numerous providers offering a wide range of services. This heightened level of competition can result in price pressure and diminished profit margins, rendering it arduous for companies to invest in new technologies or maintain a competitive edge.

Secondly, economic factors, such as fluctuating fuel prices, can influence the cost-effectiveness of temporary power solutions. Diesel fuel, commonly employed in generators, is susceptible to price volatility, which can affect the operational costs of temporary power providers. Economic downturns or recessionary periods can also contribute to reduced demand for temporary power services, as construction projects and industrial activities may decelerate, thus impacting the revenue of temporary power companies.

Lastly, financing and capital investment challenges can impede the expansion of the temporary power market. Acquiring the necessary capital for equipment purchase and maintenance can be costly. Additionally, securing financing for long-term projects or investments in cleaner and more efficient technologies may prove challenging, particularly for smaller players in the market.

In conclusion, market competition, economic factors, and financing challenges pose significant obstacles to the temporary power market in Germany. Companies operating in this sector must navigate these challenges to maintain profitability and adapt to evolving market conditions.

## Key Market Trends

### Growth of Clean and Sustainable Solutions in the German Temporary Power Market



One notable trend in the German temporary power market is the increasing demand for clean and sustainable power solutions. As Germany continues its ambitious transition to renewable energy sources, temporary power providers are embracing environmentally-friendly alternatives to traditional diesel generators.

A key driver of this trend is the focus on reducing greenhouse gas emissions and addressing climate change. Temporary power solutions powered by natural gas or biodiesel, which emit fewer emissions compared to conventional diesel generators, are gaining popularity. These cleaner options align with Germany's commitment to environmental sustainability and its renewable energy goals.

Additionally, there is a growing adoption of advanced energy storage systems. Battery-based energy storage solutions, combined with renewable energy sources like solar and wind, are being integrated into temporary power setups. These energy storage systems enable efficient load management, reduce emissions, and ensure uninterrupted power supply during fluctuations in renewable energy generation. They are particularly valuable for providing grid stability in regions with a high share of intermittent renewables.

Furthermore, hydrogen-based power generation is emerging as a promising trend in the temporary power market. Hydrogen fuel cells offer a clean energy alternative, emitting only water vapor when generating electricity. As the technology becomes more cost-effective and hydrogen infrastructure develops, it is expected to play a more significant role in the temporary power sector, especially in scenarios where emissions reduction is critical.

In summary, the growth of clean and sustainable solutions in the German temporary power market is driven by environmental concerns, the integration of renewable energy, and the emergence of advanced technologies like hydrogen fuel cells and energy storage systems. Temporary power providers that embrace these trends are well-positioned to meet the evolving needs of environmentally-conscious clients and align with Germany's sustainable energy goals.

### Digitalization and Remote Monitoring

The temporary power market in Germany is currently undergoing a significant shift towards digitalization and remote monitoring, leading to improved efficiency, reliability, and management of temporary power systems.

A crucial aspect of this trend is the implementation of smart sensors and monitoring devices in temporary power equipment. These sensors can provide real-time data on the performance and condition of generators, transformers, and other components. Remote monitoring enables predictive maintenance, helping operators identify and address issues before they result in downtime or failures. This proactive approach enhances the reliability of temporary power solutions, minimizing the risk of unexpected outages.

Moreover, digitalization allows for more effective load management and optimization of power generation. Through real-time monitoring and data analytics, temporary power providers can adjust power output based on actual demand, thereby reducing fuel consumption and emissions. This capability proves particularly valuable in scenarios where power needs fluctuate, such as construction sites or events.

Additionally, remote monitoring facilitates remote control and management of temporary power assets, improving operational efficiency and reducing the need for on-site personnel. This trend aligns with the broader Industry 4.0 movement, which emphasizes automation and data-driven decision-making across various industries.

Furthermore, digitalization enhances the customer experience in the temporary power market. Clients can access real-time data on power usage, monitor fuel levels, and receive automated alerts, providing greater transparency and control over their temporary power systems.

In summary, the ongoing trend towards digitalization and remote monitoring is revolutionizing the German temporary power market by improving reliability, optimizing power generation, reducing operational costs, and enhancing the overall customer experience. This trend is expected to continue evolving as technology advances and the demand for efficient and data-driven solutions grows.

## Segmental Insights

### Fuel Type Insights

The Diesel Generator segment emerged as the dominant player in 2022. Diesel generators are renowned for their reliability and versatility, making them indispensable for critical operations and industries such as healthcare, data centers, and manufacturing. In Germany, a wide range of events including festivals, exhibitions, and trade shows take place, where uninterrupted power supply is crucial. This presents



lucrative opportunities for providers in this segment.

To align with environmental regulations and meet the growing demand for cleaner power solutions, providers can invest in low-emission diesel generators or explore technologies like exhaust after-treatment systems. Combining diesel generators with renewable energy sources and energy storage can offer more sustainable and efficient solutions. Additionally, providers can explore the potential of offering hybrid power systems that reduce reliance on diesel fuel. By implementing remote monitoring and control systems, efficiency and maintenance of diesel generators can be enhanced, reducing downtime and providing clients with real-time visibility into their power supply.

### End-User Insights

The Utilities segment is projected to experience rapid growth during the forecast period. The utilities sector in the German Temporary Power Market encompasses the provision of temporary power solutions to utilities companies. These companies, which include electricity and water utilities, often require backup power for planned maintenance, emergencies, or to support critical infrastructure. Grid resilience is a top priority for utilities companies in Germany to ensure uninterrupted power distribution to consumers. Temporary power solutions, such as mobile generators, play a crucial role in maintaining grid stability during maintenance, repairs, or unforeseen disruptions. Germany's transition to renewable energy sources brings forth challenges related to grid management due to intermittent power generation. Temporary power providers can offer support by supplying backup power when renewable sources fall short.

To attract utilities companies aiming to reduce their carbon footprint and comply with environmental regulations, offering eco-friendly temporary power solutions like natural gas generators or hydrogen fuel cells can be advantageous. Energy storage solutions, such as battery systems, can provide utilities with efficient backup power options. Temporary power providers can explore partnerships with energy storage companies to offer comprehensive solutions. In addition to power solutions, utilities require ongoing maintenance and support for their power infrastructure. By offering maintenance contracts alongside power solutions, temporary power providers can establish long-term relationships.

### Regional Insights

North-East emerged as the dominant player in the Germany Temporary Power market in 2022. Northeast Germany encompasses major cities such as Berlin, characterized by

high population density and significant industrial and commercial activities. These urban centers drive demand for temporary power solutions, particularly in construction projects, events, and critical infrastructure. The region's proximity to the Baltic Sea has facilitated the development of offshore wind farms, making the integration of renewable energy sources with temporary power solutions crucial for ensuring a reliable energy supply during wind farm construction and grid connection.

Moreover, Northeast Germany boasts considerable solar potential, especially during the summer months. Temporary power providers can explore opportunities to support solar projects with backup power solutions during overcast periods or at night. Aligned with the nation's commitment to reducing carbon emissions, Northeastern states present prospects for temporary power providers to offer low-emission or zero-emission power solutions, such as natural gas generators or hydrogen fuel cells.

Berlin and other cities in the region serve as hosts for various events and exhibitions. Temporary power providers can distinguish themselves by offering environmentally friendly power solutions that cater to the growing demand for sustainable practices. Additionally, the region plays a pivotal role in transportation infrastructure development, encompassing road and rail networks. Temporary power providers can support construction and maintenance projects for these critical infrastructure assets.

Notably, Berlin and other cities in Northeast Germany are emerging as data center hubs that require reliable and uninterrupted power supply. Temporary power companies can target this sector by offering backup and scalable power solutions. Furthermore, the region hosts numerous cultural, sporting, and entertainment events throughout the year, presenting an opportunity for temporary power providers to ensure seamless power supply for large-scale events, exhibitions, and festivals.

In summary, the North-Eastern region of Germany offers a distinctive array of opportunities and challenges in the temporary power market. Providers can leverage the region's urban centers, renewable energy potential, commitment to sustainability, and involvement in infrastructure development to establish a strong presence and contribute to Germany's ongoing energy transition efforts.

## Key Market Players

Aggreko

Caterpillar Inc.

Atlas Copco

Zeppelin Rental

Agility Power Solutions

Bredenoord

K?hler-Becker

Thevenin GmbH

Zeppelin Mobile Systeme GmbH

Himoinsa GmbH

Report Scope:

In this report, the Germany Temporary Power Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Germany Temporary Power Market, By Fuel Type:

Diesel Generator

Gas Generator

Others

Germany Temporary Power Market, By Power Rating:

Less Than 80 Kw

81 Kw–280 Kw

281 Kw–600 Kw

Above 600 Kw

Germany Temporary Power Market, By End-User:

Utilities

Events

Oil & Gas

Construction

Mining

Manufacturing

Others

Germany Temporary Power Market, By Region:

North-West

North-East

South-West

South-East

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Germany Temporary Power Market.

Available Customizations:

Germany Temporary Power Market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

*Germany Temporary Power Market Segmented By Fuel Type (Diesel Generator, Gas Generator and Others), By Power R...*

## Company Information

Detailed analysis and profiling of additional market players (up to five).

## Contents

### **1. PRODUCT OVERVIEW**

- 1.1. Market Definition
- 1.2. Scope of the Market
  - 1.2.1. Markets Covered
  - 1.2.2. Years Considered for Study
  - 1.2.3. Key Market Segmentations

### **2. RESEARCH METHODOLOGY**

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Formulation of the Scope
- 2.4. Assumptions and Limitations
- 2.5. Sources of Research
  - 2.5.1. Secondary Research
  - 2.5.2. Primary Research
- 2.6. Approach for the Market Study
  - 2.6.1. The Bottom-Up Approach
  - 2.6.2. The Top-Down Approach
- 2.7. Methodology Followed for Calculation of Market Size & Market Shares
- 2.8. Forecasting Methodology
  - 2.8.1. Data Triangulation & Validation

### **3. EXECUTIVE SUMMARY**

### **4. IMPACT OF COVID-19 ON GERMANY TEMPORARY POWER MARKET**

### **5. VOICE OF CUSTOMER**

### **6. GERMANY TEMPORARY POWER MARKET OVERVIEW**

### **7. GERMANY TEMPORARY POWER MARKET OUTLOOK**



## 7.1. Market Size & Forecast

### 7.1.1. By Value

## 7.2. Market Share & Forecast

### 7.2.1. By Fuel Type (Diesel Generator, Gas Generator and Others)

### 7.2.2. By Power Rating (Less Than 80 Kw, 81 Kw–280 Kw, 281 Kw–600 Kw and Above 600 Kw)

### 7.2.3. By End-User (Utilities, Events, Oil & Gas, Construction, Mining, Manufacturing and Others)

### 7.2.4. By Region (North-West, North-East, South-West and South-East)

## 7.3. By Company (2022)

## 7.4. Market Map

# 8. NORTH-WEST TEMPORARY POWER MARKET OUTLOOK

## 8.1. Market Size & Forecast

### 8.1.1. By Value

## 8.2. Market Share & Forecast

### 8.2.1. By Fuel Type

### 8.2.2. By Power Rating

### 8.2.3. By End-User

# 9. NORTH-EAST TEMPORARY POWER MARKET OUTLOOK

## 9.1. Market Size & Forecast

### 9.1.1. By Value

## 9.2. Market Share & Forecast

### 9.2.1. By Fuel Type

### 9.2.2. By Power Rating

### 9.2.3. By End-User

# 10. SOUTH-WEST TEMPORARY POWER MARKET OUTLOOK

## 10.1. Market Size & Forecast

### 10.1.1. By Value

## 10.2. Market Share & Forecast

### 10.2.1. By Fuel Type

### 10.2.2. By Power Rating

### 10.2.3. By End-User

## **11. SOUTH-EAST TEMPORARY POWER MARKET OUTLOOK**

### **11.1. Market Size & Forecast**

#### **11.1.1. By Value**

### **11.2. Market Share & Forecast**

#### **11.2.1. By Fuel Type**

#### **11.2.2. By Power Rating**

#### **11.2.3. By End-User**

## **12. MARKET DYNAMICS**

### **12.1. Drivers**

### **12.2. Challenges**

## **13. MARKET TRENDS AND DEVELOPMENTS**

## **14. COMPANY PROFILES**

### **14.1. Aggreko**

#### **14.1.1. Business Overview**

#### **14.1.2. Key Revenue and Financials**

#### **14.1.3. Recent Developments**

#### **14.1.4. Key Personnel/Key Contact Person**

#### **14.1.5. Key Product/Services Offered**

### **14.2. Caterpillar Inc.**

#### **14.2.1. Business Overview**

#### **14.2.2. Key Revenue and Financials**

#### **14.2.3. Recent Developments**

#### **14.2.4. Key Personnel/Key Contact Person**

#### **14.2.5. Key Product/Services Offered**

### **14.3. Atlas Copco**

#### **14.3.1. Business Overview**

#### **14.3.2. Key Revenue and Financials**

#### **14.3.3. Recent Developments**

#### **14.3.4. Key Personnel/Key Contact Person**

#### **14.3.5. Key Product/Services Offered**

### **14.4. Zeppelin Rental**

- 14.4.1. Business Overview
- 14.4.2. Key Revenue and Financials
- 14.4.3. Recent Developments
- 14.4.4. Key Personnel/Key Contact Person
- 14.4.5. Key Product/Services Offered
- 14.5. Agility Power Solutions
  - 14.5.1. Business Overview
  - 14.5.2. Key Revenue and Financials
  - 14.5.3. Recent Developments
  - 14.5.4. Key Personnel/Key Contact Person
  - 14.5.5. Key Product/Services Offered
- 14.6. Bredenoord
  - 14.6.1. Business Overview
  - 14.6.2. Key Revenue and Financials
  - 14.6.3. Recent Developments
  - 14.6.4. Key Personnel/Key Contact Person
  - 14.6.5. Key Product/Services Offered
- 14.7. K?hler-Becker
  - 14.7.1. Business Overview
  - 14.7.2. Key Revenue and Financials
  - 14.7.3. Recent Developments
  - 14.7.4. Key Personnel/Key Contact Person
  - 14.7.5. Key Product/Services Offered
- 14.8. Thevenin GmbH
  - 14.8.1. Business Overview
  - 14.8.2. Key Revenue and Financials
  - 14.8.3. Recent Developments
  - 14.8.4. Key Personnel/Key Contact Person
  - 14.8.5. Key Product/Services Offered
- 14.9. Zeppelin Mobile Systeme GmbH
  - 14.9.1. Business Overview
  - 14.9.2. Key Revenue and Financials
  - 14.9.3. Recent Developments
  - 14.9.4. Key Personnel/Key Contact Person
  - 14.9.5. Key Product/Services Offered
- 14.10. Himoina GmbH
  - 14.10.1. Business Overview
  - 14.10.2. Key Revenue and Financials
  - 14.10.3. Recent Developments

14.10.4. Key Personnel/Key Contact Person

14.10.5. Key Product/Services Offered

## **15. STRATEGIC RECOMMENDATIONS**

About Us & Disclaimer

## I would like to order

Product name: Germany Temporary Power Market Segmented By Fuel Type (Diesel Generator, Gas Generator and Others), By Power Rating (Less Than 80 Kw, 81 Kw–280 Kw, 281 Kw–600 Kw and Above 600 Kw), By End-User (Utilities, Events, Oil & Gas, Construction, Mining, Manufacturing and Others), By Region, and By Competition, 2018-2028F

Product link: <https://marketpublishers.com/r/G39D78FB2827EN.html>

Price: US\$ 3,500.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

[info@marketpublishers.com](mailto:info@marketpublishers.com)

## Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/G39D78FB2827EN.html>