

GRC Cladding Market – Global Industry Size, Share, Trends, Opportunity, and Forecast Segmented By Process (Spray, Premix, and Hybrid), By Application (Commercial, Residential, Public), By Region, By Competition Forecast & Opportunities, 2018-2028F

<https://marketpublishers.com/r/G19BFBF030CDEN.html>

Date: October 2023

Pages: 190

Price: US\$ 4,900.00 (Single User License)

ID: G19BFBF030CDEN

Abstracts

Global GRC Cladding Market has valued at USD 3.08 billion in 2022 and is anticipated to project robust growth in the forecast period with a CAGR of 15.20% through 2028.

The GRC Cladding market refers to the sector within the construction and building materials industry that focuses on the production, distribution, and application of Glass Reinforced Concrete (GRC) cladding systems. GRC Cladding is a versatile and innovative construction material known for its exceptional combination of strength, durability, and aesthetic flexibility. GRC Cladding involves the use of composite materials, typically consisting of cement, sand, glass fibers, and polymers, to create lightweight yet robust cladding panels. These panels are used to cover the exterior surfaces of buildings, offering protection, insulation, and an array of design possibilities. The market encompasses various stakeholders, including manufacturers, architects, builders, developers, and contractors, who utilize GRC Cladding to enhance the appearance, functionality, and sustainability of structures. GRC Cladding can mimic the appearance of natural materials like stone or wood while providing superior weather resistance, fire safety, and energy efficiency.

The GRC Cladding market is influenced by factors such as architectural trends, sustainability initiatives, regulatory compliance, and construction demand. It plays a pivotal role in modern construction by offering a balance between aesthetics and performance, making it a sought-after choice for a wide range of building projects, from residential and commercial structures to institutional and industrial facilities.

Key Market Drivers

Growing Emphasis on Sustainable Construction

The global construction industry is undergoing a significant transformation with a growing emphasis on sustainability. This shift towards eco-friendly building practices is a major driver of the GRC Cladding market. GRC, which stands for Glass Reinforced Concrete, is known for its environmentally friendly attributes. GRC is a sustainable building material that combines the durability of concrete with the lightweight and flexible properties of glass fibers. It offers numerous advantages, including energy efficiency, reduced carbon footprint, and the ability to incorporate recycled materials. As governments and organizations worldwide implement stringent environmental regulations and green building standards, GRC Cladding has gained prominence as an ideal solution to meet these requirements. Builders and architects are increasingly turning to GRC Cladding to achieve LEED (Leadership in Energy and Environmental Design) and BREEAM (Building Research Establishment Environmental Assessment Method) certifications, which reward sustainable construction practices. This driver is expected to propel the adoption of GRC Cladding in both new construction projects and renovations, as the construction industry continues to prioritize sustainability.

Architectural Freedom and Design Flexibility

The architectural freedom and design flexibility offered by GRC Cladding are key drivers of its market growth. GRC is a highly versatile material that can be molded into a wide range of shapes, sizes, and textures, allowing architects and designers to bring their creative visions to life. GRC Cladding panels can mimic the appearance of various natural materials, such as stone, wood, and metal, while offering the benefits of lightweight and durable concrete. This adaptability makes GRC Cladding suitable for a diverse array of architectural styles, from traditional to modern, and for various building types, including commercial, residential, and institutional. Architects appreciate the ease with which GRC Cladding can be customized to suit unique design requirements. It allows for intricate detailing, complex facades, and innovative geometric patterns, enhancing the aesthetic appeal of buildings. The design flexibility of GRC Cladding enables architects to achieve their desired visual impact while maintaining the practicality and longevity of the cladding system. As architects and designers continue to seek creative and sustainable building solutions, GRC Cladding's ability to offer architectural freedom and design flexibility positions it as a leading choice in the construction industry.

Lightweight and Ease of Installation

The lightweight nature of GRC Cladding panels contributes significantly to its market growth. Unlike traditional cladding materials such as natural stone or concrete, GRC Cladding is significantly lighter, which simplifies transportation, handling, and installation. The reduced weight of GRC Cladding panels reduces the need for heavy equipment during installation, leading to cost savings and a shorter construction timeline. This makes it an attractive option for projects with tight schedules and budget constraints. Additionally, GRC Cladding panels can be installed with relative ease, even at elevated heights, due to their manageable weight. This ease of installation is a valuable asset for construction crews, as it minimizes labor requirements and enhances overall construction efficiency. Furthermore, the lightweight properties of GRC Cladding enable architects and builders to design taller and more complex structures without exceeding structural load limits. This aspect of GRC Cladding aligns with the trend toward sleek and modern architectural designs that prioritize visual aesthetics and functionality. Overall, the lightweight and ease of installation characteristics of GRC Cladding contribute to its growing popularity in the global construction industry.

Durability and Low Maintenance Requirements

Durability and low maintenance requirements are fundamental drivers behind the widespread adoption of GRC Cladding. GRC is engineered to withstand the harsh effects of weather, temperature fluctuations, and environmental factors, making it an ideal choice for exterior cladding. The inherent properties of GRC, including its resistance to corrosion, UV radiation, and moisture, ensure that GRC Cladding maintains its structural integrity and aesthetic appeal over time. This longevity reduces the need for frequent repairs or replacements, resulting in cost savings for building owners and developers. Unlike natural stone or wood cladding, GRC Cladding does not require sealing or regular maintenance treatments to preserve its appearance and performance. This low maintenance requirement is particularly attractive in regions with challenging weather conditions, as it minimizes ongoing operational costs and extends the lifespan of the cladding system. Additionally, the durability of GRC Cladding makes it a suitable choice for high-traffic commercial and public buildings, where the exterior surface is exposed to wear and tear. The minimal maintenance demands of GRC Cladding enhance its appeal in both new construction projects and renovation efforts. As building owners and developers prioritize long-term cost-effectiveness and building resilience, GRC Cladding's durability and low maintenance attributes continue to drive its market growth.

Fire Resistance and Safety Compliance

The demand for fire-resistant building materials and safety compliance has driven the adoption of GRC Cladding in the global construction market. GRC is recognized for its excellent fire resistance properties, making it a safe choice for cladding systems. GRC Cladding panels are non-combustible and have high fire resistance ratings, providing an added layer of safety to buildings. In the event of a fire, GRC Cladding can help contain the spread of flames and reduce the risk of fire-related damage. Government regulations and building codes in many regions mandate the use of fire-resistant materials in specific building applications, particularly in high-rise structures and densely populated urban areas. GRC Cladding's compliance with these regulations positions it as a preferred cladding material in projects where fire safety is a top priority. Architects and developers also appreciate the peace of mind that comes with using GRC Cladding, knowing that it contributes to the overall fire safety and well-being of building occupants. As fire safety regulations continue to evolve and become more stringent, the fire-resistant properties of GRC Cladding are expected to drive its continued market growth.

Enhanced Thermal Insulation and Energy Efficiency

The drive towards energy-efficient buildings and improved thermal insulation is a significant driver of the GRC Cladding market. GRC Cladding panels can be designed with built-in thermal insulation properties, helping buildings achieve higher energy efficiency ratings. The thermal properties of GRC Cladding contribute to maintaining comfortable indoor temperatures, reducing the reliance on heating and cooling systems. This results in energy savings and lower operational costs for building owners. As sustainability and environmental concerns continue to gain prominence, architects and developers are actively seeking building materials that enhance energy efficiency. GRC Cladding's ability to contribute to thermal insulation aligns with these goals, making it a favored choice for sustainable construction projects. In regions with extreme climate conditions, such as hot summers or cold winters, the thermal benefits of GRC Cladding are particularly advantageous. Building owners can achieve better control over interior climate conditions, leading to improved occupant comfort and reduced energy consumption. Additionally, GRC Cladding can be used in combination with other energy-efficient technologies, such as solar panels and advanced glazing systems, to create high-performance building envelopes. This integration further enhances a building's overall energy efficiency. As energy efficiency standards and green building certifications become more prevalent, GRC Cladding's role in enhancing thermal

insulation and energy efficiency is expected to be a driving force in the global construction market.

In conclusion, the GRC Cladding market is experiencing substantial growth due to a combination of factors, including sustainability, design flexibility, lightweight properties, durability, fire resistance, and enhanced thermal insulation. As the construction industry continues to evolve, GRC Cladding's versatility and numerous advantages position it as a leading choice for architects, developers, and building owners seeking innovative and sustainable building solutions.

Government Policies are Likely to Propel the Market

Building Codes and Standards:

Government policies worldwide establish building codes and standards to ensure the safety, quality, and performance of construction materials and practices. For the GRC Cladding market, these regulations are of paramount importance. Building codes specify requirements related to structural integrity, fire resistance, weather durability, and energy efficiency. Compliance with these codes is mandatory to obtain permits and approvals for construction projects. GRC Cladding manufacturers must engineer their products to meet these stringent standards, which vary by region but universally prioritize the safety of occupants and the longevity of structures.

Environmental Regulations and Sustainability Initiatives:

Environmental policies and sustainability initiatives are increasingly influential in shaping the GRC Cladding market. Governments are enacting regulations aimed at reducing carbon emissions, conserving energy, and promoting sustainable building practices. GRC Cladding aligns well with these policies due to its energy-efficient characteristics and potential for incorporating recycled materials. Some regions offer incentives, tax breaks, or certifications for builders and developers who opt for eco-friendly materials like GRC Cladding.

Import and Export Regulations:

The international trade of GRC Cladding materials is subject to import and export regulations. Government policies, including tariffs and trade agreements, can significantly impact the availability and pricing of GRC Cladding products. Trade restrictions or duties may affect the cost-effectiveness of importing or exporting GRC

Cladding materials, making it essential for industry stakeholders to monitor and adapt to changing trade policies.

Fire Safety Regulations:

Fire safety regulations are crucial for the GRC Cladding market to ensure the protection of life and property. Governments enact policies that establish stringent fire resistance standards for construction materials, including cladding systems. GRC Cladding must meet these standards, which encompass factors like ignition resistance, flame spread, and heat release. Non-compliance with fire safety regulations can have severe legal and financial repercussions, making adherence a top priority for manufacturers and builders.

Construction and Permitting Regulations:

Construction and permitting regulations govern the process of obtaining approvals and permits for construction projects that employ GRC Cladding. These policies ensure that building plans align with safety and quality standards. They often necessitate inspections to confirm compliance with local building codes. GRC Cladding manufacturers and installers must navigate these regulations to ensure projects proceed smoothly and legally, avoiding delays and penalties.

Labor and Safety Regulations:

Labor and safety regulations address worker safety and conditions at construction sites where GRC Cladding is used. These policies encompass requirements for worker training, the use of personal protective equipment, and adherence to occupational health and safety standards. They aim to safeguard the well-being of workers and minimize accidents and injuries. Contractors and builders must rigorously follow these regulations to create safe working environments for their teams.

In summary, government policies play a significant role in shaping the global GRC Cladding market. These policies cover a wide range of areas, including safety, environmental sustainability, trade, and construction practices, all of which impact the production, use, and regulation of GRC Cladding materials. Staying informed about and complying with these policies is crucial for stakehol

Key Market Challenges

Cost and Pricing Pressures in a Competitive Market

The global GRC Cladding market faces ongoing challenges related to cost and pricing pressures, which stem from a competitive landscape and various market dynamics. This challenge is critical for both GRC Cladding manufacturers and end-users, as it influences product affordability, profitability, and the overall market dynamics.

Intense Market Competition: The GRC Cladding market is highly competitive, with numerous manufacturers vying for market share. This intense competition often results in pricing pressures as companies seek to gain a competitive edge by offering competitive or lower prices. The presence of multiple suppliers drives price sensitivity among buyers, putting downward pressure on product pricing.

Rising Raw Material Costs: GRC Cladding is composed of materials such as cement, sand, glass fibers, and polymers. The prices of these raw materials can fluctuate due to various factors, including supply and demand dynamics, global economic conditions, and geopolitical events. When raw material costs rise, manufacturers may struggle to maintain competitive pricing without compromising product quality.

Labor and Production Costs: Labor and production costs also contribute to the overall cost structure of GRC Cladding manufacturing. Skilled labor is essential for the precise fabrication of GRC panels, and labor costs can vary significantly by region. Additionally, maintaining quality control processes and specialized equipment can be costly. Manufacturers must manage these costs effectively to prevent price hikes that could deter potential buyers.

Market Maturity and Price Sensitivity: The GRC Cladding market has reached a level of maturity in some regions, resulting in a more price-sensitive customer base. While GRC Cladding offers numerous advantages, including durability and design versatility, buyers often make decisions based on cost considerations. In mature markets, manufacturers must find innovative ways to offer competitive pricing without compromising product quality or features.

Import and Export Dynamics: International trade and currency exchange rates can influence the cost competitiveness of GRC Cladding in various markets. Fluctuations in currency values can impact the cost of imported GRC Cladding materials or the competitiveness of domestically produced cladding in the global market. This adds an element of unpredictability to pricing strategies.

To address the challenge of cost and pricing pressures, GRC Cladding manufacturers must adopt effective cost management strategies, invest in research and development to optimize production processes, and explore innovative materials and technologies that can potentially reduce production costs. Additionally, differentiation through product quality, performance, and design capabilities can help manufacturers justify pricing premiums in a competitive market.

End-users and construction professionals, on the other hand, need to carefully evaluate the total cost of ownership, considering factors like durability, maintenance requirements, and long-term energy efficiency when making GRC Cladding purchasing decisions. This comprehensive approach can help mitigate the impact of pricing pressures on both suppliers and buyers in the GRC Cladding market.

Regulatory Compliance and Fire Safety Concerns

The global GRC Cladding market faces a significant challenge related to regulatory compliance and fire safety concerns. This challenge arises from heightened scrutiny of cladding materials and construction practices in the aftermath of high-profile fire incidents involving cladding systems, particularly those with combustible components.

Stringent Fire Safety Regulations: Governments and building authorities worldwide have implemented or revised fire safety regulations in response to incidents such as the Grenfell Tower fire in London. These regulations often include stricter requirements for the fire performance of cladding materials, including their ignition resistance, flame spread characteristics, and smoke toxicity. GRC Cladding manufacturers must ensure that their products meet these stringent standards to obtain approvals and certifications necessary for construction projects.

Changing Building Codes: Building codes and standards related to cladding materials have evolved to address fire safety concerns. These changes can impact the use of certain cladding materials in specific applications. In some regions, building codes now restrict or prohibit the use of combustible cladding materials in high-rise buildings. Manufacturers and builders must stay current with these evolving codes to avoid compliance issues.

Third-Party Testing and Certification: Regulatory authorities often require third-party testing and certification of cladding materials to verify their fire performance characteristics. GRC Cladding manufacturers must invest in rigorous testing procedures and certifications to demonstrate compliance with fire safety regulations. This can be a

resource-intensive process and may add to the time and cost of product development.

Public Awareness and Reputation Management: High-profile cladding-related fires have raised public awareness and concerns about the safety of building materials.

Manufacturers and builders may face reputational challenges if their cladding products are associated with fire incidents. Building trust and confidence in the safety of GRC Cladding products is essential to overcome these concerns.

Risk Mitigation and Liability Issues: The potential legal and financial consequences of non-compliance with fire safety regulations can be significant. Manufacturers and contractors may face liability issues in the event of fire-related incidents. Effective risk mitigation strategies, including robust quality control processes, are essential to minimize exposure to such risks.

Addressing the challenge of regulatory compliance and fire safety concerns in the GRC Cladding market requires a proactive approach by all stakeholders. Manufacturers must invest in research and development to enhance the fire resistance properties of GRC Cladding while ensuring compliance with evolving regulations. Additionally, industry collaboration and engagement with regulatory authorities can help shape effective and practical fire safety standards.

Builders, architects, and construction professionals should remain informed about local building codes and standards and prioritize the selection of fire-resistant cladding materials that meet regulatory requirements. Fire safety should be an integral part of the design and construction process, with thorough risk assessments and mitigation measures in place.

In conclusion, while the GRC Cladding market offers numerous advantages, including design versatility and durability, it faces challenges related to cost and pricing pressures in a competitive market, as well as the need to navigate stringent regulatory compliance and fire safety concerns. Overcoming these challenges requires a collaborative effort among manufacturers, industry professionals, and regulatory authorities to ensure the safe and sustainable use of GRC Cladding in construction projects worldwide.

Segmental Insights

Hybrid Insights

The Hybrid segment had the largest market share in 2022 & expected to maintain it in

the forecast period. The Hybrid process combines elements of both the Spray and Premix processes. It typically starts with a premix of GRC materials that are then further enhanced using the spray process. This approach allows manufacturers to leverage the benefits of both processes, such as the controlled composition of premix and the precise application of spray, resulting in a high-quality product. Hybrid GRC Cladding systems often offer superior design flexibility. By incorporating elements of both processes, manufacturers can create cladding panels with intricate designs, textures, and surface finishes. Architects and designers appreciate this versatility, as it enables them to achieve their desired aesthetic outcomes. The combination of premix and spray processes in Hybrid GRC Cladding can lead to enhanced structural integrity. This is particularly important for cladding systems that need to withstand various loads, including wind, seismic forces, and the weight of the structure itself. Enhanced structural integrity can make Hybrid GRC Cladding suitable for a wide range of architectural styles and building types. While the Hybrid process may offer advantages in terms of design and performance, it's important to assess its cost-effectiveness. If the Hybrid process can deliver high-quality results while also being cost-competitive, it may attract interest from builders and developers seeking a balance between aesthetics and affordability. Hybrid GRC Cladding systems can be engineered to meet stringent building codes and regulations related to fire safety, structural integrity, and weather resistance. Compliance with these regulations is crucial for market acceptance, especially in regions with strict building standards. The GRC Cladding market continually evolves, and manufacturers often innovate to meet the demands of architects and builders. The Hybrid process may represent one such innovation aimed at addressing the evolving needs of the construction industry.

Commercial Insights

The Commercial segment had the largest market share in 2022 and is projected to experience rapid growth during the forecast period. Commercial buildings often have unique and distinctive architectural designs. GRC Cladding offers architects and designers a high degree of flexibility in terms of shape, texture, and finish. It can mimic the appearance of various natural materials, such as stone, wood, or metal, while allowing for intricate detailing and creative facade designs. This versatility makes GRC Cladding an attractive choice for commercial projects where aesthetics play a crucial role in attracting customers and tenants. Commercial buildings, whether they are office complexes, retail centers, or hospitality establishments, typically experience high foot traffic and wear and tear. GRC Cladding is known for its durability and resistance to environmental factors like moisture, UV radiation, and pollution. It requires minimal maintenance over its lifespan, reducing long-term operating costs for commercial

property owners. GRC Cladding can contribute to the energy efficiency of commercial structures. It provides thermal insulation and helps regulate indoor temperatures, which is essential for commercial spaces where comfort and energy savings are significant considerations. Energy-efficient building envelopes are increasingly important due to sustainability goals and environmental regulations. Fire safety is a critical concern for commercial buildings, particularly in densely populated urban areas. GRC Cladding has excellent fire-resistant properties, making it a preferred choice for projects that require compliance with strict fire safety regulations. This can include high-rise office buildings, hotels, and shopping centers. Commercial construction projects often have tight timelines, and builders value materials that are easy to work with and install efficiently. GRC Cladding panels are relatively lightweight compared to natural stone or concrete, which can expedite the construction process. The ease of handling and installation can be particularly advantageous for commercial developers. Commercial construction projects are subject to various building codes and regulations. GRC Cladding manufacturers often ensure their products meet or exceed these standards, which is essential for obtaining permits and approvals. Compliance with regulations is a priority in the commercial sector to avoid costly delays and legal issues. Commercial property owners and businesses often seek ways to differentiate their buildings and create a unique brand identity. GRC Cladding allows for customization, enabling businesses to incorporate their logos, colors, and branding elements into the facade design, which can be especially important for retail and corporate headquarters. Commercial property owners view buildings as long-term investments. GRC Cladding's durability and ability to maintain its appearance over time contribute to the preservation of a building's value, making it an attractive choice for investors.

Regional Insights

Asia-Pacific:

The Asia-Pacific region is expected to be the fastest-growing market for GRC cladding, with a CAGR of over 15% during the forecast period. This is due to the rapid urbanization and infrastructure development in the region. China, India, and Japan are the major markets in the region. There are some of the key drivers and trends, for instance,

Increasing demand for sustainable building materials: GRC cladding is a sustainable building material as it is made from recycled materials. It is also a low-maintenance material, which reduces the environmental impact of construction.

Growing demand for fire-resistant building materials: GRC cladding is a fire-resistant material, which makes it a popular choice for buildings that are required to meet fire safety regulations.

Expansion of the construction industry: The construction industry is expanding in many parts of the world, which is creating demand for GRC cladding.

Government regulations: Governments in many countries are promoting the use of GRC cladding in order to improve fire safety and reduce the environmental impact of construction.

Key Market Players

UltraTech Cement Ltd

Clark Pacific Corporation

BB fiber concrete AS

Asahi Building-wall Co., Ltd.

Willis Construction Co. Inc.

Loveld NV

Fibrobeton Construction Elements Industry Construction and Trade Joint Stock Company

GB Architectural Cladding Products Ltd.

Ibstock Plc

BCM GRC Limited

Report Scope:

In this report, the Global GRC Cladding Market has been segmented into the following

GRC Cladding Market – Global Industry Size, Share, Trends, Opportunity, and Forecast Segmented By Process (Spr...

categories, in addition to the industry trends which have also been detailed below:

GRC Cladding Market, By Process:

Spray

Premix

Hybrid

GRC Cladding Market, By Application:

Commercial

Residential

Public

GRC Cladding Market, By Region:

North America

United States

Canada

Mexico

Europe

France

United Kingdom

Italy

Germany

Spain

Asia-Pacific

China

India

Japan

Australia

South Korea

South America

Brazil

Argentina

Colombia

Middle East & Africa

South Africa

Saudi Arabia

UAE

Kuwait

Turkey

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global GRC Cladding Market.

Available Customizations:

Global GRC Cladding market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

Contents

1. PRODUCT OVERVIEW

2. RESEARCH METHODOLOGY

3. EXECUTIVE SUMMARY

4. VOICE OF CUSTOMER

5. GLOBAL GRC CLADDING MARKET OUTLOOK

5.1. Market Size & Forecast

5.1.1. By Value

5.2. Market Share & Forecast

5.2.1. By Process (Spray, Premix, and Hybrid)

5.2.2. By Application (Commercial, Residential, Public)

5.2.3. By Region

5.2.4. By Company (2022)

5.3. Market Map

6. NORTH AMERICA GRC CLADDING MARKET OUTLOOK

6.1. Market Size & Forecast

6.1.1. By Value

6.2. Market Share & Forecast

6.2.1. By Process

6.2.2. By Application

6.2.3. By Country

6.3. North America: Country Analysis

6.3.1. United States GRC Cladding Market Outlook

6.3.1.1. Market Size & Forecast

6.3.1.1.1. By Value

6.3.1.2. Market Share & Forecast

6.3.1.2.1. By Process

6.3.1.2.2. By Application

6.3.2. Canada GRC Cladding Market Outlook

6.3.2.1. Market Size & Forecast

6.3.2.1.1. By Value

- 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Process
 - 6.3.2.2.2. By Application
- 6.3.3. Mexico GRC Cladding Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value
 - 6.3.3.2. Market Share & Forecast
 - 6.3.3.2.1. By Process
 - 6.3.3.2.2. By Application

7. EUROPE GRC CLADDING MARKET OUTLOOK

- 7.1. Market Size & Forecast
 - 7.1.1. By Value
- 7.2. Market Share & Forecast
 - 7.2.1. By Process
 - 7.2.2. By Application
 - 7.2.3. By Country
- 7.3. Europe: Country Analysis
 - 7.3.1. Germany GRC Cladding Market Outlook
 - 7.3.1.1. Market Size & Forecast
 - 7.3.1.1.1. By Value
 - 7.3.1.2. Market Share & Forecast
 - 7.3.1.2.1. By Process
 - 7.3.1.2.2. By Application
 - 7.3.2. United Kingdom GRC Cladding Market Outlook
 - 7.3.2.1. Market Size & Forecast
 - 7.3.2.1.1. By Value
 - 7.3.2.2. Market Share & Forecast
 - 7.3.2.2.1. By Process
 - 7.3.2.2.2. By Application
 - 7.3.3. Italy GRC Cladding Market Outlook
 - 7.3.3.1. Market Size & Forecast
 - 7.3.3.1.1. By Value
 - 7.3.3.2. Market Share & Forecast
 - 7.3.3.2.1. By Process
 - 7.3.3.2.2. By Application
 - 7.3.4. France GRC Cladding Market Outlook
 - 7.3.4.1. Market Size & Forecast

- 7.3.4.1.1. By Value
- 7.3.4.2. Market Share & Forecast
 - 7.3.4.2.1. By Process
 - 7.3.4.2.2. By Application
- 7.3.5. Spain GRC Cladding Market Outlook
 - 7.3.5.1. Market Size & Forecast
 - 7.3.5.1.1. By Value
 - 7.3.5.2. Market Share & Forecast
 - 7.3.5.2.1. By Process
 - 7.3.5.2.2. By Application

8. ASIA-PACIFIC GRC CLADDING MARKET OUTLOOK

- 8.1. Market Size & Forecast
 - 8.1.1. By Value
- 8.2. Market Share & Forecast
 - 8.2.1. By Process
 - 8.2.2. By Application
 - 8.2.3. By Country
- 8.3. Asia-Pacific: Country Analysis
 - 8.3.1. China GRC Cladding Market Outlook
 - 8.3.1.1. Market Size & Forecast
 - 8.3.1.1.1. By Value
 - 8.3.1.2. Market Share & Forecast
 - 8.3.1.2.1. By Process
 - 8.3.1.2.2. By Application
 - 8.3.2. India GRC Cladding Market Outlook
 - 8.3.2.1. Market Size & Forecast
 - 8.3.2.1.1. By Value
 - 8.3.2.2. Market Share & Forecast
 - 8.3.2.2.1. By Process
 - 8.3.2.2.2. By Application
 - 8.3.3. Japan GRC Cladding Market Outlook
 - 8.3.3.1. Market Size & Forecast
 - 8.3.3.1.1. By Value
 - 8.3.3.2. Market Share & Forecast
 - 8.3.3.2.1. By Process
 - 8.3.3.2.2. By Application
 - 8.3.4. South Korea GRC Cladding Market Outlook

- 8.3.4.1. Market Size & Forecast
 - 8.3.4.1.1. By Value
- 8.3.4.2. Market Share & Forecast
 - 8.3.4.2.1. By Process
 - 8.3.4.2.2. By Application
- 8.3.5. Australia GRC Cladding Market Outlook
 - 8.3.5.1. Market Size & Forecast
 - 8.3.5.1.1. By Value
 - 8.3.5.2. Market Share & Forecast
 - 8.3.5.2.1. By Process
 - 8.3.5.2.2. By Application

9. SOUTH AMERICA GRC CLADDING MARKET OUTLOOK

- 9.1. Market Size & Forecast
 - 9.1.1. By Value
- 9.2. Market Share & Forecast
 - 9.2.1. By Process
 - 9.2.2. By Application
 - 9.2.3. By Country
- 9.3. South America: Country Analysis
 - 9.3.1. Brazil GRC Cladding Market Outlook
 - 9.3.1.1. Market Size & Forecast
 - 9.3.1.1.1. By Value
 - 9.3.1.2. Market Share & Forecast
 - 9.3.1.2.1. By Process
 - 9.3.1.2.2. By Application
 - 9.3.2. Argentina GRC Cladding Market Outlook
 - 9.3.2.1. Market Size & Forecast
 - 9.3.2.1.1. By Value
 - 9.3.2.2. Market Share & Forecast
 - 9.3.2.2.1. By Process
 - 9.3.2.2.2. By Application
 - 9.3.3. Colombia GRC Cladding Market Outlook
 - 9.3.3.1. Market Size & Forecast
 - 9.3.3.1.1. By Value
 - 9.3.3.2. Market Share & Forecast
 - 9.3.3.2.1. By Process
 - 9.3.3.2.2. By Application

10. MIDDLE EAST AND AFRICA GRC CLADDING MARKET OUTLOOK

10.1. Market Size & Forecast

10.1.1. By Value

10.2. Market Share & Forecast

10.2.1. By Process

10.2.2. By Application

10.2.3. By Country

10.3. MEA: Country Analysis

10.3.1. South Africa GRC Cladding Market Outlook

10.3.1.1. Market Size & Forecast

10.3.1.1.1. By Value

10.3.1.2. Market Share & Forecast

10.3.1.2.1. By Process

10.3.1.2.2. By Application

10.3.2. Saudi Arabia GRC Cladding Market Outlook

10.3.2.1. Market Size & Forecast

10.3.2.1.1. By Value

10.3.2.2. Market Share & Forecast

10.3.2.2.1. By Process

10.3.2.2.2. By Application

10.3.3. UAE GRC Cladding Market Outlook

10.3.3.1. Market Size & Forecast

10.3.3.1.1. By Value

10.3.3.2. Market Share & Forecast

10.3.3.2.1. By Process

10.3.3.2.2. By Application

10.3.4. Kuwait GRC Cladding Market Outlook

10.3.4.1. Market Size & Forecast

10.3.4.1.1. By Value

10.3.4.2. Market Share & Forecast

10.3.4.2.1. By Process

10.3.4.2.2. By Application

10.3.5. Turkey GRC Cladding Market Outlook

10.3.5.1. Market Size & Forecast

10.3.5.1.1. By Value

10.3.5.2. Market Share & Forecast

10.3.5.2.1. By Process

10.3.5.2.2. By Application

11. MARKET DYNAMICS

12. MARKET TRENDS & DEVELOPMENTS

13. COMPETITIVE LANDSCAPE

13.1. Business Overview

13.2. Application Offerings

13.3. Recent Developments

13.4. Key Personnel

13.4.1. UltraTech Cement Ltd

13.4.2. Clark Pacific Corporation

13.4.3. BB fiber concrete AS

13.4.4. Asahi Building-wall Co., Ltd.

13.4.5. Willis Construction Co. Inc.

13.4.6. Loveld NV

13.4.7. Fibrobeton Construction Elements Industry Construction and Trade Joint Stock Company

13.4.8. GB Architectural Cladding Products Ltd.

13.4.9. Ibstock Plc

13.4.10. BCM GRC Limited

14. STRATEGIC RECOMMENDATIONS

15. ABOUT US & DISCLAIMER

I would like to order

Product name: GRC Cladding Market – Global Industry Size, Share, Trends, Opportunity, and Forecast Segmented By Process (Spray, Premix, and Hybrid), By Application (Commercial, Residential, Public), By Region, By Competition Forecast & Opportunities, 2018-2028F

Product link: <https://marketpublishers.com/r/G19BFBF030CDEN.html>

Price: US\$ 4,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/G19BFBF030CDEN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below

and fax the completed form to +44 20 7900 3970