

# **Hollow Fiber Filtration Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Material (Polymeric (PS/PES, Polyvinylidene Fluoride (PVDF), others), Ceramic), By Application (Continuous Cell Perfusion, Harvest and Clarification, Concentration and Diafiltration), By Technique (Microfiltration, Ultrafiltration), By End User (Pharmaceutical and Biotechnology Manufacturers, Contract Research and Manufacturing Organizations, R&D Departments, Others), By Region, and By Competition, 2019-2029F**

<https://marketpublishers.com/r/H47E8F1CE66BEN.html>

Date: May 2024

Pages: 185

Price: US\$ 4,500.00 (Single User License)

ID: H47E8F1CE66BEN

## **Abstracts**

Global Hollow Fiber Filtration Market was valued at USD 421.82 million in 2023 and experience an impressive growth in the forecast period at a CAGR of 14.17% through 2029. Hollow fiber filtration in healthcare refers to the use of hollow fiber membrane technology for various medical and pharmaceutical applications. Hollow fiber filtration systems consist of porous membranes with a hollow fiber structure, which allows for the separation, purification, and concentration of biological molecules, cells, and particulates from fluid streams. Hollow fiber filtration is extensively used in biopharmaceutical manufacturing processes for the purification and concentration of therapeutic proteins, monoclonal antibodies, vaccines, and other biologics. These filtration systems are employed in downstream processing steps such as ultrafiltration, diafiltration, and protein purification to remove impurities and contaminants from bioprocess streams.

Hollow fiber filtration systems are utilized in cell culture and fermentation processes for the clarification and separation of cells, cell debris, and media components. These systems enable the continuous removal of metabolic by-products, nutrients replenishment, and maintenance of optimal cell culture conditions, resulting in higher cell densities and productivity. Hollow fiber filtration is employed in viral clearance studies to assess the effectiveness of virus removal and inactivation methods during the manufacturing of biopharmaceutical products. These studies help ensure the safety and purity of biologic drugs by validating the viral clearance capabilities of filtration processes and virus removal filters. Hollow fiber filtration systems are used in apheresis procedures for the selective removal of specific components from blood, such as plasma, platelets, or white blood cells. These systems enable the separation and collection of therapeutic blood components for transfusion, cell therapy, or therapeutic apheresis treatments.

The rising prevalence of chronic diseases and the growing demand for biopharmaceutical products are driving the need for efficient filtration technologies in healthcare. Hollow fiber filtration systems play a crucial role in biopharmaceutical manufacturing processes, including cell culture, clarification, concentration, and purification of therapeutic proteins, monoclonal antibodies, vaccines, and other biologics. Continuous innovation in hollow fiber membrane materials, module design, and filtration processes is driving the development of more efficient and reliable filtration systems for healthcare applications. Advances in membrane technology, including the development of high-performance materials with enhanced selectivity, durability, and fouling resistance, contribute to improved filtration performance and process efficiency in healthcare settings. Biopharmaceutical manufacturers are increasingly adopting process intensification strategies to improve productivity, reduce manufacturing costs, and accelerate time-to-market for new therapies. Hollow fiber filtration systems enable continuous processing, higher throughput, and greater process control, facilitating process intensification and optimization in biopharmaceutical manufacturing operations.

## Key Market Drivers

## Technological Advancements

Research and development efforts have led to the development of advanced membrane materials with enhanced properties such as improved selectivity, fouling resistance, and mechanical strength. Polymer-based membranes, including polysulfone, polyethersulfone, and polyvinylidene fluoride, are widely used in hollow fiber filtration due to their excellent chemical resistance and compatibility with a wide range of

applications. Nanotechnology has been integrated into hollow fiber membrane design to improve filtration performance at the nanoscale level. Nanocomposite membranes containing nanoparticles such as carbon nanotubes, graphene oxide, and metal oxides exhibit enhanced mechanical properties, increased surface area, and improved permeability, making them suitable for high-efficiency filtration applications. Surface modification techniques such as plasma treatment, chemical grafting, and layer-by-layer deposition are used to modify the surface properties of hollow fiber membranes, including surface charge, hydrophilicity, and roughness. Surface-modified membranes exhibit reduced fouling propensity, enhanced selectivity, and improved separation efficiency compared to unmodified membranes.

Advances in module design and configuration have led to the development of more compact, efficient, and cost-effective hollow fiber filtration systems. Innovative module geometries, channel configurations, and flow distribution mechanisms optimize fluid dynamics, minimize pressure drop, and improve mass transfer rates, resulting in higher throughput and improved process performance. Hollow fiber filtration systems are increasingly integrated with other unit operations such as ultrafiltration, microfiltration, reverse osmosis, and chromatography to create fully automated and integrated filtration platforms. These integrated systems offer seamless process control, real-time monitoring, and data management capabilities, streamlining bioprocessing workflows and reducing operator intervention. The adoption of single-use hollow fiber filtration systems has gained traction in biopharmaceutical manufacturing due to their flexibility, scalability, and reduced risk of cross-contamination. Single-use hollow fiber filters eliminate the need for cleaning and sterilization validation, reduce downtime between batches, and enhance operational efficiency in biomanufacturing facilities. The integration of smart sensors, automation, and Internet of Things (IoT) technologies into hollow fiber filtration systems enables real-time monitoring, predictive maintenance, and remote-control capabilities. Smart filtration systems provide valuable insights into process parameters, filter integrity, and performance metrics, allowing operators to optimize filtration processes and ensure product quality and consistency. This factor will help in the development of the Global Hollow Fiber Filtration Market.

### Increasing Demand for Biopharmaceuticals

Biopharmaceuticals, such as monoclonal antibodies, recombinant proteins, vaccines, and cell therapies, require specialized manufacturing processes. Hollow fiber filtration systems play a crucial role in these processes, facilitating the purification, concentration, and separation of biomolecules from complex cell culture supernatants and fermentation broths. Biopharmaceuticals must meet stringent purity and safety

requirements to ensure product efficacy and patient safety. Hollow fiber filtration systems provide high levels of purity and efficiency, enabling the removal of impurities, contaminants, and host cell proteins from bioprocess streams while retaining the desired therapeutic molecules.

Hollow fiber filtration systems offer scalability and flexibility, making them suitable for both small-scale research and large-scale production of biopharmaceuticals. These systems can be easily integrated into existing bioprocessing workflows and adapted to accommodate varying production volumes and process requirements. The trend towards continuous biomanufacturing processes necessitates the use of continuous downstream processing technologies, including hollow fiber filtration. Continuous filtration systems enable uninterrupted operation, improved productivity, and reduced cycle times compared to traditional batch processing methods.

The adoption of single-use hollow fiber filtration systems is increasing in biopharmaceutical manufacturing due to their flexibility, cost-effectiveness, and reduced risk of cross-contamination. Single-use systems eliminate the need for cleaning and sterilization validation, streamline bioprocessing workflows, and minimize downtime between production runs. The growing pipeline of novel biologic drugs, including antibody-drug conjugates, gene therapies, and cell-based therapies, drives the demand for advanced filtration technologies. Hollow fiber filtration systems support the production of these innovative therapies by providing efficient and reliable downstream processing solutions. Regulatory agencies, such as the U.S. Food and Drug Administration (FDA) and the European Medicines Agency (EMA), impose strict guidelines and regulations on biopharmaceutical manufacturing processes. Hollow fiber filtration systems help biopharmaceutical manufacturers comply with regulatory requirements by ensuring product quality, consistency, and traceability throughout the production process. This factor will pace up the demand of the Global Hollow Fiber Filtration Market.

### Rising Focus on Process Intensification and Optimization

Process intensification aims to maximize the efficiency of bioprocessing operations, including downstream processing steps such as filtration. Hollow fiber filtration systems allow for continuous operation, which can significantly increase productivity compared to traditional batch processing methods. With hollow fiber filtration, biopharmaceutical manufacturers can achieve higher throughput and shorter processing times, leading to increased productivity and reduced manufacturing costs. Hollow fiber filtration systems offer a compact footprint, making them ideal for facilities with limited space or those

seeking to optimize their manufacturing footprint. By consolidating multiple unit operations into a single system, hollow fiber filtration enables process intensification while minimizing the physical footprint of the bioprocessing facility. Hollow fiber filtration systems provide efficient separation and purification of biomolecules from complex process streams, including cell culture supernatants and fermentation broths. The high surface area-to-volume ratio of hollow fiber membranes allows for rapid mass transfer and high filtration rates, resulting in improved process efficiency and product recovery.

Process intensification through hollow fiber filtration can improve product quality by reducing the risk of product degradation and contamination. Hollow fiber membranes effectively remove impurities, particulates, and host cell proteins from bioprocess streams while retaining the desired biomolecules, resulting in purer and more consistent final products. Hollow fiber filtration systems are highly scalable and adaptable to varying production scales, making them suitable for both small-scale research and large-scale manufacturing operations. Manufacturers can easily scale up or scale down hollow fiber filtration processes to accommodate changing production demands and optimize resource utilization. The integration of hollow fiber filtration with single-use technologies further enhances process intensification and optimization in biopharmaceutical manufacturing.

Single-use hollow fiber filters eliminate the need for cleaning and validation between batches, reducing downtime and improving operational efficiency. Single-use systems offer flexibility and cost-effectiveness, making them attractive options for process intensification strategies. Regulatory agencies require biopharmaceutical manufacturers to adhere to strict guidelines and standards to ensure product safety, efficacy, and quality. Hollow fiber filtration systems help manufacturers comply with regulatory requirements by providing robust and reproducible filtration solutions that meet the highest industry standards. This factor will accelerate the demand of the Global Hollow Fiber Filtration Market in the upcoming periods.

## Key Market Challenges

### Competition and Price Pressure

The hollow fiber filtration market has become increasingly saturated with numerous manufacturers and suppliers offering similar products and technologies. This high level of competition intensifies price pressure as companies vie for market share by offering competitive pricing strategies to attract customers. Customers, particularly in industries such as biopharmaceuticals, water treatment, and food and beverage, are often highly



price-sensitive when selecting filtration solutions. They seek cost-effective options without compromising quality or performance. Manufacturers face pressure to keep prices competitive while maintaining profitability.

Consolidation activities such as mergers and acquisitions within the hollow fiber filtration industry can intensify competition among larger conglomerates, leading to price pressure as companies seek to gain market dominance and expand their customer base. Economic fluctuations, currency exchange rates, and geopolitical tensions can impact manufacturing costs, raw material prices, and operational expenses. Companies operating in the hollow fiber filtration market must navigate these challenges while maintaining competitive pricing strategies to remain profitable in a dynamic global marketplace. Compliance with regulatory standards and quality requirements adds to the overall cost of manufacturing hollow fiber filtration products.

Companies must invest in quality control measures, certifications, and compliance programs to ensure product safety and regulatory compliance, which can further contribute to price pressure. Meeting customer expectations for high-quality products and services while offering competitive pricing requires companies to carefully balance cost considerations with value proposition. Providing added value through product differentiation, customer support, and after-sales service can help mitigate price pressure and strengthen customer loyalty.

### Maintaining Membrane Integrity and Performance

Hollow fiber membranes are susceptible to fouling and scaling, where particles, proteins, minerals, and other contaminants accumulate on the membrane surface or within the membrane pores. Fouling and scaling reduce membrane permeability, increase pressure drop, and degrade filtration performance over time, necessitating frequent cleaning and maintenance to restore membrane integrity. Exposure to harsh chemicals, cleaning agents, and sanitization solutions can cause chemical degradation of hollow fiber membranes, leading to loss of mechanical strength, changes in pore structure, and reduced filtration efficiency. Compatibility with cleaning protocols and resistance to chemical degradation are critical factors in selecting membrane materials for specific applications.

Mechanical stresses, including pressure fluctuations, flow-induced vibrations, and physical abrasion, can damage hollow fiber membranes and compromise their structural integrity. Mechanical damage may result in membrane rupture, fiber breakage, or loss of filtration capacity, necessitating preventive measures such as proper system design,

operation, and maintenance. Biofouling, the accumulation of microorganisms such as bacteria, algae, and biofilms on membrane surfaces, can occur in water treatment and bioprocessing applications, leading to reduced permeability, increased energy consumption, and microbial contamination of filtrate streams. Effective disinfection and biofilm control strategies are essential for mitigating biofouling and maintaining membrane performance.

Over time, hollow fiber membranes undergo natural aging and wear, characterized by changes in material properties, pore morphology, and surface characteristics. Aging-related phenomena such as membrane compaction, pore blockage, and surface roughening can adversely affect filtration performance and require periodic membrane replacement or refurbishment to ensure optimal operation.

## Key Market Trends

### Increasing Adoption in Food and Beverage

Hollow fiber filtration technology enables the removal of particulates, microorganisms, and impurities from food and beverage streams, resulting in products with enhanced clarity, flavor, and stability. Filtration systems are used in applications such as juice clarification, wine and beer clarification, dairy processing, and water purification to meet stringent quality standards and consumer preferences for clean and safe products. Hollow fiber filtration helps extend the shelf life of perishable food and beverage products by removing spoilage microorganisms and inhibiting microbial growth. Filtration systems are utilized in processes such as pasteurization, sterilization, and aseptic packaging to maintain product freshness, integrity, and nutritional value throughout storage and distribution.

Hollow fiber filtration systems offer advantages in terms of process efficiency, energy consumption, and resource utilization compared to traditional filtration methods. These systems utilize compact membrane modules, require minimal space and equipment footprint, and can be operated using low-pressure filtration techniques, resulting in reduced energy consumption, water usage, and waste generation. Compliance with food safety regulations and quality standards is paramount in the food and beverage industry. Hollow fiber filtration systems help food and beverage manufacturers comply with regulatory requirements by providing reliable and effective filtration solutions that ensure product safety, consistency, and traceability throughout the production process. Hollow fiber filtration technology is versatile and adaptable to a wide range of food and beverage applications, including clarification, sterilization, concentration, and

separation.

Filtration systems can be customized to meet specific process requirements and product specifications, offering flexibility and versatility to food and beverage manufacturers seeking to optimize production processes and meet evolving consumer demands. The growing consumer interest in health and wellness trends, including clean-label products, natural ingredients, and functional foods, drives the demand for filtration technologies that preserve product integrity and nutritional value. Hollow fiber filtration enables the gentle processing of food and beverage products while retaining essential nutrients, vitamins, and bioactive compounds, aligning with consumer preferences for healthier and more sustainable choices.

## Segmental Insights

### Material Insights

Based on material, the polymeric segment is projected to experience rapid growth in the global hollow fiber filtration market during the forecast period. Polymeric membranes have undergone significant advancements in recent years, leading to the development of high-performance materials with improved filtration properties. These innovations include the optimization of pore size distribution, surface modifications, and enhanced mechanical strength, resulting in superior filtration efficiency and durability. Polymeric hollow fiber membranes offer a cost-effective alternative to traditional filtration materials such as ceramic and metallic membranes. The scalability and versatility of polymeric membranes make them suitable for a wide range of applications across various industries, including water and wastewater treatment, biopharmaceutical manufacturing, food and beverage processing, and industrial separations.

Polymeric membranes can be engineered and customized to meet specific application requirements, allowing manufacturers to tailor membrane properties such as pore size, molecular weight cut-off (MWCO), and surface chemistry to optimize filtration performance for different process conditions and feed streams. Polymeric hollow fiber membranes exhibit excellent chemical resistance and stability, making them suitable for use in harsh operating environments and challenging feed streams containing corrosive chemicals, organic solvents, and aggressive biological agents. Their robustness and durability enable long-term reliability and performance in demanding industrial applications. The increasing global population, urbanization, and industrialization drive the demand for water and wastewater treatment solutions. Polymeric hollow fiber membranes are widely utilized in membrane bioreactors (MBRs), reverse osmosis (RO)



systems, and microfiltration (MF) processes for the removal of contaminants, pathogens, and impurities from water sources, contributing to the growth of the polymeric segment in the hollow fiber filtration market.

### Application Insights

Based on the application, the continuous cell perfusion segment is projected to experience rapid growth in the global hollow fiber filtration market during the forecast period. Continuous cell perfusion systems offer several advantages over traditional batch cell culture processes, including higher cell densities, increased productivity, and improved product quality. Hollow fiber filtration technology enables continuous removal of waste products and replenishment of nutrients, creating optimal conditions for cell growth and protein expression. Continuous cell perfusion systems provide greater control over cell culture conditions, allowing for precise regulation of parameters such as nutrient levels, pH, and dissolved oxygen. This enhanced process control enables biopharmaceutical manufacturers to optimize production yields, reduce variability, and achieve consistent product quality.

Continuous cell perfusion systems require less manual intervention and monitoring compared to batch culture processes, resulting in reduced labor requirements and operating costs. By automating cell culture operations and minimizing downtime between batches, hollow fiber filtration technology helps manufacturers achieve higher throughput and operational efficiency. Hollow fiber filtration systems are highly scalable and adaptable to varying production scales, making them suitable for both small-scale research and large-scale commercial biomanufacturing. Continuous cell perfusion technology allows for process intensification, enabling manufacturers to maximize the utilization of bioreactor capacity and achieve higher production volumes within existing facility constraints. Continuous cell perfusion systems are particularly well-suited to produce high-value biologics such as monoclonal antibodies, therapeutic proteins, and viral vectors. These biopharmaceutical products often require precise control over cell culture conditions and stringent quality standards, making continuous perfusion technology an attractive option for manufacturers seeking to optimize production processes and meet regulatory requirements.

### Regional Insights

North America emerged as the dominant region in the global hollow fiber filtration market in 2023. North America boasts a well-developed healthcare infrastructure with advanced facilities and a strong emphasis on research and development. The region's

robust healthcare sector drives the demand for hollow fiber filtration technologies, particularly in biopharmaceutical manufacturing, where stringent quality standards and regulatory compliance are essential. North America is a hub for technological innovation and scientific research, fostering the development of cutting-edge hollow fiber filtration technologies. The region's strong focus on innovation enables companies to pioneer new membrane materials, filtration techniques, and process improvements, enhancing the efficiency and effectiveness of hollow fiber filtration systems. The biopharmaceutical industry in North America is one of the largest and most advanced globally, with numerous pharmaceutical and biotechnology companies headquartered in the region.

Hollow fiber filtration plays a critical role in biopharmaceutical manufacturing processes, including cell culture, purification, and formulation, driving the demand for filtration solutions in North America. North America has stringent regulatory requirements governing the quality, safety, and efficacy of pharmaceutical and biopharmaceutical products. Compliance with regulations such as those enforced by the U.S. Food and Drug Administration (FDA) requires the use of high-performance filtration technologies, contributing to the prominence of hollow fiber filtration systems in the region.

### Key Market Players

Repligen Corporation

Danaher Corporation

Asahi Kasei Corporation

Parker-Hannifin Corp

Sartorius AG

TOYOBO CO., LTD

Kuraray Co., Ltd.

Koch Industries Inc.

MANN+HUMMEL International GmbH & Co. KG

CoorsTek, Inc.

## Report Scope:

In this report, the has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

### Hollow Fiber Filtration Market, By Material:

- o Ceramic
- o Polymeric
- ? PS/PES
- ? Polyvinylidene Fluoride (PVDF)
- ? Others

### Hollow Fiber Filtration Market, By Application:

- o Continuous Cell Perfusion
- o Harvest and Clarification
- o Concentration and Diafiltration

### Hollow Fiber Filtration Market, By Technique:

- o Microfiltration
- o Ultrafiltration

### Hollow Fiber Filtration Market, By End User:

- o Pharmaceutical and Biotechnology Manufacturers
- o Contract Research and Manufacturing Organizations
- o R&D Departments
- o Others

#### Hollow Fiber Filtration Market, By Region:

- o North America
  - ? United States
  - ? Canada
  - ? Mexico
- o Europe
  - ? Germany
  - ? United Kingdom
  - ? France
  - ? Italy
  - ? Spain
- o Asia Pacific
  - ? China
  - ? Japan
  - ? India

? Australia

? South Korea

o South America

? Brazil

? Argentina

? Colombia

o Middle East & Africa

? South Africa

? Saudi Arabia

? UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Hollow Fiber Filtration Market.

Available Customizations:

Global Hollow Fiber Filtration market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

## Contents

### 1. PRODUCT OVERVIEW

- 1.1. Market Definition
- 1.2. Scope of the Market
  - 1.2.1. Markets Covered
  - 1.2.2. Years Considered for Study
  - 1.2.3. Key Market Segmentations

### 2. RESEARCH METHODOLOGY

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Key Industry Partners
- 2.4. Major Association and Secondary Sources
- 2.5. Forecasting Methodology
- 2.6. Data Triangulation & Validation
- 2.7. Assumptions and Limitations

### 3. EXECUTIVE SUMMARY

- 3.1. Overview of the Market
- 3.2. Overview of Key Market Segmentations
- 3.3. Overview of Key Market Players
- 3.4. Overview of Key Regions/Countries
- 3.5. Overview of Market Drivers, Challenges, Trends

### 4. VOICE OF CUSTOMER

### 5. GLOBAL HOLLOW FIBER FILTRATION MARKET OUTLOOK

- 5.1. Market Size & Forecast
  - 5.1.1. By Value
- 5.2. Market Share & Forecast
  - 5.2.1. By Material (Polymeric, Ceramic)
    - 5.2.1.1. By Polymeric (PS/PES, Polyvinylidene Fluoride (PVDF), others)
  - 5.2.2. By Application (Continuous Cell Perfusion, Harvest and Clarification, Concentration and Diafiltration)



- 5.2.3. By Technique (Microfiltration, Ultrafiltration)
- 5.2.4. By End User (Pharmaceutical and Biotechnology Manufacturers, Contract Research and Manufacturing Organizations, R&D Departments, Others)
- 5.2.5. By Region
- 5.2.6. By Company (2023)
- 5.3. Market Map

## **6. NORTH AMERICA HOLLOW FIBER FILTRATION MARKET OUTLOOK**

- 6.1. Market Size & Forecast
  - 6.1.1. By Value
- 6.2. Market Share & Forecast
  - 6.2.1. By Material
  - 6.2.2. By Application
  - 6.2.3. By Technique
  - 6.2.4. By End User
  - 6.2.5. By Country
- 6.3. North America: Country Analysis
  - 6.3.1. United States Hollow Fiber Filtration Market Outlook
    - 6.3.1.1. Market Size & Forecast
      - 6.3.1.1.1. By Value
    - 6.3.1.2. Market Share & Forecast
      - 6.3.1.2.1. By Material
      - 6.3.1.2.2. By Application
      - 6.3.1.2.3. By Technique
      - 6.3.1.2.4. By End User
  - 6.3.2. Canada Hollow Fiber Filtration Market Outlook
    - 6.3.2.1. Market Size & Forecast
      - 6.3.2.1.1. By Value
    - 6.3.2.2. Market Share & Forecast
      - 6.3.2.2.1. By Material
      - 6.3.2.2.2. By Application
      - 6.3.2.2.3. By Technique
      - 6.3.2.2.4. By End User
  - 6.3.3. Mexico Hollow Fiber Filtration Market Outlook
    - 6.3.3.1. Market Size & Forecast
      - 6.3.3.1.1. By Value
    - 6.3.3.2. Market Share & Forecast
      - 6.3.3.2.1. By Material

- 6.3.3.2.2. By Application
- 6.3.3.2.3. By Technique
- 6.3.3.2.4. By End User

## **7. EUROPE HOLLOW FIBER FILTRATION MARKET OUTLOOK**

- 7.1. Market Size & Forecast
  - 7.1.1. By Value
- 7.2. Market Share & Forecast
  - 7.2.1. By Material
  - 7.2.2. By Application
  - 7.2.3. By Technique
  - 7.2.4. By End User
  - 7.2.5. By Country
- 7.3. Europe: Country Analysis
  - 7.3.1. Germany Hollow Fiber Filtration Market Outlook
    - 7.3.1.1. Market Size & Forecast
      - 7.3.1.1.1. By Value
    - 7.3.1.2. Market Share & Forecast
      - 7.3.1.2.1. By Material
      - 7.3.1.2.2. By Application
      - 7.3.1.2.3. By Technique
      - 7.3.1.2.4. By End User
  - 7.3.2. United Kingdom Hollow Fiber Filtration Market Outlook
    - 7.3.2.1. Market Size & Forecast
      - 7.3.2.1.1. By Value
    - 7.3.2.2. Market Share & Forecast
      - 7.3.2.2.1. By Material
      - 7.3.2.2.2. By Application
      - 7.3.2.2.3. By Technique
      - 7.3.2.2.4. By End User
  - 7.3.3. Italy Hollow Fiber Filtration Market Outlook
    - 7.3.3.1. Market Size & Forecast
      - 7.3.3.1.1. By Value
    - 7.3.3.2. Market Share & Forecast
      - 7.3.3.2.1. By Material
      - 7.3.3.2.2. By Application
      - 7.3.3.2.3. By Technique
      - 7.3.3.2.4. By End User

#### 7.3.4. France Hollow Fiber Filtration Market Outlook

##### 7.3.4.1. Market Size & Forecast

###### 7.3.4.1.1. By Value

##### 7.3.4.2. Market Share & Forecast

###### 7.3.4.2.1. By Material

###### 7.3.4.2.2. By Application

###### 7.3.4.2.3. By Technique

###### 7.3.4.2.4. By End User

#### 7.3.5. Spain Hollow Fiber Filtration Market Outlook

##### 7.3.5.1. Market Size & Forecast

###### 7.3.5.1.1. By Value

##### 7.3.5.2. Market Share & Forecast

###### 7.3.5.2.1. By Material

###### 7.3.5.2.2. By Application

###### 7.3.5.2.3. By Technique

###### 7.3.5.2.4. By End User

### **8. ASIA-PACIFIC HOLLOW FIBER FILTRATION MARKET OUTLOOK**

#### 8.1. Market Size & Forecast

##### 8.1.1. By Value

#### 8.2. Market Share & Forecast

##### 8.2.1. By Material

##### 8.2.2. By Application

##### 8.2.3. By Technique

##### 8.2.4. By End User

##### 8.2.5. By Country

#### 8.3. Asia-Pacific: Country Analysis

##### 8.3.1. China Hollow Fiber Filtration Market Outlook

###### 8.3.1.1. Market Size & Forecast

###### 8.3.1.1.1. By Value

###### 8.3.1.2. Market Share & Forecast

###### 8.3.1.2.1. By Material

###### 8.3.1.2.2. By Application

###### 8.3.1.2.3. By Technique

###### 8.3.1.2.4. By End User

##### 8.3.2. India Hollow Fiber Filtration Market Outlook

###### 8.3.2.1. Market Size & Forecast

###### 8.3.2.1.1. By Value

#### 8.3.2.2. Market Share & Forecast

##### 8.3.2.2.1. By Material

##### 8.3.2.2.2. By Application

##### 8.3.2.2.3. By Technique

##### 8.3.2.2.4. By End User

#### 8.3.3. Japan Hollow Fiber Filtration Market Outlook

##### 8.3.3.1. Market Size & Forecast

##### 8.3.3.1.1. By Value

##### 8.3.3.2. Market Share & Forecast

##### 8.3.3.2.1. By Material

##### 8.3.3.2.2. By Application

##### 8.3.3.2.3. By Technique

##### 8.3.3.2.4. By End User

#### 8.3.4. South Korea Hollow Fiber Filtration Market Outlook

##### 8.3.4.1. Market Size & Forecast

##### 8.3.4.1.1. By Value

##### 8.3.4.2. Market Share & Forecast

##### 8.3.4.2.1. By Material

##### 8.3.4.2.2. By Application

##### 8.3.4.2.3. By Technique

##### 8.3.4.2.4. By End User

#### 8.3.5. Australia Hollow Fiber Filtration Market Outlook

##### 8.3.5.1. Market Size & Forecast

##### 8.3.5.1.1. By Value

##### 8.3.5.2. Market Share & Forecast

##### 8.3.5.2.1. By Material

##### 8.3.5.2.2. By Application

##### 8.3.5.2.3. By Technique

##### 8.3.5.2.4. By End User

## 9. SOUTH AMERICA HOLLOW FIBER FILTRATION MARKET OUTLOOK

### 9.1. Market Size & Forecast

#### 9.1.1. By Value

### 9.2. Market Share & Forecast

#### 9.2.1. By Material

#### 9.2.2. By Application

#### 9.2.3. By Technique

#### 9.2.4. By End User

#### 9.2.5. By Country

### 9.3. South America: Country Analysis

#### 9.3.1. Brazil Hollow Fiber Filtration Market Outlook

##### 9.3.1.1. Market Size & Forecast

###### 9.3.1.1.1. By Value

##### 9.3.1.2. Market Share & Forecast

###### 9.3.1.2.1. By Material

###### 9.3.1.2.2. By Application

###### 9.3.1.2.3. By Technique

###### 9.3.1.2.4. By End User

#### 9.3.2. Argentina Hollow Fiber Filtration Market Outlook

##### 9.3.2.1. Market Size & Forecast

###### 9.3.2.1.1. By Value

##### 9.3.2.2. Market Share & Forecast

###### 9.3.2.2.1. By Material

###### 9.3.2.2.2. By Application

###### 9.3.2.2.3. By Technique

###### 9.3.2.2.4. By End User

#### 9.3.3. Colombia Hollow Fiber Filtration Market Outlook

##### 9.3.3.1. Market Size & Forecast

###### 9.3.3.1.1. By Value

##### 9.3.3.2. Market Share & Forecast

###### 9.3.3.2.1. By Material

###### 9.3.3.2.2. By Application

###### 9.3.3.2.3. By Technique

###### 9.3.3.2.4. By End User

## **10. MIDDLE EAST AND AFRICA HOLLOW FIBER FILTRATION MARKET OUTLOOK**

### 10.1. Market Size & Forecast

#### 10.1.1. By Value

### 10.2. Market Share & Forecast

#### 10.2.1. By Material

#### 10.2.2. By Application

#### 10.2.3. By Technique

#### 10.2.4. By End User

#### 10.2.5. By Country

### 10.3. MEA: Country Analysis

### 10.3.1. South Africa Hollow Fiber Filtration Market Outlook

#### 10.3.1.1. Market Size & Forecast

##### 10.3.1.1.1. By Value

#### 10.3.1.2. Market Share & Forecast

##### 10.3.1.2.1. By Material

##### 10.3.1.2.2. By Application

##### 10.3.1.2.3. By Technique

##### 10.3.1.2.4. By End User

### 10.3.2. Saudi Arabia Hollow Fiber Filtration Market Outlook

#### 10.3.2.1. Market Size & Forecast

##### 10.3.2.1.1. By Value

#### 10.3.2.2. Market Share & Forecast

##### 10.3.2.2.1. By Material

##### 10.3.2.2.2. By Application

##### 10.3.2.2.3. By Technique

##### 10.3.2.2.4. By End User

### 10.3.3. UAE Hollow Fiber Filtration Market Outlook

#### 10.3.3.1. Market Size & Forecast

##### 10.3.3.1.1. By Value

#### 10.3.3.2. Market Share & Forecast

##### 10.3.3.2.1. By Material

##### 10.3.3.2.2. By Application

##### 10.3.3.2.3. By Technique

##### 10.3.3.2.4. By End User

## 11. MARKET DYNAMICS

### 11.1. Drivers

### 11.2. Challenges

## 12. MARKET TRENDS & DEVELOPMENTS

### 12.1. Merger & Acquisition (If Any)

### 12.2. Product Launches (If Any)

### 12.3. Recent Developments

## 13. PORTER'S FIVE FORCES ANALYSIS

### 13.1. Competition in the Industry



- 13.2. Potential of New Entrants
- 13.3. Power of Suppliers
- 13.4. Power of Customers
- 13.5. Threat of Substitute Product

## **14. COMPETITIVE LANDSCAPE**

- 14.1. Repligen Corporation
  - 14.1.1. Business Overview
  - 14.1.2. Company Snapshot
  - 14.1.3. Products & Services
  - 14.1.4. Financials (As Reported)
  - 14.1.5. Recent Developments
  - 14.1.6. Key Personnel Details
  - 14.1.7. SWOT Analysis
- 14.2. Danaher Corporation
- 14.3. Asahi Kasei Corporation
- 14.4. Parker-Hannifin Corp
- 14.5. Sartorius S.A
- 14.6. TOYOBO CO., LTD
- 14.7. Kuraray Co., Ltd.
- 14.8. Koch Industries Inc.
- 14.9. MANN+HUMMEL International GmbH & Co. KG
- 14.10. CoorsTek, Inc.

## **15. STRATEGIC RECOMMENDATIONS**

## **16. ABOUT US & DISCLAIMER**

## I would like to order

Product name: Hollow Fiber Filtration Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Material (Polymeric (PS/PES, Polyvinylidene Fluoride (PVDF), others), Ceramic), By Application (Continuous Cell Perfusion, Harvest and Clarification, Concentration and Diafiltration), By Technique (Microfiltration, Ultrafiltration), By End User (Pharmaceutical and Biotechnology Manufacturers, Contract Research and Manufacturing Organizations, R&D Departments, Others), By Region, and By Competition, 2019-2029F

Product link: <https://marketpublishers.com/r/H47E8F1CE66BEN.html>

Price: US\$ 4,500.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

[info@marketpublishers.com](mailto:info@marketpublishers.com)

## Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/H47E8F1CE66BEN.html>