

Phosphine Fumigation Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Fumigant Type (Calcium Phosphide, Aluminum Phosphate, Magnesium Phosphide, Others), By Crop Type (Fruits and Vegetables, Cereals and Grains, Others), By Formulation (Solid, & Liquid), By Application (Warehouses, Raw Agricultural Commodities, Stored Processed Food, Others), By Region, and By Competition, 2019-2029F

<https://marketpublishers.com/r/P76248454934EN.html>

Date: May 2024

Pages: 182

Price: US\$ 4,500.00 (Single User License)

ID: P76248454934EN

Abstracts

Global Phosphine Fumigation Market was valued at USD 702.16 million in 2023 and will see an steady growth in the forecast period at a CAGR of 5.69 % through 2029.

Phosphine fumigation is a pest control method commonly used in agricultural, food processing, and storage industries t%li%eliminate insects, rodents, and other pests from stored grains, food commodities, and structures. It involves the application of phosphine gas, generated from solid or liquid formulations containing aluminum phosphide or magnesium phosphide, within sealed or enclosed spaces t%li%create a lethal atmosphere that kills pests through inhalation or ingestion. Before fumigation, the area or structure t%li%be treated is sealed t%li%contain the phosphine gas and prevent its escape int%li%the environment. This may involve sealing doors, windows, vents, and other openings t%li%ensure airtightness. Phosphine fumigants are introduced int%li%the sealed space using specialized equipment, such as fumigation chambers, applicators, or generators. Solid formulations of aluminum phosphide or magnesium phosphide are typically placed in trays or sachets and distributed evenly throughout the treatment area. Upon exposure t%li%moisture in the air, the fumigants release phosphine gas, which is highly toxic t%li%pests. Phosphine gas disperses and

penetrates throughout the sealed space, reaching all areas where pests may be present, including cracks, crevices, and voids within stored commodities or structures. The gas diffuses through the target material, killing pests in all life stages, including eggs, larvae, pupae, and adults.

Ongoing advancements in fumigation equipment, formulations, and application technologies have enhanced the efficacy, safety, and efficiency of phosphine fumigation processes. Innovations such as automated fumigation systems, controlled-release formulations, and real-time monitoring tools improve the precision and reliability of phosphine fumigation applications, driving market growth and adoption. The expansion of agriculture, food processing, and storage industries in emerging economies and developing regions has increased the demand for pest control solutions to mitigate the risk of post-harvest losses, contamination, and spoilage. Phosphine fumigation plays a critical role in safeguarding agricultural productivity, food security, and supply chain integrity, driving its adoption and market growth globally. Food loss and waste remain significant challenges worldwide, with substantial quantities of agricultural produce lost during storage, transportation, and distribution due to pest infestations and spoilage. Phosphine fumigation helps reduce post-harvest losses by effectively controlling pests and extending the shelf life of stored grains and food commodities, addressing concerns about food loss and waste and driving market demand.

Key Market Drivers

Technological Advancements

Automated fumigation systems utilize advanced sensors, controllers, and actuators to monitor and regulate key parameters such as gas concentration, temperature, and humidity during the fumigation process. These systems can automatically adjust fumigation parameters in real-time, ensuring precise and uniform distribution of phosphine gas throughout the fumigated area while minimizing human intervention and error. Controlled-release formulations of phosphine fumigants allow for the gradual and sustained release of phosphine gas over an extended period, providing prolonged pest control efficacy while reducing the risk of phytotoxicity and off-gassing. These formulations help optimize the dosage and exposure duration required for effective pest management while minimizing environmental impact and health risks.

Real-time monitoring systems enable fumigators to remotely monitor fumigation parameters, gas concentrations, and environmental conditions using wireless sensors and data logging devices. This allows for proactive monitoring of fumigation processes,

early detection of potential issues or deviations, and timely intervention to optimize fumigation efficacy and safety. Integrated pest management (IPM) approaches combine multiple pest control strategies, including chemical, biological, cultural, and mechanical methods, to achieve sustainable pest management outcomes while minimizing reliance on chemical fumigants like phosphine. Technological advancements in IPM solutions integrate pest monitoring, decision support systems, and alternative control methods to optimize pest control efficacy, reduce chemical usage, and mitigate resistance development.

Research and development efforts have focused on developing alternative fumigants and treatment methods that offer effective pest control while addressing concerns about phosphine resistance, environmental impact, and regulatory restrictions. These alternatives include bio-based fumigants, modified atmospheres, heat treatments, and insect-resistant packaging technologies, which complement phosphine fumigation and provide sustainable pest management solutions for various applications. Technological advancements in fumigation safety equipment and personal protective gear have improved worker safety and health during phosphine fumigation operations. This includes the development of high-performance respirators, gas monitoring devices, protective clothing, and emergency response protocols to minimize exposure to phosphine gas and mitigate potential risks associated with fumigation activities. This factor will pace up the demand of the Global Phosphine Fumigation Market.

Expansion of Agriculture and Food Processing Industries

As agriculture and food processing industries expand to meet growing global demand for food, there's a need for larger storage facilities to preserve harvested crops and processed food products. Stored grains, seeds, and other food commodities are vulnerable to infestations by pests such as insects, rodents, and fungi. Phosphine fumigation is an effective method for controlling these pests and protecting stored food products from damage and spoilage. Maintaining the quality and shelf life of agricultural produce and processed food is essential for meeting consumer expectations and regulatory standards. Phosphine fumigation helps prevent pest infestations and microbial contamination during storage and transportation, preserving the quality, freshness, and nutritional value of food products throughout the supply chain. Regulatory agencies impose strict guidelines and standards for food safety and quality assurance. Compliance with these regulations requires the implementation of effective pest control measures in agricultural and food processing facilities. Phosphine fumigation is recognized as a safe and approved method for pest management in many jurisdictions, making it a preferred choice for ensuring regulatory compliance in the

agriculture and food industries.

Post-harvest losses due to pest infestations, mold growth, and spoilage contribute to significant economic losses for farmers, food processors, and distributors. Phosphine fumigation helps mitigate post-harvest losses by effectively controlling pests and pathogens in stored grains, fruits, vegetables, and processed food products, reducing waste and maximizing the yield and profitability of agricultural operations. The globalization of food trade has led to increased movement of agricultural commodities and processed food products across international borders. Phosphine fumigation plays a crucial role in facilitating global food trade by ensuring compliance with phytosanitary regulations and quarantine requirements imposed by importing countries. It helps prevent the spread of pests and diseases that could threaten agricultural productivity and food security on a global scale. This factor will accelerate the demand of the Global Phosphine Fumigation Market.

Rising Concerns about Food Loss and Waste

Post-harvest losses occur due to various factors such as pest infestations, mold growth, and spoilage during storage and transportation of agricultural commodities. Phosphine fumigation is an effective method for controlling pests and pathogens in stored grains, seeds, and food products, helping to minimize post-harvest losses and preserve the quality and quantity of food for consumption. Phosphine fumigation helps extend the shelf life of perishable food products by inhibiting the growth of molds, fungi, and bacteria that cause spoilage and deterioration. By maintaining the freshness and quality of food items, phosphine fumigation contributes to reducing food waste at various stages of the supply chain, including storage, distribution, and retail. Food loss and waste result in significant economic losses for farmers, food processors, distributors, and consumers. Phosphine fumigation helps mitigate economic losses by protecting stored food products from damage and spoilage caused by pests and microbial contamination. By preserving the market value and utility of agricultural commodities, phosphine fumigation helps maximize the profitability and sustainability of food production and distribution systems.

Food loss and waste exacerbate food insecurity and malnutrition by reducing the availability and accessibility of nutritious food resources for vulnerable populations. Phosphine fumigation contributes to enhancing food security and nutrition by safeguarding the quantity and quality of food supplies, especially in regions where access to fresh produce and staple crops is limited or seasonal. Phosphine fumigation aligns with the United Nations Sustainable Development Goals (SDGs) by

promoting responsible consumption and production practices, reducing food waste, and ensuring the efficient utilization of natural resources. By addressing the root causes of food loss and waste, phosphine fumigation supports sustainable agricultural and food systems that are environmentally sound, socially equitable, and economically viable. This factor will help in the development of the Global Phosphine Fumigation Market.

Key Market Challenges

Health and Safety Risks

Workers involved in phosphine fumigation operations are at risk of exposure to phosphine gas, which can cause respiratory irritation, nausea, dizziness, and other adverse health effects. Prolonged or high-level exposure to phosphine can lead to more severe health problems, including respiratory failure and chemical pneumonia. Protecting workers' health and safety is a primary concern for companies and regulatory agencies involved in phosphine fumigation activities. Inadequate training and awareness about the hazards of phosphine gas can increase the risk of accidents, mishandling, and improper use of fumigation equipment and chemicals. Many workers may not receive comprehensive training on safe handling practices, emergency response procedures, and personal protective equipment (PPE) requirements, leading to potential health and safety risks in fumigation operations. Phosphine gas is highly toxic and flammable, requiring careful handling, storage, and transportation to minimize the risk of accidents and exposure. Improper storage of phosphine fumigants or equipment can lead to leaks, spills, or chemical reactions that pose health and safety hazards to workers and nearby communities. Ensuring proper storage facilities, ventilation systems, and safety protocols is essential for preventing accidents and mitigating risks associated with phosphine fumigation. Effective emergency response and contingency planning are critical for managing health and safety risks associated with phosphine fumigation incidents, such as accidental releases, leaks, or exposure incidents. Companies must have robust emergency response protocols in place, including procedures for evacuating personnel, containing spills, providing medical treatment, and communicating with regulatory authorities and the public in the event of an emergency.

Cost Considerations

Implementing phosphine fumigation requires significant initial investment in equipment, including fumigation chambers, monitoring devices, safety gear, and specialized application tools. For businesses and agricultural producers, the upfront costs

associated with acquiring and setting up fumigation infrastructure can be substantial, especially for smaller-scale operations or those in developing regions with limited financial resources. Beyond the initial investment, phosphine fumigation entails ongoing operational expenses related to the purchase of fumigants, monitoring equipment, safety supplies, and regulatory compliance. The recurring costs of maintaining fumigation equipment, conducting safety inspections, and training personnel can add up over time, contributing to the overall cost of phosphine fumigation operations. Compliance with regulatory standards and requirements for phosphine fumigation entails additional costs associated with obtaining permits, licenses, and certifications from government agencies and regulatory bodies. Companies must invest resources in ensuring regulatory compliance, conducting risk assessments, and implementing safety protocols to mitigate health and environmental risks associated with phosphine fumigation activities. Labor costs represent a significant component of the overall cost of phosphine fumigation operations, including wages for trained personnel responsible for handling, applying, and monitoring fumigants during the fumigation process. As labor costs vary by region and are subject to market conditions, businesses must factor in labor expenses when budgeting for phosphine fumigation services and operations.

Key Market Trends

Shift towards phosphine Alternatives

Pests can develop resistance to phosphine over time, rendering it less effective for pest control. As a result, there is a growing need for alternative fumigants and pest management strategies that can complement or replace phosphine fumigation to address resistance issues and maintain pest control efficacy. Regulatory agencies worldwide are imposing stricter regulations on the use of chemical fumigants like phosphine due to concerns about human health, environmental impact, and pesticide residues in food products. Regulatory restrictions may limit the availability or use of phosphine fumigants in certain regions or applications, prompting the exploration of alternative fumigation methods that meet regulatory requirements and sustainability standards. Phosphine fumigation can pose environmental risks if not managed properly, including air and water pollution, toxicity to non-target organisms, and contamination of soil and groundwater. Concerns about environmental sustainability and ecological impact drive interest in alternative fumigants that offer safer and more environmentally friendly pest control solutions with minimal adverse effects on ecosystems and biodiversity. Ongoing research and development efforts are focused on developing innovative fumigation technologies and alternative fumigants that offer improved efficacy, safety, and environmental performance compared to traditional phosphine-

based fumigants. Innovations such as bio-based fumigants, modified atmospheres, heat treatments, and insect-resistant packaging technologies provide viable alternatives to phosphine fumigation for controlling pests in agricultural and industrial settings. Increasing consumer awareness and demand for safer, pesticide-free food products drive the adoption of alternative pest control methods that minimize chemical residues and environmental contaminants in agricultural commodities and processed foods. Food producers and retailers respond to consumer preferences by seeking out phosphine alternatives that offer effective pest control while meeting consumer expectations for food safety and quality.

Segmental Insights

Fumigant Type Insights

The Calcium Phosphide segment is projected to experience rapid growth in Global Phosphine Fumigation Market during the forecast period. Calcium phosphide is an effective fumigant for controlling a wide range of pests, including insects, rodents, and other stored product pests. It releases phosphine gas when exposed to moisture or humidity, making it a potent fumigant for various applications in agriculture, food storage, and pest control. Calcium phosphide can be used for fumigating stored grains, seeds, food commodities, and structures such as silos, warehouses, and shipping containers. Its versatility and application flexibility make it suitable for a wide range of pest control scenarios, contributing to its growing popularity in the phosphine fumigation market. Calcium phosphide formulations that release phosphine gas are approved for use by regulatory agencies in many countries for pest control purposes. Compliance with regulatory standards and guidelines ensures the safe and effective use of calcium phosphide fumigants in various agricultural and industrial settings, driving their adoption and market growth.

Application Insights

The Stored Processed Food segment is projected to experience rapid growth in the Global Phosphine Fumigation Market during the forecast period. There has been a significant rise in the demand for Stored Processed Food globally, driven by factors such as changing lifestyles, urbanization, and increasing disposable incomes. Stored Processed Food offer convenience, longer shelf life, and a wide variety of choices to consumers, driving growth in this segment. Food processing facilities are susceptible to pest infestations due to the presence of stored grains, ingredients, and finished products. Phosphine fumigation is a preferred method for controlling pests

such as insects and rodents in food processing plants, warehouses, and storage facilities, ensuring the safety and quality of Stored Processed Food. Regulatory agencies around the world impose stringent food safety regulations to protect consumers from foodborne illnesses and contamination. Compliance with these regulations necessitates effective pest control measures in food processing and storage facilities. Phosphine fumigation is recognized as a safe and efficient method for pest management, making it a preferred choice for the Stored Processed Food industry. Stored Processed Food manufacturers place a high priority on maintaining product quality, integrity, and safety throughout the production and supply chain. Pest infestations can compromise product quality and lead to costly recalls or loss of consumer trust. Phosphine fumigation provides an effective solution for preventing and eliminating pest infestations in Stored Processed Food facilities, safeguarding product integrity and brand reputation.

Regional Insights

North America emerged as the dominant region in the Global Phosphine Fumigation Market in 2023. North America, particularly the United States and Canada, has been at the forefront of technological advancements in agriculture and pest control. The region has developed sophisticated fumigation equipment, monitoring systems, and application methods, enhancing the efficiency and effectiveness of phosphine fumigation processes. North America boasts a large and diverse agricultural sector, encompassing a wide range of crops and food commodities. The region's extensive agricultural infrastructure, including grain storage facilities, warehouses, and food processing plants, creates a significant demand for phosphine fumigation to control pests and ensure food safety and quality. The United States and Canada have established stringent regulatory standards governing pest control practices, including the use of fumigants like phosphine. Compliance with regulatory requirements is crucial for businesses operating in the agricultural and food industries, driving the demand for approved fumigation methods and products.

Key Market Players

UPL Limited

Solvay Group

Degesch America Inc

Nufarm Limited

ADAMA Agricultural Solutions Ltd.

Agrosynth chemicals Ltd.

Excel Crop Care Limited

Nippon chemical industrial Co. Ltd

Rentokil Initial Plc

BASF SE

Report Scope:

In this report, the Global Phosphine Fumigation Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Phosphine Fumigation Market, By Fumigant Type:

Calcium Phosphide

Aluminum Phosphate

Magnesium Phosphide

Others

Phosphine Fumigation Market, By Crop Type:

Fruits and Vegetables

Cereals and Grains

Others

Phosphine Fumigation Market, By Formulation:

Solid

Liquid

Phosphine Fumigation Market, By Application:

Warehouses

Raw Agricultural Commodities

Stored Processed Food

Others

Phosphine Fumigation Market, By Region:

North America

United States

Canada

Mexico

Europe

Germany

United Kingdom

France

Italy

Spain

Asia-Pacific

China

Japan

India

Australia

South Korea

South America

Brazil

Argentina

Colombia

Middle East & Africa

South Africa

Saudi Arabia

UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Phosphine Fumigation Market.

Available Customizations:

Global Phosphine Fumigation market report with the given market data, Tech Sci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

Contents

1. PRODUCT OVERVIEW

- 1.1. Market Definition
- 1.2. Scope of the Market
 - 1.2.1. Markets Covered
 - 1.2.2. Years Considered for Study
 - 1.2.3. Key Market Segmentations

2. RESEARCH METHODOLOGY

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Key Industry Partners
- 2.4. Major Association and Secondary Sources
- 2.5. Forecasting Methodology
- 2.6. Data Triangulation & Validation
- 2.7. Assumptions and Limitations

3. EXECUTIVE SUMMARY

- 3.1. Overview of the Market
- 3.2. Overview of Key Market Segmentations
- 3.3. Overview of Key Market Players
- 3.4. Overview of Key Regions/Countries
- 3.5. Overview of Market Drivers, Challenges, Trends

4. VOICE OF CUSTOMER

5. GLOBAL PHOSPHINE FUMIGATION MARKET OUTLOOK

- 5.1. Market Size & Forecast
 - 5.1.1. By Value
- 5.2. Market Share & Forecast
 - 5.2.1. By Fumigant Type (Calcium Phosphide, Aluminum Phosphate, Magnesium Phosphide, Others)
 - 5.2.2. By Crop Type (Fruits and Vegetables, Cereals and Grains, Others)

- 5.2.3. By Formulation (Solid, Liquid)
- 5.2.4. By Application (Warehouses, Raw Agricultural Commodities, Stored Processed Food, Others)
- 5.2.5. By Region
- 5.2.6. By Company (2023)
- 5.3. Market Map

6. NORTH AMERICA PHOSPHINE FUMIGATION MARKET OUTLOOK

- 6.1. Market Size & Forecast
 - 6.1.1. By Value
- 6.2. Market Share & Forecast
 - 6.2.1. By Fumigant Type
 - 6.2.2. By Crop Type
 - 6.2.3. By Formulation
 - 6.2.4. By Application
 - 6.2.5. By Country
- 6.3. North America: Country Analysis
 - 6.3.1. United States Phosphine Fumigation Market Outlook
 - 6.3.1.1. Market Size & Forecast
 - 6.3.1.1.1. By Value
 - 6.3.1.2. Market Share & Forecast
 - 6.3.1.2.1. By Fumigant Type
 - 6.3.1.2.2. By Crop Type
 - 6.3.1.2.3. By Formulation
 - 6.3.1.2.4. By Application
 - 6.3.2. Canada Phosphine Fumigation Market Outlook
 - 6.3.2.1. Market Size & Forecast
 - 6.3.2.1.1. By Value
 - 6.3.2.2. Market Share & Forecast
 - 6.3.2.2.1. By Fumigant Type
 - 6.3.2.2.2. By Crop Type
 - 6.3.2.2.3. By Formulation
 - 6.3.2.2.4. By Application
 - 6.3.3. Mexico Phosphine Fumigation Market Outlook
 - 6.3.3.1. Market Size & Forecast
 - 6.3.3.1.1. By Value
 - 6.3.3.2. Market Share & Forecast
 - 6.3.3.2.1. By Fumigant Type

- 6.3.3.2.2. By Crop Type
- 6.3.3.2.3. By Formulation
- 6.3.3.2.4. By Application

7. EUROPE PHOSPHINE FUMIGATION MARKET OUTLOOK

- 7.1. Market Size & Forecast
 - 7.1.1. By Value
- 7.2. Market Share & Forecast
 - 7.2.1. By Fumigant Type
 - 7.2.2. By Crop Type
 - 7.2.3. By Formulation
 - 7.2.4. By Application
 - 7.2.5. By Country
- 7.3. Europe: Country Analysis
 - 7.3.1. Germany Phosphine Fumigation Market Outlook
 - 7.3.1.1. Market Size & Forecast
 - 7.3.1.1.1. By Value
 - 7.3.1.2. Market Share & Forecast
 - 7.3.1.2.1. By Fumigant Type
 - 7.3.1.2.2. By Crop Type
 - 7.3.1.2.3. By Formulation
 - 7.3.1.2.4. By Application
 - 7.3.2. United Kingdom Phosphine Fumigation Market Outlook
 - 7.3.2.1. Market Size & Forecast
 - 7.3.2.1.1. By Value
 - 7.3.2.2. Market Share & Forecast
 - 7.3.2.2.1. By Fumigant Type
 - 7.3.2.2.2. By Crop Type
 - 7.3.2.2.3. By Formulation
 - 7.3.2.2.4. By Application
 - 7.3.3. Italy Phosphine Fumigation Market Outlook
 - 7.3.3.1. Market Size & Forecast
 - 7.3.3.1.1. By Value
 - 7.3.3.2. Market Share & Forecast
 - 7.3.3.2.1. By Fumigant Type
 - 7.3.3.2.2. By Crop Type
 - 7.3.3.2.3. By Formulation
 - 7.3.3.2.4. By Application

7.3.4. France Phosphine Fumigation Market Outlook

7.3.4.1. Market Size & Forecast

7.3.4.1.1. By Value

7.3.4.2. Market Share & Forecast

7.3.4.2.1. By Fumigant Type

7.3.4.2.2. By Crop Type

7.3.4.2.3. By Formulation

7.3.4.2.4. By Application

7.3.5. Spain Phosphine Fumigation Market Outlook

7.3.5.1. Market Size & Forecast

7.3.5.1.1. By Value

7.3.5.2. Market Share & Forecast

7.3.5.2.1. By Fumigant Type

7.3.5.2.2. By Crop Type

7.3.5.2.3. By Formulation

7.3.5.2.4. By Application

8. ASIA-PACIFIC PHOSPHINE FUMIGATION MARKET OUTLOOK

8.1. Market Size & Forecast

8.1.1. By Value

8.2. Market Share & Forecast

8.2.1. By Fumigant Type

8.2.2. By Crop Type

8.2.3. By Formulation

8.2.4. By Application

8.2.5. By Country

8.3. Asia-Pacific: Country Analysis

8.3.1. China Phosphine Fumigation Market Outlook

8.3.1.1. Market Size & Forecast

8.3.1.1.1. By Value

8.3.1.2. Market Share & Forecast

8.3.1.2.1. By Fumigant Type

8.3.1.2.2. By Crop Type

8.3.1.2.3. By Formulation

8.3.1.2.4. By Application

8.3.2. India Phosphine Fumigation Market Outlook

8.3.2.1. Market Size & Forecast

8.3.2.1.1. By Value

8.3.2.2. Market Share & Forecast

8.3.2.2.1. By Fumigant Type

8.3.2.2.2. By Crop Type

8.3.2.2.3. By Formulation

8.3.2.2.4. By Application

8.3.3. Japan Phosphine Fumigation Market Outlook

8.3.3.1. Market Size & Forecast

8.3.3.1.1. By Value

8.3.3.2. Market Share & Forecast

8.3.3.2.1. By Fumigant Type

8.3.3.2.2. By Crop Type

8.3.3.2.3. By Formulation

8.3.3.2.4. By Application

8.3.4. South Korea Phosphine Fumigation Market Outlook

8.3.4.1. Market Size & Forecast

8.3.4.1.1. By Value

8.3.4.2. Market Share & Forecast

8.3.4.2.1. By Fumigant Type

8.3.4.2.2. By Crop Type

8.3.4.2.3. By Formulation

8.3.4.2.4. By Application

8.3.5. Australia Phosphine Fumigation Market Outlook

8.3.5.1. Market Size & Forecast

8.3.5.1.1. By Value

8.3.5.2. Market Share & Forecast

8.3.5.2.1. By Fumigant Type

8.3.5.2.2. By Crop Type

8.3.5.2.3. By Formulation

8.3.5.2.4. By Application

9. SOUTH AMERICA PHOSPHINE FUMIGATION MARKET OUTLOOK

9.1. Market Size & Forecast

9.1.1. By Value

9.2. Market Share & Forecast

9.2.1. By Fumigant Type

9.2.2. By Crop Type

9.2.3. By Formulation

9.2.4. By Application

9.2.5. By Country

9.3. South America: Country Analysis

9.3.1. Brazil Phosphine Fumigation Market Outlook

9.3.1.1. Market Size & Forecast

9.3.1.1.1. By Value

9.3.1.2. Market Share & Forecast

9.3.1.2.1. By Fumigant Type

9.3.1.2.2. By Crop Type

9.3.1.2.3. By Formulation

9.3.1.2.4. By Application

9.3.2. Argentina Phosphine Fumigation Market Outlook

9.3.2.1. Market Size & Forecast

9.3.2.1.1. By Value

9.3.2.2. Market Share & Forecast

9.3.2.2.1. By Fumigant Type

9.3.2.2.2. By Crop Type

9.3.2.2.3. By Formulation

9.3.2.2.4. By Application

9.3.3. Colombia Phosphine Fumigation Market Outlook

9.3.3.1. Market Size & Forecast

9.3.3.1.1. By Value

9.3.3.2. Market Share & Forecast

9.3.3.2.1. By Fumigant Type

9.3.3.2.2. By Crop Type

9.3.3.2.3. By Formulation

9.3.3.2.4. By Application

10. MIDDLE EAST AND AFRICA PHOSPHINE FUMIGATION MARKET OUTLOOK

10.1. Market Size & Forecast

10.1.1. By Value

10.2. Market Share & Forecast

10.2.1. By Fumigant Type

10.2.2. By Crop Type

10.2.3. By Formulation

10.2.4. By Application

10.2.5. By Country

10.3. MEA: Country Analysis

10.3.1. South Africa Phosphine Fumigation Market Outlook

- 10.3.1.1. Market Size & Forecast
 - 10.3.1.1.1. By Value
- 10.3.1.2. Market Share & Forecast
 - 10.3.1.2.1. By Fumigant Type
 - 10.3.1.2.2. By Crop Type
 - 10.3.1.2.3. By Formulation
 - 10.3.1.2.4. By Application
- 10.3.2. Saudi Arabia Phosphine Fumigation Market Outlook
 - 10.3.2.1. Market Size & Forecast
 - 10.3.2.1.1. By Value
 - 10.3.2.2. Market Share & Forecast
 - 10.3.2.2.1. By Fumigant Type
 - 10.3.2.2.2. By Crop Type
 - 10.3.2.2.3. By Formulation
 - 10.3.2.2.4. By Application
- 10.3.3. UAE Phosphine Fumigation Market Outlook
 - 10.3.3.1. Market Size & Forecast
 - 10.3.3.1.1. By Value
 - 10.3.3.2. Market Share & Forecast
 - 10.3.3.2.1. By Fumigant Type
 - 10.3.3.2.2. By Crop Type
 - 10.3.3.2.3. By Formulation
 - 10.3.3.2.4. By Application

11. MARKET DYNAMICS

- 11.1. Drivers
- 11.2. Challenges

12. MARKET TRENDS & DEVELOPMENTS

- 12.1. Merger & Acquisition (If Any)
- 12.2. Product Launches (If Any)
- 12.3. Recent Developments

13. PORTERS FIVE FORCES ANALYSIS

- 13.1. Competition in the Industry
- 13.2. Potential of New Entrants

- 13.3. Power of Suppliers
- 13.4. Power of Customers
- 13.5. Threat of Substitute Products

14. COMPETITIVE LANDSCAPE

- 14.1. UPL Limited
 - 14.1.1. Business Overview
 - 14.1.2. Product & Service Offerings
 - 14.1.3. Financials (If Listed)
 - 14.1.4. Recent Developments
 - 14.1.5. Key Personnel
 - 14.1.6. SWOT Analysis
- 14.2. Solvay Group
- 14.3. Degesch America Inc
- 14.4. Nufarm Limited
- 14.5. ADAMA Agricultural Solutions Ltd.
- 14.6. Agrosynth chemicals ltd.
- 14.7. Excel Crop Care Limited
- 14.8. Nippon chemical industrial Co. Ltd
- 14.9. Rentokil Initial Plc
- 14.10. BASF SE

15. STRATEGIC RECOMMENDATIONS

16. ABOUT US & DISCLAIMER

I would like to order

Product name: Phosphine Fumigation Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Fumigant Type (Calcium Phosphide, Aluminum Phosphate, Magnesium Phosphide, Others), By Crop Type (Fruits and Vegetables, Cereals and Grains, Others), By Formulation (Solid, & Liquid), By Application (Warehouses, Raw Agricultural Commodities, Stored Processed Food, Others), By Region, and By Competition, 2019-2029F

Product link: <https://marketpublishers.com/r/P76248454934EN.html>

Price: US\$ 4,500.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/P76248454934EN.html>