

Rheumatoid Arthritis Diagnostic Tests Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Test Type (Serology Test {Erythrocyte Sedimentation Rate (ESR), Rheumatoid Factor (RF), Anti-cyclic Citrullinated Peptide (anti-CCP), Antinuclear Antibody (ANA), Uric Acid, Other Tests}, Monitoring RA Treatment Efficiency Tests {Salicylate Level Count, Muscle Enzyme Tests (CPK, Aldolase), Creatinine Test}), By End User (Diagnostic Laboratories, Private Laboratories, Public Laboratories, Ambulatory Surgical Centers), By Region and Competition, 2019-2029F

<https://marketpublishers.com/r/R4E4C2F62BD9EN.html>

Date: July 2024

Pages: 184

Price: US\$ 4,900.00 (Single User License)

ID: R4E4C2F62BD9EN

Abstracts

Global Rheumatoid Arthritis Diagnostic Tests Market was valued at USD 2.14 Billion in 2023 and is anticipated to project impressive growth in the forecast period with a CAGR of 5.84% through 2029. The global Rheumatoid Arthritis (RA) diagnostic tests market is driven by several key factors. The rising prevalence of rheumatoid arthritis worldwide is increasing the demand for early and accurate diagnostic tests. These tests aid in prompt diagnosis and initiation of appropriate treatment, thereby improving patient outcomes. Advancements in diagnostic technologies, such as biomarker identification and molecular testing methods, are enhancing the sensitivity and specificity of RA tests, leading to more reliable results. Growing awareness among healthcare providers and patients about the benefits of early diagnosis and disease monitoring is boosting market growth. Strategic initiatives by healthcare organizations and government bodies to

improve access to diagnostic services and enhance healthcare infrastructure are further propelling the expansion of the global RA diagnostic tests market.

Key Market Drivers

Increasing Prevalence of Rheumatoid Arthritis

The increasing prevalence of rheumatoid arthritis (RA) globally is a pivotal factor driving growth in the diagnostic tests market. RA is characterized as a chronic autoimmune disorder primarily affecting joints, where persistent inflammation leads to pain, stiffness, and potential joint deformity if left untreated. This condition not only diminishes quality of life but also imposes significant healthcare burdens due to its chronic nature and associated complications. According to WHO, in 2019, there were 18 million individuals globally diagnosed with rheumatoid arthritis. Approximately 70% of those affected by rheumatoid arthritis are women, and 55% are aged 55 years or older. Out of the total, 13 million people with rheumatoid arthritis experience moderate to severe severity levels that may benefit from rehabilitation. Rheumatoid arthritis, a systemic autoimmune condition, impacts various body systems, with the joints of the hands, wrists, feet, ankles, knees, shoulders, and elbows being most commonly affected.

The incidence of RA is notably rising across diverse populations worldwide, particularly among aging individuals and women. Factors contributing to this upward trend include changes in lifestyle, environmental factors, genetic predisposition, and improved diagnostic capabilities that facilitate earlier detection. As awareness grows about the importance of early diagnosis, there is an increasing demand for accurate and timely diagnostic tests capable of identifying RA in its initial stages. Early detection of RA is paramount because it enables healthcare providers to promptly initiate appropriate treatment strategies. Disease-modifying antirheumatic drugs (DMARDs) and biologic therapies, when administered early in the disease course, can effectively suppress inflammation, prevent joint damage, and preserve joint function. These treatments not only alleviate symptoms but also improve long-term outcomes, including reduced disability and improved quality of life for patients.

Advancements in Diagnostic Technologies

Technological advancements in diagnostic tests are revolutionizing the landscape of rheumatoid arthritis (RA) diagnosis. While traditional methods such as blood tests for rheumatoid factor (RF) and anti-cyclic citrullinated peptide (anti-CCP) antibodies remain fundamental, the field is rapidly evolving with innovative approaches. These

advancements encompass several cutting-edge techniques that enhance the accuracy and precision of RA diagnosis.

One significant advancement is the identification of biomarkers through proteomic and genomic analyses. Proteomics allows for the comprehensive study of proteins involved in RA pathogenesis, facilitating the discovery of novel biomarkers that can indicate disease activity and progression. Genomic testing, on the other hand, focuses on identifying specific genetic markers associated with RA susceptibility, disease severity, and response to treatment. By pinpointing genetic variations linked to RA, clinicians can personalize treatment strategies and optimize patient outcomes.

Molecular testing represents another breakthrough in RA diagnostics, enabling the detection of molecular abnormalities and disease-specific markers with high sensitivity and specificity. These tests provide valuable insights into the underlying mechanisms of RA and aid in early disease detection, even before clinical symptoms manifest fully. The development of point-of-care testing devices has transformed the diagnostic landscape by offering rapid and accurate results directly at the bedside or in outpatient settings. These portable devices enable timely decision-making, allowing clinicians to initiate appropriate treatment promptly and monitor disease progression effectively.

Growing Adoption of Non-Invasive Diagnostic Techniques

There is a growing preference for non-invasive diagnostic techniques in RA diagnosis, which minimizes patient discomfort and risks associated with invasive procedures. Imaging modalities such as ultrasound and magnetic resonance imaging (MRI) are increasingly utilized to assess joint inflammation, synovitis, and erosions characteristic of RA. These imaging techniques provide detailed anatomical information, aiding in early diagnosis and monitoring disease progression. Advancements in imaging technology, including high-resolution ultrasound and MRI techniques, enable clinicians to visualize subtle changes in joint structure and inflammation, facilitating more accurate disease staging and treatment planning.

Increasing Awareness and Early Detection Initiatives

Rising awareness among healthcare providers and patients about the benefits of early RA detection is driving demand for diagnostic tests. Early diagnosis allows for timely intervention, which is critical in preventing irreversible joint damage and disability associated with RA. Public health initiatives and advocacy campaigns focusing on RA awareness, symptoms, and risk factors are promoting proactive screening and

diagnosis. In November 2023, Aqtual, a precision medicine company specializing in a novel cell-free DNA platform for chronic diseases and oncology, announced groundbreaking research. This study showcased their platform's capability to identify synovial gene expression patterns in patients with rheumatoid arthritis (RA) through a blood test, marking the first-ever detection of synovial signatures using this approach. Presented at the annual Convergence meeting of the American College of Rheumatology, the research highlights the successful detection of synovial transcriptomic signals in blood plasma using Aqtual's innovative DNA capture platform. The platform demonstrated its ability to thoroughly analyze and characterize molecular signatures specific to RA, effectively distinguishing these signals from those associated with other inflammatory conditions.

Healthcare professionals are increasingly encouraged to incorporate RA screening protocols into routine clinical practice, ensuring that individuals at risk receive timely evaluation and appropriate management. As a result, healthcare systems are witnessing a shift towards proactive disease management strategies, aiming to improve patient outcomes and reduce long-term healthcare costs associated with advanced RA complications.

Key Market Challenges

Complexity in Diagnosis and Variability in Disease Presentation

One of the primary challenges in the RA diagnostic tests market is the complexity and variability in disease presentation. Rheumatoid arthritis is a heterogeneous autoimmune disease characterized by a wide spectrum of clinical manifestations and disease trajectories. This variability poses challenges for clinicians in accurately diagnosing RA, especially in its early stages when symptoms may overlap with other rheumatic conditions or inflammatory disorders. The lack of specific diagnostic biomarkers that distinguish RA from other forms of arthritis further complicates the diagnostic process. As a result, healthcare providers often rely on a combination of clinical evaluation, imaging studies, and serological tests such as rheumatoid factor (RF) and anti-cyclic citrullinated peptide (anti-CCP) antibodies to reach a definitive diagnosis. Enhancing diagnostic accuracy and reducing diagnostic delays remain critical challenges in improving patient outcomes and initiating timely disease-modifying therapies.

Limited Sensitivity and Specificity of Current Diagnostic Biomarkers

Despite advancements in diagnostic technologies, the sensitivity and specificity of

existing biomarkers for RA remain limited. Serological markers such as RF and anti-CCP antibodies, while valuable in RA diagnosis, exhibit variable sensitivity and specificity across different patient populations and disease stages. False-positive and false-negative results can occur, leading to diagnostic uncertainties and delays in initiating appropriate treatment. Biomarker testing may not adequately capture the full spectrum of RA phenotypes, including seronegative RA cases where patients lack detectable levels of RF or anti-CCP antibodies. Addressing the limitations of current diagnostic biomarkers through the discovery of novel RA-specific biomarkers and the development of multiplex assay platforms is essential for enhancing diagnostic accuracy and supporting personalized treatment approaches in RA management.

Cost Constraints and Healthcare Resource Allocation

Cost constraints and healthcare resource allocation present significant challenges in the adoption and implementation of RA diagnostic tests globally. Advanced diagnostic technologies, including genomic testing, molecular profiling, and imaging modalities such as ultrasound and MRI, often require substantial financial investment in equipment, reagents, and specialized laboratory facilities. The high cost of diagnostic tests may limit accessibility, particularly in low-resource settings and underserved populations where healthcare funding is limited. Reimbursement policies and healthcare financing mechanisms vary widely between countries, impacting patient access to diagnostic services and influencing healthcare provider decision-making. Addressing cost-effectiveness considerations, optimizing healthcare resource allocation, and implementing sustainable financing models are critical for expanding access to reliable RA diagnostic tests and improving diagnostic equity on a global scale.

Key Market Trends

Proliferation of Personalized Medicine Approaches

The shift towards personalized medicine approaches in healthcare is influencing the RA diagnostic tests market. Personalized medicine aims to deliver targeted therapies based on individual patient characteristics, including genetic makeup, biomarker profiles, and disease subtype. Advances in genomic testing and molecular diagnostics enable clinicians to identify specific genetic variants and biomarkers associated with RA susceptibility, disease severity, and treatment response. By integrating personalized medicine principles into RA diagnosis, clinicians can optimize treatment outcomes, minimize adverse effects, and enhance patient adherence to therapy. This personalized approach also supports the development of novel biomarker-based diagnostic tests that

predict disease progression and guide therapeutic decision-making, thereby driving innovation in the RA diagnostic tests market.

Increasing Healthcare Expenditure on Chronic Diseases

The rise in healthcare expenditure on chronic diseases, including RA, is driving market growth for diagnostic tests. Chronic diseases impose a substantial economic burden on healthcare systems globally due to long-term management costs, hospitalizations, and disability-related expenses. Governments and healthcare organizations are investing in preventive healthcare measures, early disease detection, and effective treatment strategies to mitigate the economic impact of chronic diseases such as RA. Diagnostic tests that enable early RA detection and monitoring are integral to reducing disease complications, improving quality of life for patients, and optimizing healthcare resource allocation. As healthcare spending continues to increase, there is a corresponding rise in demand for cost-effective and efficient diagnostic solutions that support proactive disease management and improve patient outcomes.

Segmental Insights

Test Type Insights

Based on the product, serology tests currently dominate due to their foundational role in diagnosing and monitoring RA. These tests primarily detect antibodies such as rheumatoid factor (RF) and anti-cyclic citrullinated peptide (anti-CCP) antibodies, which are key biomarkers associated with RA. Serology tests are essential for confirming the diagnosis of RA, particularly in its early stages when clinical symptoms may be nonspecific or ambiguous. They help distinguish RA from other rheumatic conditions and facilitate timely intervention with disease-modifying antirheumatic drugs (DMARDs) and biologic therapies.

RF is an autoantibody that targets the body's own proteins, specifically immunoglobulin G (IgG), leading to chronic inflammation and joint damage characteristic of RA. Anti-CCP antibodies, on the other hand, target citrullinated peptides, and their presence is highly specific to RA, aiding in accurate diagnosis and prognostication. These serological markers not only assist in initial RA diagnosis but also in assessing disease severity, predicting prognosis, and monitoring treatment response over time.

End User Insights

Based on the end user segment, diagnostic laboratories play a dominant role due to their specialized infrastructure and expertise in conducting a wide range of diagnostic tests essential for RA diagnosis and management. These laboratories are typically equipped with state-of-the-art technologies, automated systems, and specialized personnel trained in performing serological assays, imaging studies, and molecular diagnostics necessary for RA testing.

Diagnostic laboratories offer comprehensive testing services that encompass serology tests for rheumatoid factor (RF) and anti-cyclic citrullinated peptide (anti-CCP) antibodies, which are pivotal in confirming RA diagnosis and assessing disease activity. These tests are essential for distinguishing RA from other rheumatic conditions, guiding treatment decisions, and monitoring disease progression over time. Diagnostic laboratories also utilize advanced imaging modalities such as ultrasound, magnetic resonance imaging (MRI), and X-rays to visualize joint inflammation, erosion, and damage associated with RA, providing critical insights into disease severity and response to therapy.

Regional Insights

North America dominates the Global Rheumatoid Arthritis (RA) Diagnostic Tests Market for several compelling reasons, rooted in its robust healthcare infrastructure, advanced diagnostic capabilities, high disease prevalence, and strong emphasis on research and development. North America boasts a well-developed healthcare infrastructure characterized by a dense network of hospitals, diagnostic laboratories, specialty clinics, and academic institutions dedicated to rheumatology. These facilities are equipped with state-of-the-art diagnostic technologies, including advanced imaging modalities like magnetic resonance imaging (MRI) and ultrasound, which are crucial for assessing joint inflammation, erosion, and damage characteristic of RA. Such infrastructure supports timely and accurate diagnosis, essential for initiating early intervention and personalized treatment strategies tailored to individual patient needs.

The prevalence of rheumatoid arthritis in North America is notably higher compared to other regions. Factors contributing to this include genetic predisposition, environmental influences, and an aging population susceptible to autoimmune disorders. The rising incidence of RA underscores the growing demand for diagnostic tests that can effectively detect the disease in its early stages, monitor disease progression, and optimize therapeutic outcomes.

North America's leadership in medical research and innovation plays a pivotal role in

driving advancements in RA diagnostics. Academic institutions, research centers, and pharmaceutical companies across the region collaborate to conduct groundbreaking research on RA biomarkers, genetic susceptibility factors, and novel diagnostic technologies. This collaborative effort not only enhances the understanding of RA pathophysiology but also accelerates the development of innovative diagnostic assays and precision medicine approaches aimed at improving patient outcomes.

Key Market Players

Abbott Laboratories Inc.

Siemens Healthineers AG

Thermo Fisher Scientific Inc.

Exagen Inc.

Augurex Life Sciences Corp.

Danaher Corporation

Bio-Rad Laboratories, Inc.

Tulip Diagnostics (P) Ltd

Boditech Med Inc.

Getein Biotech, Inc.

Report Scope:

In this report, the Global Rheumatoid Arthritis Diagnostic Tests Market has been segmented into the following categories, in addition to the industry trends which have also been detailed below:

Rheumatoid Arthritis Diagnostic Tests Market, By Test Type:

Serology Test

Erythrocyte Sedimentation Rate (ESR)

Rheumatoid Factor (RF)

Anti-cyclic Citrullinated Peptide (anti-CCP)

Antinuclear Antibody (ANA)

Uric Acid

Other Tests

Monitoring RA Treatment Efficiency Tests

Salicylate Level Count

Muscle Enzyme Tests (CPK, Aldolase)

Creatinine Test

Rheumatoid Arthritis Diagnostic Tests Market, By End User:

Diagnostic Laboratories

Private Laboratories

Public Laboratories

Ambulatory Surgical Centers

Rheumatoid Arthritis Diagnostic Tests Market, By Region:

North America

United States

Canada

Mexico

Europe

France

United Kingdom

Italy

Germany

Spain

Asia-Pacific

China

India

Japan

Australia

South Korea

South America

Brazil

Argentina

Colombia

Middle East & Africa

South Africa

Saudi Arabia

UAE

Competitive Landscape

Company Profiles: Detailed analysis of the major companies present in the Global Rheumatoid Arthritis Diagnostic Tests Market.

Available Customizations:

Global Rheumatoid Arthritis Diagnostic Tests market report with the given market data, TechSci Research offers customizations according to a company's specific needs. The following customization options are available for the report:

Company Information

Detailed analysis and profiling of additional market players (up to five).

Contents

1. PRODUCT OVERVIEW

- 1.1. Market Definition
- 1.2. Scope of the Market
 - 1.2.1. Markets Covered
 - 1.2.2. Years Considered for Study
 - 1.2.3. Key Market Segmentations

2. RESEARCH METHODOLOGY

- 2.1. Objective of the Study
- 2.2. Baseline Methodology
- 2.3. Key Industry Partners
- 2.4. Major Association and Secondary Sources
- 2.5. Forecasting Methodology
- 2.6. Data Triangulation & Validations
- 2.7. Assumptions and Limitations

3. EXECUTIVE SUMMARY

- 3.1. Overview of the Market
- 3.2. Overview of Key Market Segmentations
- 3.3. Overview of Key Market Players
- 3.4. Overview of Key Regions/Countries
- 3.5. Overview of Market Drivers, Challenges, Trends

4. VOICE OF CUSTOMER

5. GLOBAL RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET OUTLOOK

- 5.1. Market Size & Forecast
 - 5.1.1. By Value
- 5.2. Market Share & Forecast
 - 5.2.1. By Test Type (Serology Test {Erythrocyte Sedimentation Rate (ESR), Rheumatoid Factor (RF), Anti-cyclic Citrullinated Peptide (anti-CCP), Antinuclear Antibody (ANA), Uric Acid, Other Tests}, Monitoring RA Treatment Efficiency Tests {Salicylate Level Count, Muscle Enzyme Tests (CPK, Aldolase), Creatinine Test})

5.2.2. By End User (Diagnostic Laboratories, Private Laboratories, Public Laboratories, Ambulatory Surgical Centers)

5.2.3. By Region

5.2.4. By Company (2023)

5.3. Market Map

6. NORTH AMERICA RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET OUTLOOK

6.1. Market Size & Forecast

6.1.1. By Value

6.2. Market Share & Forecast

6.2.1. By Test Type

6.2.2. By End User

6.2.3. By Country

6.3. North America: Country Analysis

6.3.1. United States Rheumatoid Arthritis Diagnostic Tests Market Outlook

6.3.1.1. Market Size & Forecast

6.3.1.1.1. By Value

6.3.1.2. Market Share & Forecast

6.3.1.2.1. By Test Type

6.3.1.2.2. By End User

6.3.2. Canada Rheumatoid Arthritis Diagnostic Tests Market Outlook

6.3.2.1. Market Size & Forecast

6.3.2.1.1. By Value

6.3.2.2. Market Share & Forecast

6.3.2.2.1. By Test Type

6.3.2.2.2. By End User

6.3.3. Mexico Rheumatoid Arthritis Diagnostic Tests Market Outlook

6.3.3.1. Market Size & Forecast

6.3.3.1.1. By Value

6.3.3.2. Market Share & Forecast

6.3.3.2.1. By Test Type

6.3.3.2.2. By End User

7. EUROPE RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET OUTLOOK

7.1. Market Size & Forecast

7.1.1. By Value

7.2. Market Share & Forecast

7.2.1. By Test Type

7.2.2. By End User

7.2.3. By Country

7.3. Europe: Country Analysis

7.3.1. Germany Rheumatoid Arthritis Diagnostic Tests Market Outlook

7.3.1.1. Market Size & Forecast

7.3.1.1.1. By Value

7.3.1.2. Market Share & Forecast

7.3.1.2.1. By Test Type

7.3.1.2.2. By End User

7.3.2. United Kingdom Rheumatoid Arthritis Diagnostic Tests Market Outlook

7.3.2.1. Market Size & Forecast

7.3.2.1.1. By Value

7.3.2.2. Market Share & Forecast

7.3.2.2.1. By Test Type

7.3.2.2.2. By End User

7.3.3. Italy Rheumatoid Arthritis Diagnostic Tests Market Outlook

7.3.3.1. Market Size & Forecast

7.3.3.1.1. By Value

7.3.3.2. Market Share & Forecast

7.3.3.2.1. By Test Type

7.3.3.2.2. By End User

7.3.4. France Rheumatoid Arthritis Diagnostic Tests Market Outlook

7.3.4.1. Market Size & Forecast

7.3.4.1.1. By Value

7.3.4.2. Market Share & Forecast

7.3.4.2.1. By Test Type

7.3.4.2.2. By End User

7.3.5. Spain Rheumatoid Arthritis Diagnostic Tests Market Outlook

7.3.5.1. Market Size & Forecast

7.3.5.1.1. By Value

7.3.5.2. Market Share & Forecast

7.3.5.2.1. By Test Type

7.3.5.2.2. By End User

8. ASIA-PACIFIC RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET OUTLOOK

- 8.1. Market Size & Forecast
 - 8.1.1. By Value
- 8.2. Market Share & Forecast
 - 8.2.1. By Test Type
 - 8.2.2. By End User
 - 8.2.3. By Country
- 8.3. Asia-Pacific: Country Analysis
 - 8.3.1. China Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 8.3.1.1. Market Size & Forecast
 - 8.3.1.1.1. By Value
 - 8.3.1.2. Market Share & Forecast
 - 8.3.1.2.1. By Test Type
 - 8.3.1.2.2. By End User
 - 8.3.2. India Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 8.3.2.1. Market Size & Forecast
 - 8.3.2.1.1. By Value
 - 8.3.2.2. Market Share & Forecast
 - 8.3.2.2.1. By Test Type
 - 8.3.2.2.2. By End User
 - 8.3.3. Japan Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 8.3.3.1. Market Size & Forecast
 - 8.3.3.1.1. By Value
 - 8.3.3.2. Market Share & Forecast
 - 8.3.3.2.1. By Test Type
 - 8.3.3.2.2. By End User
 - 8.3.4. South Korea Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 8.3.4.1. Market Size & Forecast
 - 8.3.4.1.1. By Value
 - 8.3.4.2. Market Share & Forecast
 - 8.3.4.2.1. By Test Type
 - 8.3.4.2.2. By End User
 - 8.3.5. Australia Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 8.3.5.1. Market Size & Forecast
 - 8.3.5.1.1. By Value
 - 8.3.5.2. Market Share & Forecast
 - 8.3.5.2.1. By Test Type
 - 8.3.5.2.2. By End User

9. SOUTH AMERICA RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET

OUTLOOK

9.1. Market Size & Forecast

9.1.1. By Value

9.2. Market Share & Forecast

9.2.1. By Test Type

9.2.2. By End User

9.2.3. By Country

9.3. South America: Country Analysis

9.3.1. Brazil Rheumatoid Arthritis Diagnostic Tests Market Outlook

9.3.1.1. Market Size & Forecast

9.3.1.1.1. By Value

9.3.1.2. Market Share & Forecast

9.3.1.2.1. By Test Type

9.3.1.2.2. By End User

9.3.2. Argentina Rheumatoid Arthritis Diagnostic Tests Market Outlook

9.3.2.1. Market Size & Forecast

9.3.2.1.1. By Value

9.3.2.2. Market Share & Forecast

9.3.2.2.1. By Test Type

9.3.2.2.2. By End User

9.3.3. Colombia Rheumatoid Arthritis Diagnostic Tests Market Outlook

9.3.3.1. Market Size & Forecast

9.3.3.1.1. By Value

9.3.3.2. Market Share & Forecast

9.3.3.2.1. By Test Type

9.3.3.2.2. By End User

10. MIDDLE EAST AND AFRICA RHEUMATOID ARTHRITIS DIAGNOSTIC TESTS MARKET OUTLOOK

10.1. Market Size & Forecast

10.1.1. By Value

10.2. Market Share & Forecast

10.2.1. By Test Type

10.2.2. By End User

10.2.3. By Country

10.3. MEA: Country Analysis

10.3.1. South Africa Rheumatoid Arthritis Diagnostic Tests Market Outlook

- 10.3.1.1. Market Size & Forecast
 - 10.3.1.1.1. By Value
- 10.3.1.2. Market Share & Forecast
 - 10.3.1.2.1. By Test Type
 - 10.3.1.2.2. By End User
- 10.3.2. Saudi Arabia Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 10.3.2.1. Market Size & Forecast
 - 10.3.2.1.1. By Value
 - 10.3.2.2. Market Share & Forecast
 - 10.3.2.2.1. By Test Type
 - 10.3.2.2.2. By End User
- 10.3.3. UAE Rheumatoid Arthritis Diagnostic Tests Market Outlook
 - 10.3.3.1. Market Size & Forecast
 - 10.3.3.1.1. By Value
 - 10.3.3.2. Market Share & Forecast
 - 10.3.3.2.1. By Test Type
 - 10.3.3.2.2. By End User

11. MARKET DYNAMICS

- 11.1. Drivers
- 11.2. Challenges

12. MARKET TRENDS & DEVELOPMENTS

- 12.1. Merger & Acquisition (If Any)
- 12.2. Product Launches (If Any)
- 12.3. Recent Developments

13. PORTER'S FIVE FORCES ANALYSIS

- 13.1. Competition in the Industry
- 13.2. Potential of New Entrants
- 13.3. Power of Suppliers
- 13.4. Power of Customers
- 13.5. Threat of Substitute Products

14. COMPETITIVE LANDSCAPE

- 14.1. Abbott Laboratories Inc.
 - 14.1.1. Business Overview
 - 14.1.2. Company Snapshot
 - 14.1.3. Products & Services
 - 14.1.4. Financials (As Reported)
 - 14.1.5. Recent Developments
 - 14.1.6. Key Personnel Details
 - 14.1.7. SWOT Analysis
- 14.2. Siemens Healthineers AG
- 14.3. Thermo Fisher Scientific Inc.
- 14.4. Exagen Inc.
- 14.5. Augurex Life Sciences Corp.
- 14.6. Danaher Corporation
- 14.7. Bio-Rad Laboratories, Inc.
- 14.8. Tulip Diagnostics (P) Ltd
- 14.9. Boditech Med Inc.
- 14.10. Getein Biotech, Inc.

15. STRATEGIC RECOMMENDATIONS

16. ABOUT US & DISCLAIMER

I would like to order

Product name: Rheumatoid Arthritis Diagnostic Tests Market - Global Industry Size, Share, Trends, Opportunity, and Forecast, Segmented By Test Type (Serology Test {Erythrocyte Sedimentation Rate (ESR), Rheumatoid Factor (RF), Anti-cyclic Citrullinated Peptide (anti-CCP), Antinuclear Antibody (ANA), Uric Acid, Other Tests}, Monitoring RA Treatment Efficiency Tests {Salicylate Level Count, Muscle Enzyme Tests (CPK, Aldolase), Creatinine Test}), By End User (Diagnostic Laboratories, Private Laboratories, Public Laboratories, Ambulatory Surgical Centers), By Region and Competition, 2019-2029F

Product link: <https://marketpublishers.com/r/R4E4C2F62BD9EN.html>

Price: US\$ 4,900.00 (Single User License / Electronic Delivery)

If you want to order Corporate License or Hard Copy, please, contact our Customer Service:

info@marketpublishers.com

Payment

To pay by Credit Card (Visa, MasterCard, American Express, PayPal), please, click button on product page <https://marketpublishers.com/r/R4E4C2F62BD9EN.html>

To pay by Wire Transfer, please, fill in your contact details in the form below:

First name:
Last name:
Email:
Company:
Address:
City:
Zip code:
Country:
Tel:
Fax:
Your message:

****All fields are required**

Customer signature _____

Please, note that by ordering from marketpublishers.com you are agreeing to our Terms & Conditions at <https://marketpublishers.com/docs/terms.html>

To place an order via fax simply print this form, fill in the information below and fax the completed form to +44 20 7900 3970